

Important literature on ocean noise

Amrhein, V. & Erne, N. (2006) Dawn singing reflects past territorial challenges in the winter wren. *Animal Behavior* 71, 1075-1080.

Antunes R., Kvadsheim P.H., Lam F.P.A., Tyack, P.L., Thomas, L., Wensveen P.J., Miller P. J. O. (2014). High response thresholds for avoidance of sonar by free-ranging long-finned pilot whales (*Globicephala melas*). *Mar. Poll. Bull.*83: 165-180. DOI: 10.1016/j.marpolbul.2014.03.056

Alves, A., Antunes, R., Bird, A., Tyack, P., Miller, P.J.O., Lam, F.P.A. and Kvadsheim, P.H. (2014). Vocal matching of naval sonar signals by long-finned pilot whales (*Globicephala melas*). *Marine Mammal Sci* 30: 1248-1257. DOI: 10.1111/mms.12099.

Aoki K, Sakai M, Miller PJO, Visser F, Sato K (2013) Body contact and synchronous dives in pilot whales. *Behavioural Processes* 99, 12-20.

Baggenstoss, P. (2011) An algorithm for the localization of multiple interfering sperm whale using multi-sensor time difference of arrival. *The Journal of the Acoustical Society of America*, 130

Baggenstoss, P. (2011) Separation of sperm whale click trains for multipath rejection. *The Journal of the Acoustical Society of America*, 130: 3598-3609

Beltran, R., Peterson, S., McHuron, E., Reichmuth, C. et al. (2016) Seals and sea lions are what they eat, plus what? Determination of trophic discrimination factors for seven pinniped species. *Rapid Communications in Mass Spectrometry*, 30: 1115-1122

Blickley, J. L., and Patricelli, G. L. (2010). "Impacts of Anthropogenic Noise on Wildlife: Research Priorities for the Development of Standards and Mitigation," *Journal of International Wildlife Law & Policy* 13, 274-292.

Block, B., Jonsen, I., Jorgensen, S., Winship, A. et al. (2011) Tracking apex marine predator movements in a dynamic ocean. *Nature Letter*, 475: 86-90

Boughter B., Hood, J., Theriault, J. and Moors, H. (2012) Generalized marine mammal detection based on improved band-limiting processing. *Proceedings of Meetings on Acoustics*, 17. ECUA 2012 11th European Conference on Underwater Acoustics

Boyd, I. (2012) Technology requirements to investigate the effects of sound on marine wildlife. *International Journal of the Society for Underwater Technology*, 30: 123-133

Breed, G., Costa, D., Goebel, M. and Robison, P. (2011) Electronic tracking tag programming is critical to data collection for behavioural time-series analysis. *Ecosphere*, 2: 1-12

Breed, G., Costa, D., Jonsen, I., Robison, P. et al. (2012) State-space methods for more completely capturing behavioural dynamics from animal tracks. *Ecological Modelling* 235-236: 49-58

Cabrelli, A., Harwood, J., Matthiopoulos, J., New, L. et al. (2009). A critical review of the literature on population modelling. CREEM Technical Report 2009-2

Cato, D., Noad, M., Dunlop, R., McCauley, R. et al. (2012) Project BRAHSS: Behavioural response of Australian Humpback whales to seismic surveys. Proceedings of Acoustics 2012-Fremantle. 21-23 November.

Cato, D., Noad, M., Dunlop, R., McCauley, R. et al. (2013) A study of the behavioural response of whales to the noise of seismic air guns: Design, methods and progress, 2013, Acoustics Australia, 41: 88-97

Cato, D., Noad, M., Dunlop, R., McCauley, R. et al. (2013) Behavioral responses of humpback whales to seismic air guns. Proceedings of Meetings on Acoustics, 19. ICA Montreal, Canada. Animal bioacoustics.

Cato, D.H., Dunlop, R.A., Noad, M.J., McCauley et al. (2016) Addressing Challenges in Studies of Behavioral Responses of Whales to Noise. The Effects of Noise on Aquatic Life II: Advances in Experimental Medicine and Biology, 875: 145-152.

Costa, D., Huckstadt, L., Crocker, D., McDonald, B. et al. (2010) Approaches to studying climatic change and its role on the habitat selection of Antarctic pinnipeds. Integrative and Comparative Biology, 50: 1018-1030

Costa, D. and Block, B. (2011) Use of electronic tag data and associated analytical tools to identify and predict habitat utilization of marine mammals. Navy Reports

Costa, D. (2012) A bioenergetics approach to developing a population consequences of acoustic disturbance model. The Effects of Noise on Aquatic Life. Advances in Experimental Medicine and Biology (eds Popper A.N & Hawkins A.) 730: 423-426

Costa, D., Breed, G. and Robinson, P. (2012) New insights into pelagic migrations: Implications for ecology and conservation. The Annual Review of Ecology, Evolution and Systematics, 43: 73-96

Costa, D., Schwarz, L., Robinson, P., Schick, R. et al. (2016) A bioenergetics approach to understanding the population consequences of disturbance: Elephant seals as a model system. The Effects of Noise on Aquatic Life II: Advances in Experimental Medicine and Biology, 875: 161-169

Cummings, J. (2007). "Ocean Noise: science findings and regulatory developments in 2007," in Acoustic Ecology Institute Spotlight Report (Acoustic Ecology Institute), p. 15.

Cummings, J. (2007). "Regulating Ocean Noise: Entering Uncharted Waters," Journal of International Wildlife Law & Policy 10, 101 - 107.

Curé, C., Antunes, R., Samarra, F., Alves, A-C., Visser, F., Kvadsheim, PH., Miller, PJO. (2012). Pilot whales attracted to killer whale sounds: Acoustically-mediated interspecific interactions in cetaceans. PlosOne 7:1-5

Curé, C., Antunes, R., Alves, A.C., Visser, F., Kvadsheim, P.H., & Miller, P.L.O. (2013). Responses of male sperm whales (*Physeter macrocephalus*) to killer whale sounds: implications for anti-predator strategies. *Scientific Reports* 3: 1579 (DOI: 10.1038/srep01579)

Curé C, Sivle LD, Visser F, Wensveen P, Isojunno S, Harris C, Kvadsheim PH, Lam FPA, Miller PJO. (2015). Predator sound playbacks reveal strong avoidance responses in a fight strategist baleen whale. *Mar Ecol Prog Ser* 526: 267–282. doi: 10.3354/meps11231

D'Amico, A., Gisiner, R.C., Ketten, D.R., Hammock, J.A., Johnson, C., Tyack, P.L. & Mead, J. (2009). Beaked whale strandings and naval exercises. *Aquatic Mammals* 35:452-472.

Davidson, A., Boyer, A., Kim, H., Pompa-Mansilla, S. et al. (2011) Drivers and hotspots of extinction risk in marine mammals. *Proceedings of the National Academy of Sciences of the United States of America*, 109: 3395-3400

DeRuiter, S. L. (2010). Marine Animal Acoustics. In *An Introduction to Underwater Acoustics* (ed X. Lurton), pp. 425–474. Chichester, UK: Praxis Publishing Limited.

DeRuiter, S.L., Southall, B.L., Calambokidis, J., Zimmer, W.M.X., Sadykova, D., Falcone, E.A., Friedlaender, A.S., Joseph, J.E., Moretti, D., Schorr, G.S., Thomas, L. & Tyack, P.L. (2013). First direct measurements of behavioral responses by Cuvier's beaked whales to mid-frequency active (MFA) sonar. *Biology Letters* 9: 20130223.

Doksæter L, OR Godø, NO Handegard, P Kvadsheim, FPA Lam, C Donovan and P Miller (2009). Behavioral responses of herring (*Clupea harengus*) to 1-2 kHz sonar signals and killer whale feeding sounds. *J. Acoust. Soc. Am.* 125: 554-564

Dunlop, R.A., Noad, M.J., Cato, D.H. (2012) "Behavioural-response studies: problems with statistical power" In: *Effects of Noise on Aquatic Life*, ed. Popper A.N. and Hawkins, A. Springer, New York, 293-297

Dunlop, R.A., Noad, M.J., Cato, D.H., Kniest, H., Miller, P.J.O, Smith J.N., Stokes, M.D. (2013). "Multivariate analysis of behavioural response experiments in humpback whales (*Megaptera novaeangliae*)" *Journal of Experimental Biology*, 216, 759-770

Dunlop, R., Noad, M., McCauley, R., Kniest, E. et al. (2015) The behavioural response of humpback whales (*Megaptera novaeangliae*) to a 20 cubic inch air gun. *Aquatic Mammals*, 41: 412-433

Dunlop, R., (2016) Changes in vocal parameters with social context in humpback whales: considering the effect of bystanders. *Behavioural Ecology and Sociobiology*, 70: 857-870

Dunlop, R.A., Noad, M.J. and Cato, D.H. (2016). A spatially explicit model of the movement of humpback whales relative to a source. *Proceeding of Meeting on Acoustics*, 27. Fourth International Conference on the Effects of Noise on Aquatic Life.

Dunlop, R.A., Noad, M.J., McCauley, R.D., Kniest, E. et al. (2016). Response of humpback whales (*Megaptera novaeangliae*) to ramp-up of a small experimental air gun array. *Marine Pollution Bulletin*, 103, 72-83.

- Erbe, C., Reichmuth, C., Cunningham, C., Lucke, K., and Dooling, R. (2016). "Communication masking in marine mammals: A review and research strategy," *Marine Pollution Bulletin* 103, 15-38.
- Fahlman A, Tyack PL, Miller PJ and Kvadsheim PH (2014). How man-made interference might cause gas bubble emboli in deep diving whales? *Frontiers in Physiology* 5: 1-6.
- Fais, A., Aguilar Soto, N., Johnson, M. Pérez-González, C., Miller, P. J. O., Madsen, P. T. (2015) Sperm whale echolocation behaviour reveals a directed prior—based strategy informed by prey distribution. *Behavioural Ecology and Sociobiology* 69: 663-674.
- Farcas, A., Thompson, P. M., and Merchant, N. D. (2016) "Underwater noise modelling for environmental impact assessment," *Environmental Impact Assessment Review* 57, 114-122.
- Finneran, J. (2012) Auditory effects of underwater noise on odontocetes. *The Effects of Noise on Aquatic Life. Advances in Experimental Medicine and Biology* 730: 197-202
- Finneran, J., Branstetter, B. (2013) Effects of noise and sound perception in marine mammals. In book: *Animal Communication and Noise*, Chapter 10. pp 273-308
- Finneran, J., Schlundt, C., Branstetter, B., Trickey, J. et al. (2015) Effects of multiple impluses from a seismic air gun on bottlenose dolphin hearing and behavior. *The Journal of the Acoustical Society of America*, 137: 1634-1646
- Fowler, M., Coasta, D., Crocker, D., Shen, W. et al. (2015) Adipose triglyceride lipase, not hormone-sensitive lipase, is the primary lipolytic enzyme in fasting elephant seals. *Physiological and Biochemical Zoology*, 88: 284-294
- Fowler, M., Debier, C., Champagne, C., Crocker, D. et al. (2015) The demands of lactation promote differential regulation of lipid stores in fasting elephant seals. *General and Comparative Endocrinology* 225: 125-132
- Gillespie, D., Gordon, J., Mchugh, R., McLaren, D. et al. (2008) PAMGUARD: Semiautomated, open source software for real time acoustic detection and localisation of cetaceans. *Proceedings of the Institute of Acoustics*, 30
- Gisiner, R., Harper, S., Livingston, E., and Simmen, J. (2006). "Effects of sound on the marine environment (ESME): an underwater noise risk model," *Oceanic Engineering, IEEE Journal of* 31, 4-7.
- Godwin, E., Noad, M. and Dunlop, R. (2015) Comparing multiple sampling platforms for measuing the behaviour of humpback whales (*Megaptera novaeangliae*). *Marine Mammal Science*, 32: 268-286
- Götz, T. & Janik, V.M. (2011) Repeated elicitation of the acoustic startle reflex leads to sensitisation in subsequent avoidance behavior and induces fear conditioning. *BMC Neuroscience* 12, 30. 36
- Goldbogen, J.A., Southall, B.L., DeRuiter, S.L., Calambokidis, J., Friedlaender, A.S., Hazen, E.L., Falcone, E.A., Schorr, G.S., Douglas, A., Moretti, D.J., Kyburg, C., McKenna, M.F. &

- Tyack, P.L. (2013) Blue whales respond to simulated mid-frequency military sonar. *Proceedings of the Royal Society B*. 280(1765), 20130657. doi:10.1098/rspb.2013.0657
- Hassrick, J., Crocker, D., Teutschel, N., McDonald, B. et al. (2009) Condition and mass impact oxygen stores and dive duration in adult female northern elephant seals. *The Journal of Experimental Biology*, 213: 585-592
- Hastie, G.D., Russell, D.J.F., McConnell, B., Moss, S., Thompson, D. & Janik, V.M. (2015) Sound exposure in harbour seals during the installation of an offshore wind farm: predictions of auditory damage. *Journal of Applied Ecology* 52, 631-640.
- Hatch, L. T., and Wright, A. S. (2007). "A Brief Review of Anthropogenic Sound in the Oceans," *International Journal of Comparative Psychology* 20, 121-133.
- Hatch, L., Clark, C., Merrick, R., Van Parijs, S., Ponirakis, D., Schwehr, K., Thompson, M., and Wiley, D. (2008). "Characterizing the Relative Contributions of Large Vessels to Total Ocean Noise Fields: A Case Study Using the Gerry E. Studds Stellwagen Bank National Marine Sanctuary," *Environmental Management* 42, 735-752.
- Hatch, L. T., and Fristrup, K. M. (2009). "No barrier at the boundaries: implementing regional frameworks for noise management in protected natural areas," *Mar Ecol Prog Ser* 395, 223-244.
- Hatch, L. T., Clark, C. W., Van Parijs, S. M., Frankel, A. S., and Ponirakis, D. W. (2012). "Quantifying Loss of Acoustic Communication Space for Right Whales in and around a U.S. National Marine Sanctuary," *Conservation Biology* 26, 983-994.
- Hazen, E., Jorgensen, S., Rykaczewski, R., Bograd, S. et al. (2012) Predicted habitat shifts of Pacific top predators in a changing climate. *Letters. Nature Climate Change* doi: 10.1038/NCLIMATE1686
- Hildebrand, J. A. (2004). "Sources of Anthropogenic Sound in the Marine Environment," in *International Policy Workshop on Sound and Marine Mammals*, edited by Marine Mammal Commission, and Joint Nature Conservaton (London, U K), p. 16.
- Hildebrand, J. (2009). "Anthropogenic and natural sources of ambient noise in the ocean," *Mar Ecol Prog Ser* 395, 5-20.
- Hood, J., Flogeras, D. and Theriault, J. (2016) Improved passive acoustic band-limited energy detection for cetaceans. *Applied Acoustics*, 106: 36-41
- Hooker, S., Fahlman, A., Moore, M., Aguilar de Soto, N. et al. (2011) Deadly diving? Physiological and behavioural management of decompression stress in diving mammals. *Proceedings of the Royal Society B*, 279: 1041-50
- Horowitz, C., and Jasny, M. (2007). "Precautionary Management of Noise: Lessons from the U.S. Marine Mammal Protection Act," *Journal of International Wildlife Law & Policy* 10, 225 - 232.

Houser, D., Dankiewicz-Talmadge, L., Stockard, T. and Ponganis, P. (2009) Investigation of the potential for vascular bubble formation in a repetitively diving dolphin. *The Journal of Experimental Biology*, 213: 52-62

Houser, D., Yeates, L., Crocker, D., Martin, S.W. & Finneran, J.J. (2012) Controlled exposure study of dolphins and sea lions to mid-frequency sonar-like signals. *Advances in Experimental Medicine and Biology* 730, DOI 10.1007/978-1-4419-7311-5_59, A.N. Popper and A. Hawkins (eds.), *The Effects of Noise on Aquatic Life*.

Houser, D.S., Martin, S.W. & Finneran, J.J. (2013) Exposure amplitude and repetition affect bottlenose dolphin behavioral responses to simulated mid-frequency sonar signals. *Journal of Experimental Marine Biology and Ecology*, 443, 123-133.

Houser, D.S., Martin, S.W. & Finneran, J.J. (2013) Behavioral responses of California sea lions to mid-frequency (3250–3450 Hz) sonar signals, *Marine Environmental Research*, 92, 268-278.

Houser, D., Yost, W., Burkard, R., Finneran, J. et al. (2017) A review of the history, development and application of auditory weighting functions in humans and marine mammals. *The Journal of the Acoustical Society of America*, 141: 1371-1413

Isojunno, S and Miller PJO (2015). Sperm whale response to tag boat presence: biologically informed hidden state models quantify lost feeding opportunities. *Ecosphere* 6: 1-46

Joseph, J. E., and Chiu, C.-S. (2010). "A computational assessment of the sensitivity of ambient noise level to ocean acidification," *The Journal of the Acoustical Society of America* 128, EL144-EL149.

Kaschner, K., Quick, N., Jewell, R., Williams, R. et al. (2012) Global coverage of cetacean line-transect surveys: Status quo, data gaps and future challenges. *PLoS ONE*, 7(9) e44075

Kastelein, R. A., Steen, N., de Jong, C., Wensveen, P. J., & Verboom, W. C. (2011) Effect of broadband-noise masking on the behavioral response of a harbor porpoise (*Phocoena phocoena*) to 1-s duration 6-7 kHz sonar up-sweeps. *Journal of the Acoustical Society of America*, 129, 2307–2315. doi:10.1121/1.3559679

Kastelein, R.A., Gransier, R., van den Hoogen, M. & Hoek, L. (2013) Brief Behavioral Response Threshold Levels of a Harbor Porpoise (*Phocoenaphocoena*) to Five Helicopter Dipping Sonar Signals (1.33 to 1.43 kHz). *Aquatic Mammals*, 39(2), 162-173.

Kavanagh, A., Goldizen, A., Blomberg, S., Noad, M. et al. (2016) Factors affecting the reliability and validity of behavioural datasets: Assessing the impact of observers experience and native language on studies of wild animals. *Aquatic Mammals*, 42: 1-11

Kavanagh, A.S., Williamson, K., Blomberg, S., Noad, M. et al. (2016) Evidence for the functions of surface-active behaviours in humpback whales. *Marine Mammal Science*. doi: 10.1111/mms.12374

Kavanagh, Ailbhe S.; Noad, Michael J. et al. (2016) Factors driving the variability in diving and movement behavior of migrating humpback whales (*Megaptera novaeangliae*):

implications for anthropogenic disturbance studies. *Marine Mammal Science*. doi: 10.1111/mms.12375

Koski, W., Abigrall, P. and Yazvenko, S. (2009) A review and inventory of unmanned aerial systems for detection and monitoring of key biological resources and physical parameters affecting marine life during offshore exploration. Joint Industry Programme on E&P Sound and Marine Life

Küsel, E., Mellinger, D., Thomas, L., Marques, D. et al. (2011) Cetacean population density estimation from single fixed sensors using passive acoustics. *Journal of the Acoustical Society of America*, 129: 3610-3622

Kvadsheim, P, F Benders, P Miller, L Doksæter, F Knudsen, P Tyack, N Nordlund, FPA Lam, F Samarra, L Kleivane and OR Godø (2007). Herring (sild), killer whales (spekkhogger) and sonar – the 3S-2006 cruise report with preliminary results. FFI report 2007/01189 (<http://rapporter.ffi.no/rapporter/2007/01189.pdf>)

Kvadsheim, P, FPA Lam, P Miller, AC Alves, R Antunes, A Broccoconcelli, S van Ijsselmuide, L Kleivane, M Olivierse and F Visser (2009). Cetaceans and naval sonar – the 3S-2009 cruise report. FFI report 2009/01140 (<http://rapporter.ffi.no/rapporter/2009/01140.pdf>)

Kvadsheim, P.H., Lam, F.P. Miller P. Doksæter, L., Visser, F., Kleivane, L., van Ijsselmuide, S., Samarra, F., Wensveen, P., Curé, C., Hickmott, L., and Dekeling, R. (2011). Behavioural response studies of cetaceans to naval sonar signals in Norwegian waters - 3S-2011 cruise report. FFI report 2011/01289 (<http://rapporter.ffi.no/rapporter/2011/01289.pdf>)

Kvadsheim, P.H., Miller, P.J.O., Tyack, P., Sivle, L.D., Lam, F.P.A., and Fahlman, A. (2012). Estimated tissue and blood N₂ levels and risk of in vivo bubble formation in deep-, intermediate and shallow diving toothed whales during exposure to naval sonar. *Frontiers in Aquat. Physiol.* 3: article 125.

Kunc, H. P., McLaughlin, K. E., and Schmidt, R. (2016). "Aquatic noise pollution: implications for individuals, populations, and ecosystems," *Proceedings of the Royal Society of London B: Biological Sciences* 283.

Kuningas S, Kvadsheim PH, Lam FPA, Miller PJO (2013). Killer whale presence in relation to naval sonar activity and prey abundance in northern Norway. *ICES J. Mar. Sci.* (Sept 4. doi:10.1093/icesjms/fst127)

Lavendar, A., Bartol, S., Barton, I. (2014) Hearing capabilities of Loggerhead Sea turtles (*Caretta caretta*) through ontogeny. *The Effects of Noise on Aquatic Life: Advances in Experimental Medicine and Biology* 730: 89-92

Lawson, J. W., Davis, R. A., Richardson, J. W., and Malme, C. I. (2000). "Assesment of noise issues relevant to key cetacean species (northern bottlenose an sperm whales) in the Sable Gully area of interest," edited by L. L. e. r. associates (report for Oceans Act Coordination Office, Maritimes Region, Dept. of Fisheries and Oceans, 1 Challenger Drive, 5th Floor Polaris, Bio, P. O: Box 1006, Dartmouth, NS B2Y 4A2, King City), p. 134.

- Lawson, G., Huckstadt, L., Lavery, A., Jaffre, F. et al. (2015) Development of an animal-borne sonar tag for quantifying prey availability: Test deployments on northern elephant seals. *Animal Biotelemetry*, 3:22 1-16
- Mann, J. (1999) Behavioral sampling methods for cetaceans: a review and critique. *Marine Mammal Science*.15, 102-122. 37
- Maresh, J., Simmons, S., Crocker, D., McDonald, B. et al. (2014) Free-swimming northern elephant seals have low field metabolic rates that are sensitive to an increased cost of transport. *The Journal of Experimental Biology*, 217: 1485-1495
- Maresh, J., Adachi, T., Takahashi, A., Naito, Y. et al. (2015) Summing the strokes: Energy economy in northern elephant seals during large scale foraging migrations. *Movement Ecology*, 3:22 1-16
- Marques, T., Thomas, L., Ward, J., DiMarzio, N. et al. (2009) Estimating cetacean population density using fixed passive acoustic: An example with Blainvilles beaked whales. *The Journal of the Acoustical Society of America*, 125: 1982-1994
- Marques, T., Munger, L., Thomas, L., Wiggins, S. et al. (2011) Estimating North Pacific right whale *Eubalaena japonica* density using passive acoustic cue counting. *Endangered Species Research*, 13: 163-172
- Marques, T., Thomas, L. and Royle, R. (2011) A hierarchical model for spatial capture-recapture data: comment. *Ecology*, 92: 526-528
- Marques, T., Thomas, L., Martin, S., Mellinger, D. et al. (2012) Spatially explicit capture recapture methods to estimate minke whale abundance from data collected at bottom mounted hydrophones. *Journal of Ornithology*, 152: 445-455
- Marques, T., Thomas, L., Martin, S., Mellinger, D. et al. (2013) Estimating animal population density using passive acoustics. *Biological Reviews*, 88: 287-309
- Martin, S., Marques, T., Thomas, L., Morrissey, R. et al. (2013) Estimating minke whale (*Balaenoptera acutorostrata*) boing sound density using passive acoustic sensors. *Marine Mammal Science*, 29: 142-158
- Mathias, D., Thode, A., Straley, J., Calambokidis, J. et al. (2012) Acoustic and diving behaviour of sperm whales (*Physeter macrocephalus*) during natural and depredation foraging in the Gulf of Alaska. *Acoustical Society of America*, 132: 518-532
- McCarthy, E. (2007). "Ocean Noise, Scientific Uncertainty, and the Paradox of the Precautionary Principle," *Journal of International Wildlife Law & Policy* 10, 233 - 242.
- McCauley, R., Duncan, A., Gavrilov, A. and Cato, D. (2016) Transmission of marine seismic survey, air gun array signals in Australian waters. *Proceedings of Acousitcs*. 9-11 November 2016, Brisbane, Australia.
- McComb, K., Moss, C., Durant, S.M., Baker, L. & Sayialel, S. (2001) Matriarchs as repositories of social knowledge in African elephants. *Science* 292, 491-494.

- McHuron, E., Peterson, S., Ackerman, J., Melin, S. et al. (2015) Effects of age, colony and sex in mercury concentrations in California Sea Lions. *Archives of Environmental Contamination and Toxicology*, 70: 46-55
- Mellinger, D., Martin, S., Morrissey, R., Thomas, L. et al. (2010) A method for detecting whistles, moans and other frequency contour sounds. *Journal of the Acoustical Society of America*, 129: 4055-4061
- Merchant, N. D., Blondel, P., Dakin, D. T., and Dorocicz, J. (2012). "Averaging underwater noise levels for environmental assessment of shipping," *The Journal of the Acoustical Society of America* 132, EL343-EL349.
- Merchant, N. D., Pirota, E., Barton, T. R., and Thompson, P. M. (2014). "Monitoring ship noise to assess the impact of coastal developments on marine mammals," *Marine Pollution Bulletin* 78.
- Merchant, N. D., Fristrup, K. M., Johnson, M. P., Tyack, P. L., Witt, M. J., Blondel, P., and Parks, S. E. (2015). "Measuring acoustic habitats," *Methods in Ecology and Evolution* 6, 257-265.
- Merchant, N. D., Brookes, K. L., Faulkner, R. C., Bicknell, A. W. J., Godley, B. J., and Witt, M. J. (2016). "Underwater noise levels in UK waters," *Scientific Reports* 6, 36942.
- Miller, P.J.O., Johnson, M.P., Madsen, P.T., Biassoni, N., Quero, M., & Tyack, P.L. (2009) Using at-sea experiments to study the effects of airguns on the foraging behavior of sperm whales in the Gulf of Mexico. *Deep-Sea Research I* 56, 1168-1181.
- Miller, P.J.O., Antunes, R., Alves, A.C., Wensveen, P., Kvadsheim, P.H., Kleivane L., Nordlund, N., Lam, F.P., vanIjsselmuide, S., Visser, F., and Tyack, P. (2011). The 3S experiments: studying the behavioral effects of sonar on killer whales (*Orcinus orca*), sperm whales (*Physeter macrocephalus*), and long-finned pilot whales (*Globicephala melas*) in Norwegian waters. *Scottish Ocean Inst. Tech. Rept. SOI-2011-001* (<http://soi.st-andrews.ac.uk/documents/424.pdf>)
- Miller, P.J.O., Kvadsheim, P.H., Lam, F.P.A., Wensveen, P.J., Antunes, R., Alves, A.C., Visser, F., Kleivane, L., Tyack, P.L., Sivle, L.D. (2012). The severity of behavioral changes observed during experimental exposures of killer (*Orcinus orca*), long-finned pilot (*Globicephala melas*), and sperm whales (*Physeter macrocephalus*) to naval sonar. *Aquatic Mammals* 38: 362-401.
- Miller, P.J.O., R.N. Antunes, P.J. Wensveen, F.I.P. Samarra, A. Catarina Alves, P.H. Kvadsheim, L. Kleivana, F.-P.A. Lam, M.A. Ainsle, P.L. Tyack & L. Thomas. (2014) Dose-response relationships for the onset of avoidance of sonar by free-ranging killer whales. *Journal of the Acoustical Society of America*.135, 975. <http://dx.doi.org/10.1121/1.4861346>
- Miller P.J.O., Kvadsheim, P.H., Lam, F.-P.A., Tyack, P.L., Curé, C., DeRuiter, S.L., Kleivane, L., Sivle, L.D., van Ijsselmuide, S.P., Visser, F., Wensveen, P.J., & Hooker, S.K. (2015) Northern bottlenose whales are highly sensitive to noise disturbance. *Royal Society Open Science*.2: 140484.

Miller PJO, PH Kvadsheim, FPA Lam, PL Tyack, C. Cure, SL DeRuiter, L Kleivane, L Sivle, SP van IJsselmuide, F Visser, PJ Wensveen, AM von Benda-Beckmann, L Martin López, T Narazaki, SK Hooker (2015). First indications that northern bottlenose whales are sensitive to behavioural disturbance from anthropogenic noise. *R. Soc. open sci.* 2: 140484.

<http://dx.doi.org/10.1098/rsos.140484>National Research Council (2003). *Ocean noise and marine mammals* (The National Academies Press, Washington).

Moretti, D., Marques, L., Thomas, N., DiMarzio, A. et al. (2010) A dive counting density estimation method for Blainvilles beaked whale (*Mesoplodon densirostris*) using a bottom-mounted hydrophone field as applied to a Mid-Frequency Active (MFA) sonar operation. *Applied Acoustics*, 71: 1036-2042

National Research Council (2005). *Marine mammal populations and ocean noise - determining when noise causes biologically significant effects* (National Academies Press, Washington).

Neo, Y.Y., Seitz, J., Kastelein, R., Winter, H.V., ten Cate C. & Slabbekoorn, H. (2014) Temporal structure of sound affects behavioural recovery from noise impact in European seabass. *Biological Conservation* 178:65–73.

Neo, Y.Y., Parie, L., Bakker, F., Snelderwaard, P., Tudorache, C., Schaaf, M. & Slabbekoorn, H. (2015) Behavioral changes in response to sound exposure and no spatial avoidance of noisy conditions in captive zebrafish. *Frontiers in Behavioral Neuroscience* 9:1–11. 38

New, L., Clark, J., Costa, D., Fleishman, E. et al. (2014) Using short-term measures of behaviour to estimate long-term fitness of southern elephant seals. *Marine Ecology Progress Series*, 496: 99-108

Noad, M. and Dunlop, R. (2016) *Marine mammals and the impacts of anthropogenic noise: Considerations for the design of large acoustic behavioral response studies such as BRAHSS*. Proceedings of Acoustics 2016. 9-11 November 2016, Brisbane, Australia

Nowacek, D. P., Bröker, K., Donovan, G., Gailey, G., Racca, R., Reeves, R. R., Vedenev, A. I., Weller, D. W., and Southall, B. L. (2013). "Responsible Practices for Minimizing and Monitoring Environmental Impacts of Marine Seismic Surveys with an Emphasis on Marine Mammals," *Aquatic Mammals* 39, 356-377.

Nowacek, D. P., Clark, C. W., Mann, D., Miller, P. J. O., Rosenbaum, H. C., Golden, J. S., Jasny, M., Kraska, J., and Southall, B. L. (2015). "Marine seismic surveys and ocean noise: time for coordinated and prudent planning," *Frontiers in Ecology and the Environment* 13, 378-386.

Oliviera, C., Wahlberg, M., Johnson, M., Miller, P. J. O., Madsen, P. T. (2013). The function of male sperm whale slow clicks in a high latitude habitat: Communication, echolocation or prey debilitation? *J. Acoust. Soc. Am* 133, 3135-3144.

Parsons, E. C. M., Dolman, S. J., Jasny, M., Rose, N. A., Simmonds, M. P., and Wright, A. J. (2009). "A critique of the UK's JNCC seismic survey guidelines for minimising acoustic disturbance to marine mammals: Best practise?," *Marine Pollution Bulletin* 58, 643-651.

- Peck, H., Costa, D. and Crocker, D. (2016) Body reserves influence allocation to immune response in capital breeding female northern elephant seals. *Functional Ecology*, 30:389-397
- Reichmuth, C. (2012) Psychophysical studies of auditory masking in marine mammals: key concepts and new directions. *The Effects of Noise on Aquatic Life. Advances in Experimental Medicine and Biology*, 730: 23-27
- Reichmuth, C., Ghoul, A., Sills, J., Rouse, A. et al. (2016) Low-frequency temporary threshold shift not observed in spotted or ringed seals exposed to single air gun impulses. *The Journal of the Acoustical Society of America*, 140 (4): 2646-2658
- Richardson, W. J., Greene, C. R. J., Malme, C. I., and Thomson, D. H. (1995). *Marine mammals and noise* (Academic Press, San Diego).
- Robinson, P., Simmons, S., Crocker, D. and Costa, D. (2010) Measurements of foraging success in a highly pelagic marine predator, the northern elephant seal. *Journal of Animal Ecology*, 79: 1146-1156
- Rolland, R.M., Parks, S.E., Hunt, K.E., Castellote, M., Corkeron, P.J., Nowacek, D.P., Wasser, S.K. & Kraus, S.D. (2012) Evidence that ship noise increases stress in right whales. *Proceedings of the Royal Society B*. 279:2363–2368
- Rouse, A., Cook, P., Large, E., Reichmuth, C. (2016) Beat keeping in a sealion as coupled oscillation: Implications for comparative understanding of human rhythm. *Frontiers in Neuroscience*, 10: 257
- Samarra, F and Miller PJO (2015). Prey-induced behavioural plasticity of herring-eating killer whales. *Marine Biology* 162, 809-821. doi:10.1007/s00227-015-2626-8
- Sayigh, L., Quick, N. Hastie, G. and Tyack, P. (2012) Repeated call types in short-finned pilot whales, *Globicephala macrorhynchus*. *Mar. Mamm. Sci.* 29: 312-324. (DOI: 10.1111/j.1748-7692.2012.00577.x)
- Schlundt, C., Finneran, J., Branstetter, B., Trickey, J. et al. (2016) Auditory effects of multiple impulses from a seismic air gun on bottlenose dolphins (*Tursiops truncatus*). *The Effects of Noise on Aquatic Life. Advances in Experimental Medicine and Biology* 875: 987-991
- Schorr, G.S., Falcone, E.A., Moretti, D.J. & Andrews, R.D. (2014) First long-term behavioral records from Cuvier's beaked whales (*Ziphius cavirostris*) reveal record-breaking dives. *PLoS ONE* 9(3):e92633.doi: 10.1371/journal.pone.0092633
- Schwarz, L., Hindell, M., McMahon, C. and Costa, D. (2012) The implications of assuming independent tag loss in southern elephant seals. *Ecosphere*, 3: 1-11
- Schwarz, L., Goebel, M., Costa, D. and Kilpatrick, M. (2013) Top down and bottom up influences on demographic rates of Antarctic fur seals *Arctocephalus gazelle*. *The Journal of Animal Ecology*, 82: 903-911
- Schwarz, L., Villegas-Amtmann, S., Beltran, R., Costa, D. et al. (2015) Comparisons and uncertainty in fat and adipose tissue estimation techniques: The northern elephant seal as a case study. *PLoS ONE*, 10 e0131877.

- Scott, K. N. (2004). "International Regulation Of Undersea Noise," *International and Comparative Law Quarterly* 53, 287-324.
- Sills, J., Southall, B., Reichmuth, C. (2014) Amphibious hearing in spotted seals (*Phoca largha*): underwater audiograms, aerial audiograms and critical ratio measurements. *The Journal of Experimental Biology* 217: 726-734
- Sills, J., Southall, B., Reichmuth, C. (2015) Amphibious hearing in ringed seals (*Pusa hispida*): underwater audiograms, aerial audiograms and critical ratio measurements. *The Journal of Experimental Biology* 218: 2250-2259
- Sills, J., Reichmuth, C. (2016) Listening for signals in seismic noise: A case study of masking in Arctic seals. *Proceedings of Meetings on Acoustics*, 27. Fourth International Conference on the Effects of Noise on Aquatic Life, Dublin, Ireland
- Sills, J., Southall, B., Reichmuth, C. (2016) Psychoacoustic Studies of Spotted (*Phoca largha*) and Ringed (*Pusa hispida*) Seals. *The Effects of Noise on Aquatic Life II. Advances in Experimental Medicine and Biology*, 875: 1025-1030
- Sills, J., Southall, B., Reichmuth, C. (2017) The influence of temporally varying noise from seismic air guns on the detection of underwater sounds by seals. *Journal of Acoustical Society of America*, 141: 996-1008
- Sivle, L.D., Kvadsheim, P.H., Ainslie, M.A., Solow, A., Handegard, N.O., Nordlund, N., Lam, F.P.A. (2012). Impact of naval sonar signals on herring (*Clupea harengus*) during summer feeding. *ICES J. Mar. Sci.* (May 14. 2012; doi:10.1093/icesjms/fss080).
- Sivle, L.D., Kvadsheim, P.H., Fahlman, A., Lam, F.P., Tyack, P., and Miller, P. (2012). Changes in dive behavior during sonar exposure in killer whales, pilot whales and sperm whales. *Frontiers in Aquat. Physiol.*3: article 400
- Sivle, L.D., Kvadsheim, P.H. and Ainslie, M.A. (2014). Potential for population-level disturbance by active sonar in herring. *ICES J. Mar. Sci.* doi: 10.1093/icesjms/fsu154
- Slabbekoorn, H., Bouton, N., Van Opzeeland, I., Coers, A., ten Cate, C., and Popper, A. N. (2010). "A noisy spring: The impact of globally rising underwater sound levels on fish," *Trends in Ecology and Evolution* 25, 419-427.
- Sousa-Lima, R., Norris, T., Oswald, J. and Fernandes, D. (2013) A review and inventory of fixed autonomous recorders for passive acoustic monitoring of marine mammals. *Aquatic Mammals*, 39: 23-53
- Southall, B., Bowles, A., Ellison, W., Finneran, J., Gentry, R., Greene, C., Kastak, D., Ketten, D., Miler, J., Nachtigall, P., Richardson, W., Thomas, J., and Tyack, P. (2007). "Marine mammal noise exposure criteria: initial scientific recommendations," *Aquat Mamm* 33, 411 - 521. !!!NOTE there will be an update in near future!!!
- Thode, A., Straley, J. and Folkert K. (2010) Tracking sperm whales with a towed acoustic vector sensor, *The Journal of the Acoustical Society of America*, 128: 2681-2694

- Thomas, L. and Marques, T. (2012) Passive acoustic monitoring for estimating animal density. *Acoustics Today*, 8: 35-44
- Thomsen, F., McCully, S., Weiss, L., Wood, D. et al. (2011) Cetacean stock assessments in relation to exploration and production industry activity and other human pressures: Review and data needs. *Aquatic Mammals* 37: 1-93
- Tubelli, A., Zosuls, A., Ketten, D., Yamato, M. et al. (2012) A prediction of the minke whale (*Balaenoptera acutorostrata*) middle-ear transfer function. *The Journal of the Acoustical Society of America*, 132: 3263-3272
- Tyack, P., Zimmer, W., Moretti, D., Southall, B. et al. (2011) Beaked whales respond to simulated and actual navy sonar. *PLoS One* 6, e17009
- Villegas-Amtmann, S., Schwarz, L. K., Sumich, J. L., and Costa, D. P. (2015). "A bioenergetics model to evaluate demographic consequences of disturbance in marine mammals applied to gray whales," *Ecosphere* 6, art183.
- Villegas-Amtmann, S., McDonald, B., Paez-Rosas, D., Aurióles-Gamboa, D. et al. (2016) Adapted to change: Low energy requirements in a low and unpredictable productivity environment, the case of the Galapagos sea lion. *Deep-Sea Research II* in press
- Visser F., Miller P.J.O., Antunes R.N., Oudejans M.G., Mackenzie M.L., Aoki K., Lam F.P.A., Kvadsheim P.H., Huisman J. and Tyack P.L. (2014). The social context of individual foraging behaviour in long-finned pilot whales (*Globicephala melas*). *Behaviour* 151: 1453-1477. DOI: 10.1163/1568539X-00003195
- von Benda-Beckmann, A.M., P.J. Wensveen, P.H. Kvadsheim, F.P.A. Lam, P.J.O. Miller, P.L. Tyack, M.A. Ainslie (2014). Modelling effectiveness of gradual increases in source level to mitigate effects of sonar on marine mammals. *Cons. Biol* 28: 119-128. (DOI: 10.1111/cobi.12162)
- Ward, J., Jarvis, S., Moretti, D., Morrissey, R. et al. (2011) Beaked whale (*Mesoplodon densirostris*) passive acoustic detection in increasing ambient noise. *The Journal of the Acoustical Society of America*, 129: 662-669
- Ward, J., Thomas, L., Jarvis, S., DiMarzio, N. et al. (2012) Passive acoustic density estimation of sperm whales in the Tongue of the Ocean, Bahamas. *Marine Mammal Science*, 28: 444-455
- Wensveen PJ, von Benda-Beckmann AM, Ainslie MA, Lam F-PA, Kvadsheim PH, Tyack PL and Miller PJO (2015). How effectively do horizontal and vertical response strategies of long-finned pilot whales reduce sound exposure from naval sonar? *Mar. Env. Res.*106: 68-81
- Whitehead, H. & Gero, S. (2015) Conflicting rates of increase in the sperm whale population of the eastern Caribbean: positive observed rates do not reflect a healthy population. *Endangered Species Research* 27: 207–218.
- Williamson, M., Kavanagh, A. and Noad, N. (2016) The effect of close approached for tagging activities by small research vessels on the behavior of humpback whales (*Megaptera novaeangliae*). *Marine Mammal Science*, 32: 1234-1253

Winship, A., Jorgensen, S., Shaffer, S., Jonsen, I. et al. (2011) State-space framework for estimating measurement error from double-tagging telemetry. *Methods in Ecology and Evolution*, 3: 291-302

Young, K. and Keith, E. (2011) A comparative analysis of cetacean vital rates using matrix population modeling analysis of cetacean vital rates. *International Journal of Applied Science and Technology*, 1 :261-277

Papers submitted or in press

Curé et al. (submitted). Biological significance of sperm whale responses to sonar: comparison with anti-predator responses. *Endangered Species Research*

Visser et al. (submitted). Disturbance-specific social responses in long-finned pilot whales. *Royal Society Proceeding B*

Wensveen et al. (in review). The effectiveness of ramp-up of naval sonar to reduce sound levels received by marine mammals: experimental tests with humpback whales. *Royal Society Proceeding B*

Lam, FP & Kvadsheim, PH (2015). Effects of Sound in the Ocean on Marine Mammals - ESOMM-2014 Conference. *Aquatic Mammals* (in press).

Sivle, L, PH Kvadsheim, C Curé, S Isojunno, PJ Wensveen, FPA Lam, F Visser, L Kleivane, PL Tyack, C Harris, PJO Miller (in press). Severity of expert-identified behavioural responses of humpback whale, minke whale and northern bottlenose whale to naval sonar. *Aquatic Mammals*

Wensveen P.J., Thomas, L. Miller, PJO. (in press). A path reconstruction method integrating dead reckoning and position fixes applied to humpback whales. *Movement ecology*

Harris, C.M., D. Sadykova, S.L. DeRuiter, P.L. Tyack, P.J.O. Miller, P.H. Kvadsheim, F.P.A. Lam, and L. Thomas. (in press). Dose response severity functions for acoustic disturbance in cetaceans using recurrent event survival analysis. *Ecosphere*

Isojunno, S, C. Curé, P. H. Kvadsheim, F. P. A. Lam, P. L. Tyack, P. J. Wensveen, P. J. O. Miller (in press). Sperm whales reduce foraging effort during exposure to 1-2 kHz sonar and killer whale sounds. *Ecological Applications*

Harris, CM, Sadykova, D, De Ruiter, SL, Tyack, PL, Miller, P, Kvadsheim, P, Lam, F.P. & Thomas, L. 2015. Dose response severity functions for acoustic disturbance in cetaceans using recurrent event survival analysis. *Ecosphere* (in press).