

02-04-00116	EQUIPMENT:BED HEAD UNIT		
	MODEL:DIFERENT		
	COMPANY/MANUFACTURER:SQUARE D COMPANY		
	QUANTITY: 687		
	SITE: SADDAM MEDICAL CITY		
	PATIENT LIGHT LENS, 30 W SWITCH	A-43116-007-02	6000
	BED BUMPER NIGHT LIGHT BULBS	GE # 25T 10250V	6000
	EXAM LIGHT BULB, 12V, 20W	SUNNEX # 1220	3000
	20 AMP, 2-POLE PRIMARY BREAKER	QIL-220	100
	20 AMP, 2-POLE SECONDARY BREAKER	QO-220	100
DIMMER SWITCH 220V/ 50HZ	ATMOS # LC62-220/50	40	
CLOCK/ FOHOYS; EOYJ NSYYRTU	MTC-32B	1000	
FUSE FOR CLOCK OR LIM 3AGC, 1/4A, 250V	43199-004-07	1000	
FUSE FOR EXAM LIGHT	BUSS GLR-2	1000	
02-04-00117	EQUIPMENT: LIGTING,ELECTRICAL PARTS BUS BARS		
	COMPANY/MANUFACTURER:SQUARE D		
	5735 COLLE/GE CORNER ROAD, OXFORD,OHIO 45056		
	SITE: SADDAM MEDICAL CITY		
	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-525G-TRA	4
	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-525G-CONNTRA	4
	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-525G-38LFS18B20	4
	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-525G-38LES19B19	4
	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-525G-101	4
	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-525GLEM8 (AJG SL)	12
	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-525G-10	20
	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-525G-33	8
	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-525G-37	4
	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-525G-50	4
	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-525G-LFM15 (AJCSL)	4
	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-525G-22	4
	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-525G-FEMB9	4
	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-513G-30	10
	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-513G-6	10
	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-513G-29	10
BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-513G-18	10	

	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-513G-19	10
	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM	OF-516G-RBA	4
	CIRCUIT BREAKER 277/480V, 3P4W	PBLA36400,GN	10
02-04-00118	EQUIPMENT: MODULAR POWER STATION		
	MODEL :715197		
	COMPANY/MANUFACTURER:JOHNS_ MANVILLE		
	SITE: SADDAM MEDICAL CITY		
	INVERTER MODULE	200100-A	200
	BATTERY CHARGER/ TRANSFER ASSEMBLY	200101	150
	TRANSFER RELAY	92724	100
	SWITCH, LOAD	90767	20
	TEST SWITCH, SPRING LOADED,	92780	100
	CHARGER TRANSFORMER	92741-A	100
	277VAC METER, AC LOAD CURRENT	92741	60
	METER, BATTERY VOLT	92763	60
	NIFE NI-CAD BATTERY	92886 (L405)-5	1000
	CONTROL PANEL ASSEMBLY	700111	40
	FUSE 100 AMP		50
02-04-00119	EQUIPMENT:(UNINTERRUPTIBLE POWER SUPPLY UPS) MODULAR AC POWER STATION		
	QUANTITY:14		
	SITE: SADDAM MEDICAL CITY		
	AC POWER STATION 1.5 KVA COMPLETE WITH BATTERIES.		28
	VOLTAGE INPUT : 220 VAC		
	OUTPUT : 220 VAC		
	FREQUENCY : 50 HZ		
	TRANSFER TIME : 50 – 100 MS		
	FULL RATED LOAD FOR 90 MINUTES MINIMUM		
	LOAD POWER FACTOR 0.85 LAY OR 1.0 LEAD		
02-04-00120	EQUIPMENT:COLD STORES		
	MODEL:FOSTER		
	COMPANY/MANUFACTURER:PREST COLD OR EQUIBALENT ENGLAND		
	QUANTITY: 16		
	SITE: SADDAM MEDICAL CITY		
	AIR- COOLED CONDENSING UNIT	MALS 300-B2-75	10
	AIR-COOLED CONDENSING UNIT	MALQ 200-B1-75	10
	AIR-COOLED CONDENSING UNIT	MAKP 150-B1-75	10
	AIR-COOLED CONDENSING UNIT	MAKM 75-A1-38	10
	AIR-COOLED CONDENSING UNIT	MALQ- 200-B1-75	18
	AIR-COOLED CONDENSING UNIT	MAKN-100-A2-38	10
	AIR-COOLED CONDENSING UNIT	KAKO-150-B1-75	6
02-04-00121	EQUIPMENT: COLD STORES		
	COMPANY:FIAB		
	HATZFELDER STRABE 63A, D-5600W		
	APPERTAL 2 WEST GERMANY		
	QUANTITY:15		
	SITE: SADDAM MEDICAL CITY		

COMPRESSOR,[RESSPR DWM- COPELAND WITH ADDITIONAL FAN 60W 380/3/50 VERTICAL	DKMB-50	4
COMPRESSOR,[RESSPR DWM- COPELAND WITH ADDITIONAL FAN 60W 380/3/50 VERTICAL	DKJ-75	16
COMPRESSOR,[RESSPR DWM- COPELAND WITH ADDITIONAL FAN 60W 380/3/50 VERTICAL	DLEG-401	4
COMPRESSOR,[RESSPR DWM- COPELAND WITH ADDITIONAL FAN 60W 380/3/50 VERTICAL	DLFB-201	20
COMPRESSOR,[RESSPR DWM- COPELAND WITH ADDITIONAL FAN 60W 380/3/50 VERTICAL	DKL-150	8
COMPRESSOR,[RESSPR DWM- COPELAND WITH ADDITIONAL FAN 60W 380/3/50 VERTICAL	DLL-301	4
FILTER DRIER	ADK-163	200
FILTER DRIER	ADK-164	400
EXPANSION VALVE, EXTERN-EQUALIZED	TCE 4RW	8
EXPANSION VALVE, EXTERN-EQUALIZED	TCE 5RW	8
EXPANSION VALVE, EXTERN-EQUALIZED	TCE 3RW	8
EXPANSION VALVE, EXTERN-EQUALIZED	TCE 1FW	8
EXPANSION VALVE, EXTERN-EQUALIZED	TCE 3FW	8
EXPANSION VALVE, EXTERN-EQUALIZED	TCE 2FW	8
HIGH/LOW PRESSURE SWITCH		24
SOLINOID VALVE 12		10
SOLINOID VALVE 10		10
ROOM THERMOSTAT	FFL-114-3	40
CONDENSER FAN COMPLETE	RCN1-6	60
CONDENSER FAN COMPLETE	CEV14-15	60
EVAPORATOR FAN COMPLETE	ARBT14	80
EVAPORATOR FAN COMPLETE	AP5	80
SERVICE STATION (FSV 101)		
EVACUATING AND CHARGING STATION WITH VACC. PUMP, CHARGINGCYLINDER, MANIFOLD, VACC. AND PRESS GUAGES		8
VACUUM PUMP 16 CBM/HR, 220V-1-50 COMPLETE WITH MOTOR, BASE, VACUUM PUM 6 CBM/HR, 220V-1-50 RESISTENT TO LITHIUMBROMIDE		16
CHARGING MANIFOLD		4
SOLDER PISTOL 100W		20
FLAING TOOL SET UPTO 5/8 IN		30
TUBE CUTTER 6-22 MM		30
CLAMP METER AMP, OHMS, VOLTS MEASURMENT		30
DIGITAL-POCKET A-V-O METER		30
02-04-00122	EQUIPMENT:ELECTRIC WATER COOLERS,230VAC/1PH/50HZ MODEL:EP&8F	

	COMPANY/MANUFACTURER:WATERCOOLERS LTD.56,TANINERS DRIVE BLACKLANDS,MK14SYT/U.S.A TLS 82351 QUANTITY: 200 SITE: SADDAM MEDICAL CITY		
	EBCO WATER COOLER COMPLT VALVE CONDESNER BLADE, FAN MOTOR, FAN CONTROL, COLD HEAT EXCHANGER COMPRESSOR ASSEMBLY GASKET WASHER-FRICTION SCREW, VALVE SPUD GASKET (UNDER TOP) STRAINER – BRONZE GASKET- WASTE TAIL PIECE, WASTE TUBE, COOLER TO VALVE TUBE, WATER SUPPLY FITTING, MALE FLARE	EP8F 23546 26757 124033 16490 20319 25624 17980 8983 9281 17335 10545 24435 11416 25862 24409 24425 7317	40 300 20 200 240 200 300 300 300 300 300 300 300 300 300 300 100 100 100
02-04-00123	EQUIPMENT:MEDICAL COMPRESSOR,380V/3PH/50HZ SITE: SADDAM MEDICAL CITY		
	MOTOR/COMPRESSOR UNIT COMPLETE FULL AUTOMATIC OPERATION 10800 L/M, 12 BAR, 45KW, MOTOR/COMPRESSOR UNIT COMPLETE FULL AUTOMATIC OPERATION 4000 L/M, 12 BAR, 37KW, MOTOR/COMPRESSOR UNIT COMPLETE FULL AUTOMATIC OPERATION 2300 L/M, 12 BAR, 21KW, AUTOMATIC DUAL COMPRESSOR ASSEMBLIES 520 L/MIN, 8 BAR, 2 X 2.2KW AUTOMATIC DUAL COMPRESSOR ASSEMBLIES 2120 L/MIN, 8 BAR, 2 X 11KW AUTOMATIC DUAL COMPRESSOR ASSEMBLIES 4600 L/MIN, 12 BAR, 2 X 21KW HIGH PRESSURE AIR COMPRESSOR 40 BAR, 11KW		6 4 4 6 4 4 8
02-04-00124	EQUIPMENT:VACUUM PUMP COMPLETE,380V/3PH/50HZ FULL AUTOMATIC OPERATION SITE: SADDAM MEDICAL CITY		
	VACUUM PUM UNIT COMPLETE FREE AIR DISPLACEMENT AT ATMOSPHERIC PRESSURE 760MMHG 1350 L/MIN VOLUMETRIC THROUGH PUT AT LINE VACUUM 4050 L/MIN, 7.5KW-MOTOR VACUUM PUM UNIT COMPLETE FREE AIR DISPLACEMENT AT ATMOSPHERIC PRESSURE 760MMHG 900 L/MIN VOLUMETRIC THROUGH PUT AT LINE VACUUM 2700 L/MIN, 5KW-MOTOR VACUUM PUM UNIT COMPLETE FREE AIR DISPLACEMENT AT ATMOSPHERIC PRESSURE 760MMHG 6750 L/MIN		4 4

	VOLUMETRIC THROUGH PUT AT LINE VACUUM 20250 L/MIN, 40KW-MOTOR		6
02-04-00125	EQUIPMENT: WASHING MACHINE+MEMBRAN PRESS WASHING MACHINE: MACHINE NO: 81-111-55500 TYPE:TWA10 NR181 MEMBRAN PRESS: MACHINE NO:67.120 TYPE : 831.01 COMPANY:ENGELHARDT&FORSTER PFALZBURGER STR.71,P.O.BOX105907,D-2800 BREMEN1, GERMANY QUANTITY:14 SITE: SADDAM MEDICAL CITY		
	WASHING LIQUID PUMP	5-653-213205.2	8
	HIGH PRESSURE PUMP SA05/02	28587.4	8
	MICROSWITCH WITH ROLLER ¾" 50HZ	9-468-1524656	40
	FOOT MOUNTED MOTOR 7.5KW, 3000 RPM	32282.6	2
	COUPLING HIGH PRESSURE PUMP MOTOR	29957.8	2
	VOLUME PUM AKHA 6101	28593.2	4
	FOOT MOUNTED MOTOR 7.5KW, 1500 RPM	32283.4	2
	COUPLING VOLUME PUMP MOTOR	29956	2
	GEAR MOTOR 0.75KW, 50HZ, 40 RPM	29955.2	2
	GEAR MOTOR 0.75KW, 50HZ, 48 RPM	299636	2
	RUBBER PROSESSOR	30492.3	12
	PROGRAMME PROSESSOR FOR TRANS EF	2-014-2886073	2
	3 PHASE AC MOTOR, 1.5KW, 1000 RPM	9-651-1556800	6
	V-BELT	6-816-0039357	60
	PIPE HIGH PRESSURE PUMP- VALVE	30726.4	4
	SOLINOID VALVE WATER 0.5-10 ATU R ½" , 24VINW10	28600.5	4
	SOLINOID VALVE WATER 0.5-16 ATU, R ½"	29763.6	4
	MAGNETIC LIMIT SWITCH	35135.3	40
	LIMIT SWITCH FOR CLUTCH SIGNAL (ROLLER LEVER ZC2-SY11)	29914.9	8
	LIMIT SWITCH (BELOW) AT 11-S-J	28490.1	8
	SOLINOID VALVE 24V, 50HZ, NW12	29942	16
	SCREWING WE8 R 1/8"	35276.5	20
	SCREWING WE8 ¼"	35288.8	24
	SCREWING TE8 R ¼"	35289.8	8
02-04-00126	DRYING MACHINE MACHINE NO.: 28.962 TYPE : 253.15D , 1982 ENGLEHARDT & FORSTER WEST GERMANY 4 SADDAM MEDICAL CITY		
	FLANGED MOTOR	26540.5	4
	11KW, B5 V1, G160M, 1500 RPM		
	FLANGED MOTOR, 2.2KW, 220/380V	24347.7	2
	TIME RELAY SCHILEICHER 10 SEC.		16
	RELAY 220 VOLT 11 PIN		40
	GEAR MOTOR 380V, 50HZ, 2.2KW	35014	2
	MOTOR PROTECTIVE SWITCH PKZMO-6	35027.2	4

	MOTOR PROTECTIVE SWITCH PKZMO-2.4	35235.3	8
	TIME RELAY KZTH11, 10SEC	33217.1	20
	TIME RELAY KZTH11, 30SEC	33179.3	20
	TIME RELAY KZTH11, 100SEC	33180.1	20
	TIME RELAY TESCH VS 30PL 125	22556.5	10
	CONTACTOR DILOA-22	29788.7	30
	CONTACTOR DILOO-52	23294.2	20
	SWITCH AT-3-11-S/J/DR	29895	12
	END SWITCH AT-11-S/I	28490.1	10
02-04-00127	EQUIPMENT: FITTING TO STEAM PIPING COMPANY:SPIRAX SARCO - ENGLAND QUANTITY:AS BELOW SITE: SADDAM MEDICAL CITY		
	½ IN THERMO STEAM TRAP	TD 42-L	100
	½ IN TRAP	FT 10-4.5	200
	¾ IN TRAP	FT 10-4.5	200
	1 IN TRAP	FT 10-10	100
	1 ½ IN TRAP	FT 10-10	100
	SIGHT GLAS	GS 253	200
	PRESS GUAGE WITH SYPHON AND COCK	0.1.6 BAR	200
	PRESS GUAGE WITH SYPHON AND COCK	0-4	400
	PRESS GUAGE WITH SYPHON AND COCK	0-10	400
	PRESS GUAGE WITH SYPHON AND COCK	0-16	100
	PRES. RED. VALVE. REPAIR KITS FOR MODEL:	DP 2"	20
		DP 2 ½"	20
		DP25 8"	10
02-04-00128	EQUIPMENT: WATER STRAINER SITE: SADDAM MEDICAL CITY		
	3" SIZE		20
	4"		20
	5"		20
	6"		20
	8"		20
	10"		20
02-04-00129	EQUIPMENT: CHECK VALVE GLOBE STYLE BRONZE WITH STAINLESS STEEL SPRING FLANGED ENDS SITE: SADDAM MEDICAL CITY		
	1"		40
	2"		40
	2.5"		40
	3"		40
	4"		40
	5"		20
	6"		20
	8"		20
	10"		20
02-04-00130	EQUIPMENT:FLEXIBLE PUMP CONNECTOR CORROGATED STAINLESS STEEL WIRE BRAID OUTER SHEILD WITH FORGED STEEL FLANGED SITE: SADDAM MEDICAL CITY		
	2 ½ IN LENGTH 12 IN		40
	3 IN LENGTH 14 IN		40
	3 ½ IN LENGTH 15 IN		40
	4 IN LENGTH 16 IN		20
	5 IN LENGTH 18 IN		20

	6 IN LENGTH 20 IN	20
	8 IN LENGTH 22 IN	10
02-04-00131	EQUIPMENT:FLEXIBLE CONNECTOR / PIPING SYSTEM PUBBER SPERE WITH STEEL FLANGES COMPANY/MANUFACTURER:METRAFLEX OR EQUAVELANT USA SITE: SADDAM MEDICAL CITY	
	SIZE: 2" x L 4 1/8" 4 HOLES	100
	3" x L 5 1/8" 4 HOLES	100
	4" x L 5 3/8" 8 HOLES	100
	6" x L 7 1/8" 8 HOLES	60
	8" x L 8 1/8" 8 HOLES	60
	10"x L 9 3/8" 12 HOLES	60
	12" x L 10 1/4" 12 HOLES	60
02-04-00132	EQUIPMENT:GENERATOR (DIESEL ENGINE) MODEL : V16A/15 COMPANY/MANUFACTURER:HEDEMORA / SWEDEN QUANTITY : 1 SERIAL NO. : 587 SITE: MEDICAL SADDAM CITY	
	FUEL PUMPS (COMPLETE)	32
	GOVERNOR (COMPLETE) ((UG8) TYPE)	2
	SHUTDOWN SOLENOID FOR UG GOVERNOR	2
	INLET AND EXHAUST VALVES (SET)	2
	NOZZELS OF FUEL SYSTEM	32
	SEAL OUT SHAFT (COMPLETE)	4
	CAM SHAFT	4
	LINK SYSTEM GOVERNOR (COMPLETE)	2
	TURBO CHARGERS (VTR 250 W3P)	2
	LUBRICATING OIL PUMP (COMPLETE)	2
	COOLING WATER PUMP	2
	FUEL FEED PUMP (TYPE DRACHTFM VR -1/15-R 1/2	2
	TACHOMETER ALTERNATOR TYPE BARBER COLMANDYNT 10100	2
	TEMP. SWITCH AND PRESS SWITCH AMOT 4145	10
	AIR FILTER	6
	SOLENOID VALVE FOR STOP LUCIFER 131 A04	2
	TEMP. GAUGES	20
	PRESSURE GAUGES	20
	MAIN BEARINGS	4
	PISTONS	10
	CONNECTING ROD	10
	INDICATOR VALVE	20
	GASKETS (ALL TYPES IN THE ENGINE)	100
	GLOW PLUGS	20
	MAGNETIC SPEED SENSOR	2
	SEAL OUT PUT SHAFT	2
02-04-00133	EQUIPMENT:INDUSTRIAL TOW TRACTOR MODEL :FOER 4.3 SERIAL NO. :89060516 COMPANY/MANUFACTURER:LANSING LTD . BAS	
	SEAT PVC	12
	WHEEL AND TYRE ASSEMBLY (PNEUMTIC)	48
	BATTERY UNIT , DRY CHARGED COMPLETE	12

	CONTROL UNIT	4032093.1	8
	FUSE LINK		50
	BOARD (SNI - 0528930489)	3022100	16
	BOARD (SNI - 0525990789)	3027825 - 001	24
	BOARD (SNI - 0518150289)	3025983 - 001	16
	HEAD LIGHT SET (LENS , BULB HL , BULB SL)		20
	LAMP INDICATOR (LENS , BULB)		20
	SWITCH - PUSH BUTTON		12
	HAND BRAKE MICRO SWITCH		20
	HOSE ASSY H/PRESSURE (FOR STEERING UNIT - BRAKE)		24
	MASTER CYLINDER ASSY FOR FOOT BRAKE		24
	BRUSH AND SPRING KIT FOR DRIVE MOTOR		20
	BEARING FOR DRIVE END		12
	BEARING FOR COMMUTATOR END		12
	WHEEL BOLT FOR AXLE DRIVE		60
	STEERING AXLE UNIT:		
	A. AXLE - STUB		12
	B. HUB - STEERING		12
	C. BEARING - TAPER ROLLER		12
	D. BRAKE PIPES - STEERING UNIT		12
	E. CHAIN - SIMPLE		6
	BRAKE :		
	A. WHEEL CYLINDER		24
	B. BRAKE SHOE L.H		24
	C. BRAKE SHOE R.H		24
	D. SPRING (TWO TYPES)		48
	E. SCREW - BLEED		48
	F. WHEEL CYLINDER REPAIR KIT (AR)		24
	BRAKE PIPES AND FITTINGS ASSY.		12
02-04-00134	EQUIPMENT:TRUCK FORK LIFT POWERED , 3 TON		
	MODEL :FOER 15.1, SERIAL NO. :89069618		
	COMPANY/MANUFACTURER:LANSING LTD . BAS		
	QUANTITY : 3		
	SITE : SADDAM MEDICAL CITY		
	A. HYDROLIC CONTROL VALVES AND LEVERS ASSEMBLY		16
	B. BRAKE MICROSWITCH		12
	C. HYDROLIC SWITCH ASSY.		12
	D. SWITCH-KEY		6
	E. LAMP-WARNING		6
	SEAT CW SUSPENSION UNIT-PVC		6
	WHEEL AND TYRE ASSEMBLY-DRIVE (PNEUWMATIC IF POSSIBLE)		24
	WHEEL AND TYRE ASSEMBLY-STEERING AXLE (PNEUWMATIC IF POSSIBLE)		24
	DRIVE AXLE PARTS AS FOLLOWS		
	A. BEARING (COMPLETE SET)		6
	B. OIL SEAL		6
	C. WASHER-LOCKING RING-LOCKING		12
	CYLINDER COMPLETE FOR BRAKE		12

	A. KIT-REPAIR FOR BRAKES		24
	B. SCREW-SKT.HD. FOR BRAKES		12
	C. RING-SPRING FOR BRAKES		12
	SPRING ALL SIZES FOR BRAKE		12
	FOOT BRAKE AND ACCELERATOR PARTS AS FOLLOWS :		
	MASTER CYLINDER ASSEMBL		6
	REPAIR KIT FOR MASTER CYLINDER		12
	RUBBER PEDAL (TWO SIZES)		12
	ROCKER		12
	BRAKE PIPES AND FITTINGS COMPLETE		6
	CONTROL UNIT COMPLETE		6
	(SN : 89074768)		
	BOARD ASSY (SN : 0525710789)		12
	BOARD ASSY (SN : 0526810789)		6
	BOARD ASSY (SN : 0527760889)		6
	HORN		6
	PUSH-HORN		6
	HYDROLIC PIPING FOR STEER CIRCUIT		6
	(COMPLETE SET)		
	HYDROLIC PIPING (COMPLETE SET)		6
	PUMP COMPLETE		2
	PRESSURE PLATE FOR PUMP		6
	CARTRIDGE KIT		6
	GASKET KIT		6
	TANK-HYDROLIC OIL PARTS AS FOLLOWS :SET OF FILTERS		
	ASSY		6
	SEAL BONDED		12
	O-RING		6
	MAST UNIT PARTS AS FOLLOWS :		12
	PAD ALL TYPES		
	FLOW CONTROL VALVE		12
	HOSE		12
	PIPE ASSY		12
	TOOL KIT AS FOLLOWS :		
	GUN GREASE		6
	FILLER-BATTERY		6
	HYDROMETER		12
	LOG BOOK-BATTERY		6
	SLIDING T		6
	EXTENSION PIECE		6
	SOCKET		6
	SOCKET SET (METRIC		12
	BATTERY UNIT COMPLETE-DRAY CHARGED		8
02-04-00135	EQUIPMENT:THREE WHEEL ELECTRONIC FORK LIFT TRUCK		
	MODEL :FOER 11.2/1.25 , SERIAL NO. :R 890880238/1989		
	COMPANY/MANUFACTURER:LANSING LTD . BAS		
	QUANTITY : 5		
	SITE : SADDAM MEDICAL CITY		
	DAMPED SEAT ASSY		10
	WHEEL CASHION RUBBER		40
	BRAKE SHOE C\W LINING (CALL TYPES)		6
	WHEEL CYLINDER -BRAKE		6
	MASTER CYLINDER-BRAKE		6
	CHAIN-STEERING		4

	BATTERY ASSY-DRAY CHARGED BATTERY CONNECTOR ASSY CONTROL UNIT ASSY MODULE (SN: 3785\128\2-06.89) LOOM WIRING PANEL ASSY. VENTILATOR KIT CABLE (ALL TAPES USED) HORN FUSE-CONTROL FUSE-POWER (TWO SIZES) LOOM WIRING FOR CONTROL UNIT HOSE ASSY (ALL SIZES USED FOR HYDRAULIC SYS.)	59.160.00.00-007	10 10 10 10 10 10 10 6 10 40 20 4 6
02-04-00136	EQUIPMENT:HIGH VOLTAGE SWIETCH GEAR COMPANY/MANUFACTURER:SIEMENS - WEST GERMANY QUANTITY :14 SITE : SADDAM MEDICAL CITY/ SERVICE BUILDING		
	VACUUM CIRCUIT BREAKER 12KV, 25KA, 630A VACUUM CIRCUIT BREAKER 12KV, 25KA, 630A OPERATING MECHAN-EK MOTOR DRIVE 110V DC TRIPPING RELAY SET 110V DC THERM-DELAY OVERLOAD RELAY, 3-POLE ALARM RELAY GLOW LAMP 220, CLEAR BA 95 INCAND-LAMP BA95 , 110-130V, 2.5W	3AF1741-4EH40-8BA2 3AF1741-4EH40-6BA2 7VH1604 3UC3860-1C 7PG2460-3EB0 35X1701 35X1731	12 12 24 40 12 40 200 200
02-04-00137	Electric drying HOFAL Heater Air- circulating motor		40 40
02-04-00138	Electric iron HOFAL Compressor		40
02-04-00139	Lifts Shingled Spain Motor (open- close the door) Main robs seat Main over load Gear box for main motor Fazes changer Micro switch for open and close the door Main relay for main board Secondary relay for main board Stopper part ,35 for main door Micro switch for main board Magnetic shoe (capital) Magnetic shoe (small)		20 20 30 36 20 40 40 60 40 36 8 8
02-04-00140	Equipment: cooling tower fans Model: ceramic cooling tower Job no. CT – 975 Capacity: 3000 REF tons Quantity: 5		

	Site:saddam medical city		
	Supply or replace parts of a 2 speed cooling tower fans made by Hudson products USA Fan is 32 FT DIA 101700 ACFM , AT SP 5.57 in H2O driven by 200 HP motor 380 V 3PH 50 HZ Work shall cover supply of all necessary parts adjustment installation and run for full satisfaction efficient and Dave operation Site survey by specialist is necessary before bidding to check detailed requirement with drawings and catalogues	10	
02-04-00141	Equipment: open drive cent chiller Model: carrier 17 DA 74 – 139-2 Drive motor: out put 2240 KW – 11000 V , 3 PH , 1488 R .P.M 13 8A Quantity: 2 Chilled water in 12.5 C to 4.4 C Flow: 311.6 LPs Site:saddam medical city		
	Supply replace install and adjust all missing damage worn-out and improper prates and materials In order to run machine for full satisfaction efficient and safe operation Site bidding a detailed offer	4	
02-04-00142	Equipment: central telephone exchange TTC Model: telecom SL- 1 Company / manufacturer: northern telecom Belleville Ontario CANADA Site:saddam medical city		
	Required is to update existing system with shall exceed original features and services using same building wiring system and same telephone sets	4	
02-04-00143	Equipment: nourishment station Model: NIM – 984 Company / manufacturer: market forge / Mississauga Ontario CANADA Quantity: 57 Site:saddam medical city		
	Standard ice maker	45-1858	40
	Water reservoir	one/ ten 3178	60
	Ice maker	one/ten /4300	20
	Motor	one/ten/5262	40
	Heavy demand ice maker	45-1952	40
	Ice maker assembly	one/ten/4291	20
	Thermal state- ice bin level	one/ten/6538	40
	Indicator knob	one/ten/4486	40
	Control low pressure cut out	one/ten/6540	20
	Capacitor ice dispenser motor	one/ten/5954	40
	Diffusion panel (upper)	one/ten/4495	30
	Diffusion panel (lower)	one/ten/4496	30
	Ballast (upper)	one/ten/5257	20
	Ballast (lower)	one/ten/4497	20
	Microwave oven (optional unit)	one/ten/5956	50
	240 hot plate	one/ten/5270	50
	Compressor –condenser unit	one/ten/6541	50

	Evaporator	one/ten/6539	50
	Capillary tube	one/ten/6537	30
	Refrigeration temp. control	one/ten/6542	20
	Klaxon over load relay	one/ten/6980	40
	Deforest timer	one/ten/6680	40
	Start relay	one/ten/6981	20
	Thermal eye switch front	one/ten/5275	40
	7- position heat switch rear	one/ten/5279	40
	Adapter	one/ten/6869	40
02-04-00144	Equipment: nourishment station		
	Model: NIM 972		
	Quantity: 20		
	Company / manufacturer: market forge / Mississauga		
	Ontario CANADA		
	Site:saddam medical city / hospital		
	Ice maker assembly	45-800	20
	Gear motor and ice maker	one/ten/6559	10
	Water reservoir	one/ten/4296	30
	Pilot light assembly	45-5775	60
	Control low pressure cut out	one/ten/6540	20
	Capacitor ice dispenser motor	one/ten/5959	20
	Main Contactor relay	one/ten/6552	20
	Position heat switch front	one/ten/5279	20
	Thermal eye switch rear	one/ten/5275	20
	Adapter	one/ten/6869	20
	Compressor condenser unit	one/ten/5979	40
		one/ten/3113	20
	Capillary tube	one/ten/5977	20
	Refrigeration temp control	one/ten/5524	20
	Killeen over load relay	one/ten/5413	40
	Start relay	one/ten/5919	40
02-04-00145	Equipment: motors (380V 3PH 50 HZ squirrel cage induction motor) splash proof		
	Company / manufacturer: any European		
	Quantity: as below		
	Chilled water in 12.5 C to 4.4 C		
	Flow: 311.6 LPs		
	Site:saddam medical city / hospital		
	KW	RPM	
	30	1480	18
	22	1480	6
	4	2900	6
	5.5	2900	6
	11	2900	10
	7.5	1480	12
	9	2900	8
	55	1500	8
	11	1480	12
	7.5	2900	8
	3.7	1480	16
	5.5	1480	10
	15	3000	6
	37	1500	10
	18.5	1500	10
	15	1500	6

	75	1480		4
	90	1480		4
	0.25	1500		50
	0.55	1500		6
	2.2/1.1	2845/1445 tow speed		30
02-04-00146	Equipment: bearing for fans, motors and pumps motors			
	Company / manufacturer: SKF FAG SNR			
	Quantity: as below			
	Site:saddam medical city			
	Ball bearing	2306 KC3		40
	Ball bearing	2307 KC 3		40
	Ball bearing	2308 KC3		40
	Ball bearing	2309 KC3		40
	Ball bearing	2312 KC 3		40
	Ball bearing	2313 KC3		30
	Ball bearing	2315 KC3		30
	Ball bearing	6205		20
	Ball bearing	6206		20
	Ball bearing	6207		20
	Ball bearing	7312 B		20
	Ball bearing	2317 K		20
	Ball bearing	2208		20
	Ball bearing	6312ZZ		20
	Ball bearing	2230 Z		10
	Ball bearing	6309 Z		30
	Ball bearing	6307 Z		10
	Ball bearing	6206 ZZ		10
	Ball bearing	6203ZZ		10
	Ball bearing	2210 K		10
	Ball bearing	1208 K		10
	Ball bearing	6312 C3		20
	Ball bearing	63 H		10
	Ball bearing	6314 -ZRS		20
	Ball bearing	22309Z		20
	Ball bearing	2602 -ZR		10
	Ball bearing	6302 ZZ		20
	Bush	H 306		40
	Bush	H 307		40
	Bush	H 308		40
	Bush	H 309		40
	Bush	H 312		40
	Bush	H 313		30
	Bush	H 315		30
	Bracket	SN 607		20
	Bracket	SN 608		20
	Bracket	SN 613		20
	Bracket	SN 615		20
	Bracket	P 205		20
	Bracket	P 207		20
	Bracket	P 213		20
	Bracket	209S		20
	Bracket	310 B		20
	Bracket	19M		20
	Bracket	806		20
	Spherical roller bearing with bracket	GN 215 KBP B		20

	Spherical roller bearing with bracket	GN 207 KRPB	50
02-04-00147	Equipment: V- belts for fans, compressor		
	Quantity: as below		
	Site:saddam medical city		
	V- Belt	725*9.5	20
	V- Belt	725*9.5	30
	V- Belt	1050*9.5	30
	V- Belt	1090*9.5	20
	V- Belt	1100*9.5	40
	V- Belt	1125*9.5	40
	V- Belt	1200*9.5	20
	V- Belt	1250*9.5	20
	V- Belt	1400*9.5	20
	V- Belt	800*10	30
	V- Belt	1900*10	20
	V- Belt	1750*12.5	20
	V- Belt	1800*12.5	20
	V- Belt	1300*13	50
	V- Belt	1350*13	40
	V- Belt	1400*13	40
	V- Belt	1450*13	60
	V- Belt	1500*13	40
	V- Belt	1600*13	30
	V- Belt	1825*13	10
	V- Belt	1040*17	10
	V- Belt	1150*17	10
	V- Belt	1250*17	10
	V- Belt	1350*17	10
	V- Belt	1400*17	30
	V- Belt	1450*17	10
	V- Belt	1500*17	50
	V- Belt	1600*17	50
	V- Belt	1750*17	20
	V- Belt	1800*17	40
	V- Belt	1900*17	20
	V- Belt	1950*17	20
	V- Belt	2070*17	20
	V- Belt	2120*17	10
	V- Belt	2210*17	10
	V- Belt	2250*17	20
	V- Belt	2280*17	20
	V- Belt	2300*17	20
	V- Belt	2360*17	20
	V- Belt	2400*17	40
	V- Belt	2775*17	10
	V- Belt	63B	30
	V- Belt	85B	40
	V- Belt	89B	40
	V- Belt	91B	18
	V- Belt	96B	160
	V- Belt	120B	120
	V- Belt	128B	50
	V- Belt	130B	40
	V- Belt	136B	100
	V- Belt	144B	50

	V- Belt	163B	50
	V- Belt	150C	50
	V- Belt	158C	80
	V- Belt	166C	50
	V- Belt	180C	50
	V- Belt	2350*22	30
	V- Belt	2500*22	30
	V- Belt	1000LA	20
	V- Belt	1125*12.5LA	20
	V- Belt	5V1000/385	10
	V- Belt	SPZ 1587 LW	20
	V- Belt	10*1444LPZ*56	20
	V- Belt	17*1800B/71	80
	V- Belt	13*1188LIA 46	80
02-04-00148	Equipment: sterilize complete		
	Model: V.sliding door		
	Company: sybron / Dayton castle limited tweed road, clevedan		
	Avon, BS12 6 RR England		
	Quantity: 5		
	Site: saddam medical city		
	Dayton castle (0.18 m3) , cylindrical utensil and instrument		
	sterilize (vertical sliding door)		6
	Dayton castle (0.16 m3), laboratory variable time / temp. straight		
	line sterilize (vertical sliding door)		4
02-04-00149	Equipment: sterilize		
	Model: horizontal sliding door (8.5 ft3, low temp. steam and		
	Forman floor loading sterilize		
	Company: sybron / Dayton castle limited tweed road , clevedan		
	Avon , BS12 6 RR England Tel, clevedan (0272) 8/1331		
	Quantity: 3		
	Site: saddam medical city		
	½ " 2- way MAG valve (w)	B 0124	20
	¾ " pervert P.A valve	B 5449	12
	1 ¼ "pervert P.A valve	B 4312	12
	¼" ASCII 3- way MAG valve (w)	B 12404	32
	¼" silo 3-way valve	B 12957	10
	½" sight flow glass	B0427	20
	Vacuum pump Roland	B0610	20
	Gauge pressure (0-4) bar 2 ¼" diameter	B12440	12
	Gauge pressure (0-6) bar 2 ¼" diameter	B12441	12
	Gauge pressure (0-16) bar 2 ¼" diameter	B 12438	12
	Gauge Cambridge clear way	B 7047	12
	Contacto Danes	B 3187	12
	Over load 12-19 amp	B 6747	6
	Over load 1.8- 2.8 amp	B9423	
02-04-00150	Equipment: sterilize		
	Model: horizontal sliding door (70 ft3 , low temp. steam and		
	Forman floor loading sterilize		
	Company: sybron / Dayton castle limited tweed road , clevedan		
	Avon , BS12 6 RR England Tel, clevedan (0272) 8/1331		
	Quantity: 3		
	Site:saddam medical city		
	Relay A.C type	B3840	18
	Timer 15 min. planet	B 4352	6
	Timer 60 min.	B6258	6

	Leeds switch	B 4296	6
	Water circulating pump	B 5456	4
02-04-00151	Equipment: sterilize		
	Model: vertical sliding door (8.5 ft3 , low temp. steam and Forman floor loading sterilize)		
	Company: sybron / Dayton castle limited tweed road , clevedan Avon , BS12 6 RR England Tel, clevedan (0272) 8/1331		
	Quantity: 14		
	Site:saddam medical city		
	Controller MK8 20"	S10703	28
	Valve ¼" BSI ASCII 3- way	B12404	60
	Gauge temp. clear way (40-160C)	B8096	60
	Top 3" diaphragm	B5394	80
	Gauge pressure (0-4) bar 2 ¼" diameter	B24410	20
	Gauge pressure (0-6) bar 2 ¼" diameter	B12441	20
	Gauge pressure (0-16) bar 2 ¼" diameter	B12438	20
02-04-00152	Equipment: sterilize		
	Model: hinged door type (14 ft3 , porous load / natural cooling fluid sterilize)		
	Company: sybron / Dayton castle limited tweed road , clevedan Avon , BS12 6 RR England Tel, clevedan (0272) 8/1331 (10 lines)		
	Quantity: 8		
	Site:saddam medical city		
	Water boost pump	B 9747	14
	Liquid ring vacuum pump 1 g/m type lobe 05501	B4171	12
	½" 2- way solenoid valve	B 0124	20
	¼" 3- way solenoid valve	B12404	40
	3" pervert direct acting top	B5394	60
	½" Dayton castle DA valve	S 3970	60
	Pervert diaphragm 5" diameter	B7017	80
	2.5 " pressure gage (0-4) bar	B1240	16
	2.75 " pressure gage (0-16) bar	B 12436	16
	2.5 " pressure gage (0-6) bar	B12441	16
	Water circulation pump	B5456	8
	6KW immersion heater	B6959	20
	2" pervert valve	B6921	40
	Cambridge clear way temp. controller (40-160) C0	B7047	20
	Edwards absolute pressure gage	B0899	20
	Timer 15 min. plant	B4352	20
	Timer 2 min.	B6258	20
	Timer 60 min.	B4824	20
	Relay A.C type BOGC 2 240V	B3840	20
	MK controller type "D"	9730	16
	Leeds switch	B4296	20
	Over load	B12722	40
02-04-00153	Equipment: floor maintenance machine		
	Company / manufacture: European		
	Site:saddam medical city		
	Floor polishing and cleaning machine 3-brushes with all accessories , working diameter : 48 cm , RPM : 400 ,floor area covered per hour : 700 m2		120
	Wet / dry vacuum cleaner equipped for easy emptying with all accessories 1500 watt motor with 3 –stage fan , 48 liter stainless steel container		60

	Floor polishing and cleaning machine single brushes with all accessories , 2-HP motor 400RPM		60
	Floor cleaning trolley with tow – 24 liter buckets mop compressor on a stainless steel frame		200
	Mop with wooden handle		200
	Wheeled portable electric extenuation cable 100 foot cable length 3X 2.5 mm , 3X13 amp socket outlet , BS fittings		60
	Windows cleaning set consists of hand tools extenuation handles up to 6 m , brushes , rubber scribes , mops, punches		30
02-04-00154	Spare parts for 3 chiller carrier hermetic centrifugal (19) DG Design 2 model NO. 19DH3175CL		
	Complot on heater and thermostat	1000 W 115V (50-60) HZ	12
	Complete purge unit solenoid valve low		6
	Solenoid valve low	Type J21 KD rang	6
	Solenoid valve high	Type J21 KD rang	6
	vacuum pump	Ittpenumctive model	6
	switch on off	man off auto	6
	Switch on stop	Button with lamp	12
	Switch start	Button with lamp	12
	Switch oil pump	Button with lamp	6
	Power lamp		6
	Safety circuit lamp		6
	Load recycle lamp		6
	Program	HK 252D03D 7916 83333333333 62D - 7994	6
	Oil filter		12
	Capacity control model	32SM 500704 capacity control	6
	Fuse	250 V Bussan 3	50
	Control relay K1	93 - 211606- 23021H coil 120X (50-60)HZ AMF Mexico	4
	K2	Ku93-4106 120V (50-60) HZ	4
	K3	3A AT 250 VAC Y3 –211666- 23021H	12
02-04-00155	Equipment: Chiller type CLIMAVENETA / ITALY		
	Compressor	Clopped type D8RH1-5000-EWM 83D far- NR I830.63316 Baujahr 1983 Kw 37 3ph 50hz RI 1450 min vol. Storm 151 m3/ hr 380/420 start max betray bestir 91A R22 blackierter retorts 448. A	24
	Motor fan	HP 4 Kw 380 V 50 Hz 9.3 A R.P.M 1480 2.2 Kw 380 V 50 HZ 5.3 A .82 R.P.M	40
	Pump motor	1410	40
	Cooling tower motor	380V R.P.M 1440 9.2 A .83 50 HZ	20
	Expansion valve	50 ton	20
	Evaporator	50 ton length 2.1 cm thickness 14cm high 125 cm	10

Contacteur	NCI-6c133 ,telemecanique , 125A,500V coil 220VA.C 50 HZ, 75 KW	60
Low pressure switch	20 85 ib/in2	20
High pressure switch	100- 425 ib/in2	20
Oil pressure switch	10-60 pi	30
Summer thermostat	10-30 C 3-stage	30
Winter thermostat	15 – 30 C 3-stage	20
Block filter dryer	50 ton 681344-90089 cn1-fc133 ,80A 500 V 55KW coil 220 V A.C 50 HZ Contactor	20
Compressor	Hitachi 10 ton vertical v380 19.2 A R22	10
Expansion valve	10 ton	10
Motor	0.8 Kw 3ph 380 V 1.9A 50HZ	10
Motor	.9 Kw 380 V 3ph 50hz 1.1 50 Hz	10
Compressor	DIKEN model 6T55TAKsye power 3PH source R22 380 –415V 50HZ	4
Compressor	Carrier 25 Ton power 25.3 Kw Rev. 1500 380V M3.s 0.43 pressure 31 bar R22	4
Expansion valve	25 ton	10
Motor	P 5.5 W I 11.5 380V R.P.M 1430	10
Motor	P2 HP I 4.4A 380 V 3Ph 50HZ R.P.M 910 Kw 1.5	8
Refrigerant compressor	Model MSS- 12L motor in put 94 Kw 4P power supply 380 V 50HZ	4
Magnetic Contactor	Mitsubishi electric Corp Japan Mitsubishi S 150A 440 V 75 Kw 150A	10
Expansion valve	100 ton	10
Low pressure switch		10
High pressure switch		10
Oil pressure switch		10
Compressor	Tarn France 60 ton type L2E5J no.5IN 9kg5z 2468 220V 380V 96A R22	2
Expansion valve	60 ton R22	4
Block filter dryer	60 ton	4
Compressor	Model JS83N-46AG serial NO. FM 208 167- 6101906 380/415 V 3pH 50 HZ RLA 102 LRA 495	2
Compressor	45 Kw model 8HC752LB –yea 3PH 50HZ 380-415/400-440V R22 ref. Oil Sunnis 4Gsdid- Kmfg no. 6509840 date 1985-04 TP H 42kg/cm2 L 23 kg/cm2 MSQuery , EUROPA S.P.A , ARICCIA (ROMA) ITALY UNIT MODEL EN 2205 HR65 serial 2/295 motor N1 H.P 10 380V 50HZ	6
Air handling unit motor	kg/cm2 model CXC2422-4-Z AP 25 kg/cm2 MFG NO. 609076 TP 38 kg/cm2 ,date 80 ref R22 vo.0.55 m3	4
Tower pump motor	No. po260 277.8 type 100SGM head 1911M speed 1450 quanta. 1.14 m3/m date 1980	8
Centrifugal pump	No.BO260278-2 type 80FSGM head 27m speed 2900 QUANT. 0.95 m3/m Tokyo EBARA	8
Centrifugal pump		8

02-04-00156	Equipment: Vaccine refrigerator Model: sicplant Company: Italy Compressor Condenser fan Thermostat Timer mint. Deforest timer Deforest heater Expansion valve Filter drier	 ½ HP _30 +30	 4 8 4 4 4 8 4 4
02-04-00157	Equipment: air-handling unit Single phase motor Refrigerant R502 R22 R12 R503 R11 Refrigerant oil 4GS 3GS caplet 68	½ HP 220V RPM 1500 washing house USA	320kg 400kg 4000kg 5000kg 40kg 400kg 200liter 200liter 400liter
02-04-00158	Refrigerant requiring tools Manifold gage(charging gage) Vacuum pump with accessories Piping kits tools Clamp Digital meter Digital AVO meter torch Ox astillin welding torch complot set Gas leak detector electronic Type	10 6 8 10 20 6 6	
02-04-00159	Equipment: heidelberg to presses Model: GTO/ 52 Quantity: 2 Place: press of ministry of health Transfer cylinder CP1 .I Hekagon bolt Gripper pad with Plat clamp Compression spring Chese - headed screw Pinion gear with polt Rod Glas bead blanket Shaft Clamping piece Gripper Sisp. Recessed greas nipple DIN 3405 CM 8x1 Cam lever with Cam follower C6227/91F 52048 Recessed greas nipple DIN 3405 D6 Spring bolt with Needle busking C6221/01HkIDO bolt	 005.001F 00 5.035 00 5.008 00 5.007 0 12.012 520.0238 0 11.009 00 5.036 0 11.009 0 11.032 0 11.028 0 11.027 0 12.02 600.0133 550.0436 530.0403 550.0001 0 13.013	 12 48 32 32 172 172 172 32 172 32 240 240 32 32 32 32 32 32

Compression spring	0 10.09 0	32
Spring support piece with	O11.024	32
disc	0 13.029	32
disc	0 11.02 0	32
Bearing with	0 11.016	84
Cheese-headed screw DIN 912 M 6x30	520.0243	84
Grease nipple D5213AM6	600.013	44
Neelle beain C6211/01 NK1816	550.0032	44
shim	0 11.017	44
Bearing support D.S	0 12.09 0	12
Retanier ring SN270BR90	580.0978	32
Cheese -heded screw DIN 9/2 M 10X 25	520.0272	32
Inner and outer ring C 6231/81F87	550.0786	44
Needle bearing cage C 6231/81F87324	550.0787	32
Space washer	0 11.46 0	12
Circle DIN 47165x2.5	510.011	32
Circle SN 270 BR 90	580.0928	12
Bearing support bushing O.S	0 12.091	12
Retainer ring SN 270 BR 72	550.0537	32
Cheese -headed screw DIN 912 M10X25	520.0272	32
Cam	00 5.004	12
Cheese -headed screw DIN 912 M6x60	520.0241	32
Inner and outer ring C6233/99F -50048	550.0538	44
Needel bearing cage O.S C6231/91F-50049	550.0428	44
Spacer washer	00 6.026	24
Circlip SN 270PR72	550.0537	24
Thrust bearing C6241/99F52307	550.0433	44
Cheese -headed screw DIN912 N6x16	520.1046	44
Cup spring washer C7753 /01K6207	530.035 0	44
Cam with	0 12.215	12
Cheese -headed screw DIN912N8x25	520.0254	32
Transfer cylinder II	005. 201	12
Cylinder disk D.C	00 5.21 0	12
Cheese -headed screw DIN912M 10x35	520.0274	12
Bearing sleeve	0 12.091	12
Backing ring with	00 5.232	12
Cheese 912M6x6	520.1046	12
Retainer ring SN270BR 72	550.0537	12
Bearing support bushing DS	00 5.203	12
Cheese headed screw DIN 912 M10x35	520.0274	12
Retainer ring SN 270 BR110	550.0677	12
Cam with	520.059	48
Cheese -headed screw DIN912M8x95		
Gripper foot with	005. 208	12
Cheese headed screw DIN912M8x30	520.0255	24
Gripper operation shaft	00 5.2096	12
Lever with	00 5.212	12
Cam follower C6227/91F52048	550.0436	12
Grease nipple D5213AM5	600.0121	12
Stop with	00 5.213	120
Stop bolt	00 5.0214	120
Clamping piece	0 11.028	120
Gripper with	0 11.027	120
Compression spring	0 11.026	120
Bearing with	0 11.016	24

Cheese headed screw DIN912M6x30	520.0243	24
Shim	00 5.227	24
Grease nipple D5213AM6	600.123	24
Needle bearing C6211/01NK1816	550.0032	24
Forked lever	00 5.211	24
Spring plunger with	0 11.023	24
Compression spring	0 10.09 0	24
Bolt	0 13.013	24
Disc	11.02 0	24
Disc	0 13.029	24
Needle bushing C6221/01HK1010	510.0001	24
Rod with	0 14.111	96
Compression spring	0 12.053	96
Star wheel	014.112F	672
Cooler	00 5.22 0	12
Spacer ring	00 6.026	12
Inner and outer ring C6233/99F50048	550.0538	24
Needle bearing cage C6231/91F50049	550.0428	40
Thrust bearing C6241/99F52307	550.0433	80
Cup spring washer C7753/01K6207	530.035 0	40
Disk	00 5.0734	40
Cheese headed screw DIN912M8x25	520.0254	96
Inner and outer ring C6233/79F84785	550.0734	48
Needle bearing cage C6231/81F15085-20	550.0753	48
Disc	00 5.221	24
Circlip DIN 47180x25	510.0111	24
Transfer cylinder III .CPI	005.001F	24
Hexagon bolt	00 5.035	64
Bearing support DC with	00 5.303	24
Retainer ring SN270BR90	580.0928	24
Cheese headed screw DIN6912M10x2.5	540.016	24
Washer D.C	00 5.312	24
Spacer ring DC	00 5.313	24
Disc SN270-BR90	580.0928	24
Thrust disc DIN471 65x2.5	510.011	24
Bearing support bushing O.S	00 5.302	24
Cam	00 5.304	12
Spacer ring O.S	00 5.311	12
Circlip SN 270BR90	580.0928	12
Disc with	00 5.24 0	12
Cheese headed screw DIN912M8x25	520.0254	48
Blanket cylinder	006.001F	12
Blanket cylinder guard	006.250F	24
Clamp	006.002F	24
Clamp shaft front edge	00 6.007	24
Clamp shaft tail edge	00 6.008	24
Support bar	00 6.009	24
Bushing flange	00 6.025	24
Bushing C411/01Nb1820 DU	580.0105	24
Claw	00 6.033	24
Stop	00 6.035	24
Bearing	00 6.027	24
Gear worm	00 6.029	24
Washer	00 6.03 0	24
Worn gear	00 6.031	24

Outer ring D.C	00 6.016	24
Flange D.C	00 6.102	24
Inner ring C6233/98F50048-11	550.0427	24
Spacer washer	00 6.026	24
Circlip DIN471 50x2	510.0106	24
Oil seal C6118 /01 6010 AV	550.0429	24
Flange OS	00 6.101	24
Outer ring OS	00 6.017	24
Needle cage C6236/01 AXK 4509	550.0196	24
Disc C6237/01WS81109	550.0137	24
Plate cylinder	007.001F	24
Plate cylinder guard	007.050F	24
Plate clamp front edge BE220	478.001F	24
Plate clamp front edge BE220	478.201F	24
Plate clamp front edge without BC		
Bushing	353.658	24
Compression spring	11.042	24
Plate clamp tail edge	353.732	24
Hexagon nut	00 7.0011	24
Trip block	00 7.062	24
Compression spring	12.036	24
Threaded bushing	7.026	24
Cheese headed screw DIN912M6x70	520.0653	24
Hexagon nut DIN 934M6	520.0413	24
Threaded bushing	00 7.026	24
Connecting link	00 7.03 0	24
Bolt	22.127	24
Disc	15.039	24
Cup spring washer DIN 2093-B20	530.0077	24
Bearing support bushing DC/OS	12.09 0	24
Bearing support bushing DC/OS	7.09 0	24
Bearing ring DC/OS	00 7.089	24
Inner ring C6233/98F50048	550.0427	24
Needle bearing cage C6231/99F50049	550.0428	24
Disc S 50x62	510.0499	24
Disc	00 6.026	24
Disc DIN 988 50X62X0.5	520.1146	24
Disc	00 7.033	24
Retainer ring SN 240 BR 72	550.0537	24
Retainer ring SN 268WR 50	550.0751	24
Thrust bearing C6236/01AXK5070	550.0198	24
Disc C6237/02 LS5070	550.0752	24
Thrust bearing INAF52307	550.0433	24
Pinion gear	7.088	24
Straight pin DIN 7-6m 6X15	500.031	24
Gear worm DS and OS	00 7.075	24
Disc DS and OS	00 7.079	24
Bearing DS and OS	00 7.078	24
Bearing DS and OS C6411/04-14/16/15F	580.0827	24
Cheese headed screw DS and OS	520.0241	24
DIN 912 M6x20	580.0016	24
Disc DS and OS	00 7.095	24
Adjusting ring DS and OS	530.0078	24
Tension sleeve DS and OS DIN 1481 4X18	00 7.096	24
Hose	00 7.076	24

Adjusting nut DS	0 15.323	24
Disc	520.0481	24
Cheese headed screw DIN 912M 4x12	580.0036	24
Disc SN 260 -4	00 7.074	24
Hexagon nut	530.0301	24
Tension sleeve DIN 14181 3X12		
Bearing DS	007.070F	24
Indicator plate	452.2299	24
Bearing OS	007.071F	24
Indicator plate	452.2399	24
Adjusting nun OS	00 7.08 0	24
Disc	0 15.323	24
Cheese -headed screw DIN 912M 4x8	520.0841	24
Disc SN 260-4	580.0036	24
Pinion gear	00 7.012	24
Indictor plate	452.0199	24
Indictor plate	442.3799	24
Screw DIN 963 M4X8	500.043	48
Pinion gear inside	00 7.022	24
Pointer	00 7.048	24
pointer	00 7.018	24
Compression spring	00 4.025	24
Plunger	00 7.023	24
Spring	0 10.062	24
Scald bushing DIN14181 3X8	530.0446	24
Lever flange	00 7.02 0	24
Cheese headed screw DIN 912M10X6	520.1089	24
Scaled bushing DIN 148M 3X16	530.0276	24
cheese headed screw DIN 912M 8X20	520.0252	24
Disc SN 260-8	580.0028	24
Flange bolt	00 7.085	48
Cheese -headed screw DIN 912 M 6x16	520.1046	24
Disc SN 260-6	580.0016	24
Pinion gear OS	00 7.021	24
Bolt	00 7.016	24
Tension sleeve DIN 1481 5X45	530.0341	24
Cheese -headed screw DIN 912 M 8X25	520.0254	48
Disc SN 260 -8	580.0028	24
Spacer bushing	00 7.087	24
Rubber wash up blade	0 10.1915	24
Screw	0 10.182	24
Roller washing device CPI	010.192F	24
Indicator plate	654.05 00	24
Ball bearing C6131/98W6001-2RS/K-444	520.1232	96
Ball bearing DIN 625 -601 2RS1	520.1143	96
Plate inking roller CPI D: 49mm -115/16" yellow with 2 ball bearing	009.003F	96
Plate inking and distributor roller CPI D: 45mm -125/32" blue with 2 ball bearing	009.031F	96
Plate inking roller CPI D: 47mm -127/32" white with 2 ball bearing	009.032F	96
Plate inking roller D: 51mm -2 red with 2 ball bearing	009.034F	96
distributor roller D60mm -2 3/8" length of distributor cylinder 467mm -18 3/8"	009.015F	96
Plate inkng roler Q32 mm -11/4 "	431.390F	96

Distributor roller	431.175	96
Distributor roller , rubber Q32mm-1 ¼"	431.168	96
Distributor Steel , rubber Q32mm-1 ¼"	43.17 0	48
Distributor steel , rubber Q32mm-1 ¼"	431.165	48
Vibrator roller Q32mm –1 ¼ " ink fountain raller	431.110F	48
Consisting of :		
Wash –up sludge basin	010.191S	48
Rubber wash –up blade	010.180S	48
Screw	0 10.182	48
Indicator plate	0 10.182	48
Ballbearing DIN625-6001 2RS1	520.1143	96
Compression spring	0 11.026	132
Gripper	0 11.027	132
Clamping piece Hexagon –head screw DIN561 M^ x70 AK	0 11.028	132
Lever	0 13.003	24
Gripper lever shaft	0 13.004	24
Transfer gripper bar operating lever DS	0 13.005	24
Needle bearing C6211/01NK 1816	550.0032	48
Transfer gripper baropering OS	0 13.006	24
Needle bearing C6211/01 NK 1816	550.0032	48
Support bar	013.008F	24
Gripper foot	0.13.020	24
Stud	0 13.009	38
TRANSFER GRIPPER shaft	0 13.01 0	24
Roller lever O.S	0 13.011	24
Roller lever D.S	0 13.012	24
Bolt	0 13.015	24
Supportbracket O.S	013.021F	24
Needle bearing C6211/14 NK14535	550.0443	48
Support bracket D.S	0 13.023	24
Bearing Cap O.S	0 13.024	48
Torsion rod	0 13.026	24
Disc	0 13.027	24
Rod head	0 13.028	48
Trunnion O.S	500.022F	96
Gear		
Trunnion D.S		
Spacer bushing		
Washer		
Crown nut DIN937M16x 1,5		
Splint DIN 94 4x48		
Distributor roller us mm-1 7/8"	009 .022F	96
Distributor roller Q60 mm-2 3/8"		
Lenyth of distribufor cylinder 456mm-17 15/16"	009.016F	96
Trunnion o.s	00 9.018	96
G ner	00 9.013	96
Trunnion D.S	00 9.017	96
Spacer bushing	00 9.019	96
Whasher	00 9.098	96
Crown nut DIN 937M16,1,5	520.1319	96
Ink fountain romerq 60mm-2 3/8	008.001F	96
Dampening roller,CPI,q60mm-1 13/16" with plush coyring Q49mm-159/64"and 2ball bearings	009.043F	96

Rubber roller,CPI.Q51mm115/16",for alcohololdamping with 2ball bearings	272.009F	96
Rubber roller,CPI..Qu7mm-127/32" with3M corering with 2 ball BEARINGSQ48 mm	272.001F	96
Distributorroller	030.032F	96
Distributor roller	030.101F	96
Trunnion D.s.	30.102	96
Guide ring	30.107	96
Trunnion o.s.	30.11	96
Gear	9.013	96
Water fountain roller	030.370F	96
Water trough	30.361	96
Valve D3111/o1-3/8"	580.0269	96
Rod head	22.129	48
Rod	22.13	48
Spring rod guide	22.132	48
Spring	22.056	48
Safety nut C2238/o1M12	580.0723	48
Bearing	22.121	48
Bolt	22.127	48
Retainer spring	13.102	48
Front guide	13.103	48
Sheet smoother	22.104	48
Adjustment knob	13.107	48
Adjusting screw	13.105	48
Roller guide rail	22.138	48
Bar	22.101	48
Whasher	13.035	48
Shaft	022.109F	24
Roller shaft	22.127	24
Bolt	22.128	24
Stop	22.136	24
Stop	22.112	24
Rod head	13.028	24
Spring	00 6.085	24
Spring rod	00 13.037	24
Bearing bracket	00 12.094	24
Bar	00 12.105	24
Bar	012.098F	24
Bearing sleeve	20.016	24
Bushing	580.313	24
Tapered pin DIN 14x32	500.0037	24
Driver	580.312	24
Tabered pin DIN 7978 8x30	540.0248	24
Torsion spring	580.319	24
Intermediate segment	580.317	24
Sheece –headed screw DIN 912M 8x20	520.0252	24
Tappered pin DIN 7978 8x24	540.0194	24
Circlip SN 260.58	580.0028	24
Indicator plate	452.0499	24
Connecting link	580.396	24
Eccentric tipping bolt	580.321	24
Cam D.S	580.304	24
Disc	0 12.062	24
Bolt	580.392	24

Bearing sleeve D.S.	00 5.303	24
Cam O.S.	580.306	24
Bearing sleeve O.s	00 5.302	24
Thrust bearing C 6241/99 F52307	550.0433	24
Needle bearing cage C 6231/80-F-87134	550.0807	48
Needle bearing cage C 6231/91-F-50049	550.0428	48
Inner and outer ring C 6233/99F 50048	550.0537	48
Inner and outer ringC 6233/76 F 87616	550.0805	48
Cam follower. CPI.C6227/78F 83814	550.073 0	24
Csrew DIN 933M 10x60	600.0172	24
Gear I	580.37 0	24
Gear II	580.35 0	24
Clamping piece	580.327	24
Scale	479.0599	24
Clamping piece	580.324	24
Disc	580.325	24
Plunger	580.386	24
Compression spring	0 10.25	24
Tapered pin DIN 12x18	500.0007	24
Pinion gear D.S.	580 .333	48
Pinion gear O.S.	580.334	48
Adjusting ring C2451 A18	600.0007	48
Bearing, CP1	580.332	48
Intermediate plate	580.344	48
Gripper, upper position	580.337	132
Gripper, lower	580.338	132
Bearing, CP1.	580.393	48
Needle bearings C 6211/14 NKI 1716	550.0681	48
Gripper holder	580.335	132
Compression spring	0 19.038	132
Tube	580.3285	24
Shaft,inside	580.329	24
Key	580.369	24
Stop D.S.	580.385	24
Tapered pin DIN 15x32	500.0264	48
Gripper, upper position	580.362	132
Gripper, lower	580.363	132
Segment gear,CP1	580.309	48
Cam	431.32 0	48
Cam L H	431.32 0	48
Cam R H	431.321	48
SC	431.322	48
Mounting ring	431.310F	48
Threaded Pin	431.319	48
Printing block holder 35x45 mm	431.33 0	48
Numbering shaft	431.370F	48
Printing block holder 45x45 mm	431.331	48
Printing block holder with magnet 45x45mm (undercut.o37")	431.337	48
Straight numbering box,backward action 7 digits,4.76 mm(3/16") 6 depressable noughts(zeroes)	431.301/3 02	200
Bearing support	010.034F	48
Bearing support	010.032F	48
Be aring support	010.133F	48
Bearing support	010.035F	48

Bearing support O.S.	0 30.004	48
Straight pin DIN 78M 6x60	500.0412	48
Threaded pin DIN 916 M 6x6	520.0986	48
Bearing O.S.	0 30.001	96
Bolt	0 30.026	48
Bolt	0 30.029	48
Handle	0 10.061	48
Accentric tripping bolt	0 10.031	68
Compression spring	0 10.044	68
Screw	0 10.064	68
Bolt	0 30.129	68
Bolt	0 10.154	68
Dampening roller bearing O.C.	0 30.006	48
Straight pin DIN 78M6x30	500.0412	48
Bolt	0 30.028	48
Bearing bolt	0 30.041	48
Bearing support	010.029F	48
Dampener vibrator bearings D.S.	0 30.203	48
Bearing Suppor D.S	0 30.003	48
Motor: 2.2 KW Type:DVD 60 Revolution: 1420 r.p.m	L751319	12
Motor:Y 440V,o.6 7A,50HZ Revolution:1300 r.p.m Type:ZF10	154983	12
Washer	13.035	48
Spring rod	13.037	132
Washer	13.029	132
Compression spring	10.03	132
Collar	10.091	132
Screw DIN912-M5X20 plus	13.027	24
Ball bearing 160010/36234	520.1271	48
Circlip sn267A 50 x2V	510.0114	48
Cam follower C6227/91 F 52048	550.0436	48
Needle bearing C6211/14 NKI 45/35	550.0443	48
Gripper holder	14.005	568
Torsion spring	14.009	568
Gripper backing plate	14.041	568
Hexagon –head screw	14.043	568
Gripper	875.001F	568
Supporting roller C6226/96F-1618	550.0251	568
Shim plate	14.006	568
Shim plate	14.006	568
	14.007	168
Gripper	875.001F	568
Plate spring	22.038	48
Sheet smoother	22.046	48
Sheet steadier brush	022.069F	48
Holder CP1	022.069F	48
	017.030,5	
Sheet smoother hoder , screw Co172/01M6 x15	80.0603	48
Holder Cpi.	0 22.016	48
Screw Co172/01M15	580.0695	48
Holder	0 22.014	48
Rod head	0 13.028	24

		0 12.063	48
	Flange	0 12.063	24
	Pawl	0 22.104	
	Bolt	0 22.111	48
	Adjusting Screw	013.015F	
	Spring rod	0 22.115	24
	Lever	0 22.123	24
	Roller shaft	0 22.127	24
	Upper dampening roller bearing D.S	0 30.005	48
	Bushing SN635-060608F	580.0786	48
	Bearing D.S	30.001	48
	Bolt	30.026	48
	Motor : 440V ,3Kw, 50Hz,6.5A Type; F2.5H	3291709-1	8
	Motor :n 440V , Q37kw , 1450 r.p.m type : CLFG 11V , 50 HZ	690822	10
	Motor : 440V , 095A, 0.37kw 1420 rpm, 50Hz		12
	Motor : 415, 3kw, 5.72A Type: kmer 100 L2		12
	Motor : 415V, 50Hz Type : F06		12
	Motor : Y 400-440V , 1.0A, 0.3KW 1410rpm,50Hz type : BR 03774-7		12
	Motor : 380V ,4.5kw,1400rpm 20.5A,50Hz Type:VS 4/4	28524641	12
	Motor : Y440 V ,1.8A, 0.55kw 50Hz,2800 rpm type: SKGS 200-2(70)	750043	12
	Motor :415V, 1.2/1.45A, 50Hz Type: M05ES3,2800rpm	59278	12
	Motor : 440V, 2.25A, 055kw Type : SKGS 7002734, 2800 rpm	608436	12
	Motor : 2.2kw Type : DVD 60 Revolution : 1420R.P.M	L751319	12
	Motor : Y 44.V ,0.67A,50Hz Revolution : 1300 R.P.M Type : ZF10	154983	12
02-04-00160	EQUIPMENT : SPARE PARTS FOR MOTOR CONTROL CENTRE		
	COMPANY / MANUFACTURER : SIEMENS / GERMENY		
	SITE:SADDAM MEDICAL CITY		
	CONTACTOR FOR SWITCHING MOTORS , 220VAC OPERATION , 3 PHASE , 50 Hz ,380 V , 2.2 KW	3TF2911-OA	100
	AS ABOVE BUT 4KW	3TF2211-OA	100
	AS ABOVE	3TF4111-OA	100
	AS ABOVE BUT 7.5KW	3TF4222-OA	100
	AS ABOVE BUT 11KW	3TF4322-OA	100
	AS ABOVE BUT 15KW	3TF4422-OA	100
	AS ABOVE BUT 18.5KW	3TF4522-OA	50
	AS ABOVE BUT 22KW	3TF4622-OA	50
AS ABOVE BUT 30KW	3TF4722-OA	50	

AS ABOVE BUT 37KW	3TF4822-0A	50
AS ABOVE BUT 45KW	3TF4922-0A	50
AS ABOVE BUT 55KW	3TF5022-0A	50
AS ABOVE BUT 75KW	3TF5122-0A	50
AS ABOVE BUT 90KW	3TF5222-0A	50
AS ABOVE BUT 110KW	3TF5322-0A	50
AS ABOVE BUT 132KW	3TF5422-0A	30
AS ABOVE BUT 160KW	3TF5522-0A	30
AS ABOVE BUT 200KW	3TF5622-0A	30
AS ABOVE BUT 250KW	3TF5722-0A	30
CONTACTS WITH MOUNTING PARTS FOR CONTACTOR TYPE 3TF44 (SET)	3TY7440-OA	100
AS ABOVE BUT TYPE 3TF45	3TY7450-OA	100
AS ABOVE BUT TYPE 3TF46	3TY7460-OA	100
AS ABOVE BUT TYPE 3TF47	3TY7470-OA	100
AS ABOVE BUT TYPE 3TF48	3TY7480-OA	100
AS ABOVE BUT TYPE 3TF49	3TY7490-OA	100
AS ABOVE BUT TYPE 3TF50	3TY7500-OA	100
AS ABOVE BUT TYPE 3TF51	3TY7510-OA	100
AS ABOVE BUT TYPE 3TF52	3TY7520-OA	100
AS ABOVE BUT TYPE 3TF53	3TY7530-OA	100
AS ABOVE BUT TYPE 3TF54	3TY7540-OA	100
AS ABOVE BUT TYPE 3TF55	3TY7550-OA	100
AS ABOVE BUT TYPE 3TF56	3TY7560-OA	100
AS ABOVE BUT TYPE 3TF57	3TY7570-OA	100
75 mm STANDERD MOUNTING RAIL	3TX461-1B	100
CONTACTOR CONBINATIONS FOR STAR-DEALTA STARTING , 220VAC OPERATION , 3 PHASE , 380 V ,50 Hz , 5.5KW	3TE2000-OA	10
AS ABOVE BUT 11KW	3TE4000-2A	10
AS ABOVE BUT 18.5KW	3TE4200-2A	10
THERMALY DELAYED OVERLOAD RELAY SETTING RANGE 0.8 – 1.25 A	3UA5000-OK	20
AS ABOVE BUT 1.25 – 2 A	3UA5000-1B	20
AS ABOVE BUT 2 – 3.2 A	3UA5000-1D	20
AS ABOVE BUT 3.2 – 5 A	3UA5000-1F	20
AS ABOVE BUT 5 – 8 A	3UA5000-1H	20
AS ABOVE BUT 8 – 12.5 A	3UA5000-1K	20
AS ABOVE BUT 16 – 25 A	3UA5800-2C	20
AS ABOVE BUT 25 – 40 A	3UA5800-2E	20
AS ABOVE BUT 40 – 57 A	3UA5800-2T	20
AS ABOVE BUT 57 –70 A	3UA5800-2V	20
AS ABOVE BUT 70 – 88 A	3UA5800-8W	20
AS ABOVE BUT 80 – 110 A	3UA6000-2X	10
AS ABOVE BUT 110 – 135 A	3UA6000-3J	10
LINKS FOR CONNECTION TO CONTUCTORS	3UX1 221	40set
LINKS FOR CONNECTION TO CONTUCTORS	3UX1 210	40set
LINKS FOR CONNECTION TO CONTUCTORS	3UX1 211	40
LINKS FOR CONNECTION TO CONTUCTORS	3UX1 218	10set

	COIL 24 VAC, 50Hz FOR CONTACTOR SIZE 3TF44	3TF44 22-OABO	60
	SOLID STATE TIME RELAY VAC (1.5-30) SEC	7PU4020-2AN20	100
	SOLID STATE TIME RELAY VAC (1.5-30) SEC	7PU4020-2AB30	20
	SOLID STATE TIME RELAY VAC (1.5-30) SEC	7PU4520-2BN30	20
	SOLID STATE TIME RELAY VAC (5-100) SEC	7PU4620-2BN30	20
	SOLID STATE TIME RELAY VDC (0.5-10) Hr	7PU4720-0AB30	30
	SOLID STATE TIME RELAY VAC (50- 1000)SEC	7PU4140-2QN20	20
	SOLID STATE TIME RELAY VAC (1.5-30) MIN	7PU4020-5AN20	20
	UNDERVOLTAGE RELAY 220/380 ,50 Hz	AA9943.11	400
	N-EARTHLEAKAGE CB, 4 POLE, 25 A	55Z3420	100
	N-EARTHLEAKAGE CB, 4 POLE, 40 A	55Z3440	100
	N-EARTHLEAKAGE CB, 4 POLE, 63 A	55Z3460	100
02-04-00161	EQUIPMENT : MOTORS 380V , 3PHASE , 50Hz INDUCTION MOTOR COMPANY / MANUFACTURER: BROOKE KROMPTON PARKINSON MOTORS AHAWKER SIDDELEY COMPANY. SITE :SADDAM MEDICAL CITY		
	340KW , 1475 RPM ,615 AMP , FRAME : C315L51, SN: 32496A2M		12
	265KW ,1475 RPM , 473 AMP , FRAME :LC315M, SN : L735B-1		20
	224KW , 1475 RPM , 405 AMP , FRAME :LC315M, SN: L739B-1		8
02-04-00162	Destill water plant Cat type AF01 model 5 gph Destill water plant Cat type AF02- 510 MODEL 10 GPH Company : regional office american iternational company 12g groveley road sunbury on thomas middlesex england tw 167 jz phone 01 751 4431/2 telex : 885683		
	Globe valve	A5657- 042	8
	Globe valve	A5658- 042	8
	Seat	M5685-061	40
	Packing	P8784-091	80
	Pressure gauge	P77453-051	30
	Pressure gauge	P77452-051	30
	Gasket	P20239-051	24
	Element kit	P20240-091	20
	Set	P30399-091	20
	Gasket	P20239-091	4
	Element kit	P25067-091	4
	Seat	P25068-091	4
	Measure flow	M76044-042	12
	Measure flow	M51048- 042	4
	Ring	P78142-091	36
	Ring	P78141-091	12

Valve	P150147-001	12
Cartridge	P53467-091	24
T.bolt	P78084-091	40
N.R.valve 4.0	B1578	40
None return valve	NPRO 1/3 Pis	40
Still valve	PYREX (R)15	20
Drain valve	HILLS	8
None return valve 2.0	PATO	20
Gasket for upper		
Cover portion for destill water plant type AFD210 model 10 GPIt		8
Gasket for bottom cover portion for destill water plant type AFO210 model 10 GPH		8
Gasket for upper cover portion for destill water plant type AFO1-510 model 5 GPH		12
Gasket for bottom cover portion for destill water plant type AF01-510 model 5 GPH		12
Steam jaket for destill water plant type AFO2-510 model 10 GPH		2
Cooling coil for destill water plant type AFO2-510 model 10 GPH		2
Steam jaket for destill water plant type AFO1-510 model 5 GPH		2
Cooling coil for destill water plant type AFO1-510 model 5 GPH		6
Float for main chamber for 5GPH		10
Float for condensing camber for 5GPH		10
Float for condensing camber for 10GPH		4
Float for main camber for 10 GPH		4
Strainer sarco 3/8 PT		4
Strainer sarco 1/2 PT		2
Filter element for strainer 3/8 PT		20
Filter element for strainer 1/2 PT		10

02-04-00163	Fire tube boiler no. 1023		
	Net cochram riley annan dumfriesshire scotland dg 125 qu england phon annan 2111 telegrams: mutti tube telex 778183 B.R 13230 working pressure 120 psi g H/test pressure 234 psig		
	Steam pressure gage		8
	Transformer for dampx control cable		4
	Sets of spring		2set
	Screw		2set
	Modulation motor assy		4
	Main steam stop valve assy	8442	8
	Water inlet strainer assy	3104	4
	Flexible cable (damper control air)		4
	Swquencing blow down valve assy (upper)	ABI	8
	Blow down valve assy blower	74/73/LM	8
	Non return valve assembly		8
	1 1/2" feed checkvalve seat	SV641	4
	1 1/2" feed checkvalve lid	SV494	4
	Double spring safety valve	3HL	4
	Spring and ocular ling		4
Cam operation lever with rubbing		4	

Damper modulating cam (air)		4
Water gage glass	VW21	8
Conical packing	VW79	8
Sleeve packing		8
Sprinkles		8
Flexible air lever		6
Oil inlet stop valve	PN20	4
Oil out let non returne valve	1-125 red white	4
Oil strainer		4
DO filter		4
Oil Kemp gage	4079978	4
Oil filter assembly		4
Feed water complet motor 7.5 HP V380 -440 H2 50AH-4Conn RTY NDF 140CD RPM 2170 size D13	CP8-140C/W	8
Impeller complete for above feed pur in point (30)		8
Screw for impeller in point (31)		20
Bush for DO(31)		8
Spring washer for screw in point (32)		20
Shaft for feed water pump in point (30)		4
Pin for shaft above in point (35)		8
Coupling assy		8
Stud for fixing feed water pump stage		80
Foundation bolts		20
Shaft seal		4
Impeller casing support bolt (brass)		8
Cooling motor fan for feed water pump		4
Pressuretrol control		4
Pressure switch		4
Fuse cartridge TIA6	EF10	20
Fuse cartridge TIA25	EF05	20
Fuse cartridge TIA30 M35	EF07	40
Fuse cartridge TIA30 M40	EF08	40
DO TI 30 M60	EF10	40
Spare for forced draught fan motor 20 hp BT87		2
Shaft for forced draught fan		
Cooling motor fan for forced draught fan motor		4
Bush for forced draught fan motor		8
Dearing brushes	TB17	20
Water side gasket sets		10set
Adder tape	IT20	4rolles
Fransil hig temp		4
France		4
Electrical float mobry		8
Pressure limit switch		8
Contactactor CH-16-21		20
Contactactor (6-22)		4
Timer switch (0-60)sec		4
Over load (0-20) am		20
Sequancer LECI		8
Switch 2 way		8

	Switch 3 way	8
	Modulation system	6
	Indicator bulb 2 amp 220 V	20
	Fuse fitting complet 63 amp	20
	Fuse fitting complet 32 amp	20
	Disabarator for fuel	4
	Burrer motor 3 ph (2500-3000)rpm	4
	Solenoid valve 3/8"	8
	Solenoid valve 5/8"	8
	Photocell	8
	Air sencer	4
	Complete forced draught fan with motor 20 hp BT 87	8
	Ignition electroads	8
02-04-00164	Operation lights supplied Under our in voice no. jim/t 0257/74 dd 7.5/1974 Company : DAIKYO MEDICAL INSTRUMENT CO. LTD 31-1 HONGO 3-CHOME BUNKYO -KU TOKYO POSTAL :PO BOX66 HONGO BUNKYO -KUTOKYO 113 -91 JAPAN CABLE :MEDICALIM TELE. :814-5861 TELEX: 128748 MEDUIM HEAD OFFICE :NO 31-4 HONGO 3-CHOME BUNKYO -KU JAPAN TELE.: 813-5541	
	SPARE PARTS FOR MODEL 3002 Safty glass (outer filter glass)	18pcs
	Heat filter glass (inner filter glass)	pcs
	On- off switch	8pcs
	Fuse holder	8pcs
	Light intensity regulator knob	4pcs
	Anesthesia mirror	4pcs
	Sterile handle	4pcs
	Spare bulb 24v 40w	200pcs
	Transformer	4pcs
	Spare parts for model 3003 Safety glass (outer filter glass)	14pcs
	Heat filter glass (inner filter glass)	14pcs
	On-off switch	8pcs
	Fuse holder	8pcs
	Light intensity refulator knob	4pcs
	Anesthesia mirror	4pcs
	Sterile handel	4pcs
	Spare bulbe 24 v	200pcs
	Trans former 220 - 24v	4pcs
	Spare parts for model 220 Safety glass(outer filter glass)	8pcs
	Heat filter glass (inner filter glass)	8pcs
	On-off switch	4pcs
	Fuse holder	4pcs
	Light intensity regulator knob	4pcs
	Sterile handle	4pcs
	Spare bulb 24 V 40W	200pcs
	Transformer 220 -24A	4pcs
	Casters	8pcs
	Spare parts for model 8000	

	Safety glass (outer filter glass)	8
	Heat filter glass (inner filter glass)	4
	Transformer 220 -24A	4
	Glass refleder	4
	On-off switch	4
	Fuse holder	8pcs
	Casters	8pcs
	Stopper screw	4pcs
	Spare bulb	20pcs
02-04-00165	Operating light Model V-900/600H and 550- C/800H Company: DAIKYO MEDICAL INSTRUMENTS CO LTD TRADE : 31-1 HONGO 3 CHOME BUNKYO -KU - TOKYO JAPAN POSTAL PO BOX 66 HONGO BUNKYO -KU TOKYO 11-91 JAPAN TELEX: 0272-2361 AA BDAIMED CABLE:MEDIDAIKYO TELEPHONE : 814 -5861 HEAD OFFICE : NO 31-4 HONGO3-CHOME BUNKYO -KU- TOKYO TELE: 813-5541	
	Spare bulbs 110 V 40 W (for v 900)	400
	Spare bulbs 110 V 30 W (for 550 C)	320
02-04-00166	DEAERATOR SN :TB 460696 TYPE 667-ES SIZE:40 BODY SIZE 3 RATING ANSI 300 BODY MALT C/ST FLOW EC - BRE CHAR Company name: hick hargreaves and co ltd Bolton ,lancashire , england bl36db Tele. Bolton (0204) 23373 Telex :63244 Answer back : hick G Telegrams: hick bolton	
	For deaerator head	2
	Stainless steel 2" N.B spray valve complete with joint ring	
	For vent condenser	64
	Solid drawn copper heat exchanger tubes 3/4" od x 18 BWG x 4FT long complete with three joint ring for water box and cover joints	
	For float switch assembly	2
	Mobrey float switch	
	For water level gauge	2
	Set recommended spares for 7/16" bore section quickmount gauge 5 ft between centrescomprising	
	Sight tube	2
	Set of seals	2
	For relief valve	2
	Set recommended spare for 4" bore cast iron	
	For level control	2
	Set recommended spares	
	GB460696	2
	Groove pin	2
	Seal ring	2
	Valve plug	2
	Valve stem	2
	Diaphragm kit kp4162	2
	Spares kit kp3582	2

	Spares kit 67fr	2
	Gasket	2
	Gasket spiral wound	2
	Gasket	2
	Gasket	2
	Packing set	2
	Upper wiper	2
	GB460698	
	Torque tube assembly	2
	Cotter spring	4
	Gasket	2
	Gasket	2
	Gasket	2
	Spare kit KP2502	2
	Spare kit FOR 67FR	2
02-04-00167	Distribution boards	
	Dorman smith switch gear ltd black pool road preston pr2 2dq england tele. Preston 728271 (15 line) Telex 677167 dorman G	
	Fused switches	
	TSS 3800 N C/W FUSES 800 A (3-GF800)	2
	TSS 3300 N C/W FUSES 300 A (3-ED300)	4
	TSS 3200 N C/W FUSES 200 A (3-EDO200)	8
	TSS 3200 N C/W FUSES 150 A (3-EDO150)	10
	TSS 3100 N C/W FUSES 100 A (3-CEO100)	16
	TSS 360 N C/W FUSES 60 A (3-BA063)	16
	FUSES	
	GF800 AMP	12
	ED300 AMP	20
	DEO150 AMP	60
	CEO 100 AMP	60
	BAO60 AMP(BA063)	60
	Fused switches	
	D frame isolator LLSD1250 each with 6T terms	2
	E frame MCACB1600 AMP LLBE 1600 each with 6T terms	2
	E frame Dolly extension SLLDEE	6
	D frame Dolly extension LLDEE	6
	Fuseling distribution boards	
	Fuse base and carries 60 amp -60 BF	40
	Fuse base and carries 100 amp -100 BF	20
	Miscellaneous	
	Voltmeter 0-500 V	10
	Ammeter 0-2000 A	10
	Selection switch	10
02-04-00168	Transformers distribution boards	
	Dorman smith switch gear ltd black pool road preston pr2 2dq england tele. Preston 728271 (15 line) Telex 677167 dorman G	
	Push bottom on with diaphragm timer 9007 A0-2	20
	Push bottom off 9007 A0-2	20
	Relay (240V coil) MTE UCO 5 amp	20
	Relay (240V coil) MTE UCO 5-10 amp model with timer	20
	Amp meter 0-2400 A (make wire)	10
	Amp meter 0-1800 A (make wire)	10
	Volt meter 0-500 V (make wire)	10

	Selector switch Amm meter		10
	Selector switch for volt meter		10nos nos
02-04-00169	Mechanical distribution boards		
	Lounsdaled electric limited lounsdaled works meikleriggis paisley PA2GDT scotland telex no. 77431		
	Over load	AW114	4
	Over load	AW115	2
	Over load	AW116	2
	Over load	AW117	2
	Over load	AW118	4
	Current transformer	ARXW	8
	Voltmeter seal switch	Saniou	4
	Push bottom	S&S	50
	Control relay	S&S CS1	6
	220 V coil	S&S SC3	2
	Flushing relay	S&S	2
	220 V coil	S&S SC1	6
	Star deita timer	S&S RZEYZII	6
	Contactora	S&S CA1-10-20	2
	0-1200 A ammeter	crompton	2
	0-500 A ammeter	Crompton	2
	0-200 A ammeter	Crompton	2
	0-100 A ammeter	Crompton	4
	0-500 V voltmeter	crompton	4
	H.R meter	Model 235	2
	Fuse carriers	GEC RS32 PH	40
	Fuse carriers	GEC RS20 H	100
	Fuse carriers	GEC R60H	6
	Fuse carriers	GEC RS100H	8
	Fuse carriers	GEC RS200 PH	6
	Fuse carriers	GEC RS100 PH	4
	Fuse carriers	GEC RS20 PH	60
	Fuse carriers	GEC RS63 PH	30
	Fuse carriers	GEC RS200 P	4
	Fuse carriers	GEC RS100 PH	20
	Thermister relay	Allenwest	4
	Plug in relays and bases	Omron	4
	Indicating lights	Sprecher and schuh	60
	Time switches	Sangamo S253	6
	Over loads	AW 108	2
	Over loads	AW 109	4
	Over loads	AW 110	4
	Over loads	AW 111	4
	Over loads	AW 112	2
	Over loads	AW 113	2
	Current transfoiners 1200/5	AR&W	2
	Current transfoiners 500/5	AR&W	2
	Current transfoiners 60/5	AR&W	2
	Current transfoiners 80/5	AR&W	4
	Current transfoiners 50/5	AR&W	2
	Current transfoiners 200/5	AR&W	6
	HRC fuse link	GECTIA 32 M40	6
	HRC fuse link	GECTIA 32 M35	8
	HRC fuse link	GECTIA 63 M80	2
	HRC fuse link	GEC TC P100	8

	HRC fuse link	GEC TC P80	10
	HRC fuse link	GEC TI S60	10
	HRC fuse link	GEC TI A32	10
	HRC fuse link	GEC TI S40	20
	HRC fuse link	GEC TI A20	8
	HRC fuse link	GEC NI T60	20
	HRC fuse link	GEC NI T16	24
	HRC fuse link	GEC NI T10	20
	HRC fuse link	GEC NI T6	30
	HRC fuse link	GEC TIS63 M80	2
	HRC fuse link	GEC TIT20 M25	2
	HRC fuse link	GEC NI T2	4
	HRC fuse link	GEC NI T4	8
	HRC fuse link	GEC TI S50	4
	HRC fuse link	GEC TF125	2
	HRC fuse link	GEC TF200	2
	HRC fuse link	GEC TF160	4
	HRC fuse link	GEC TTH500	2
	Contactora	S&S CA1-10N	6
	Contactora	S&S CA1-10	20
	Contactora	S&S CA1-16	6
	Contactora	S&S CA1-25	10
	6A3 pole on/off switch	Santen	16
	10 hp 3 pole isolator	Santen	2
	2 auxiliary contacts	Santen	2
	A32 door assemblies	Santen	20
	6A 1 pole on/off switch	Santen	4
	Ammeter sel switch	Santen	4
02-04-00170	Washer extractor 2267M -224567		
	American laundry machinery division mail box 449		
	Motor wash		4no.
	Clutch		2no.
	Rotor seal		4no.
	Reducer		2no.
	Seal crossoyer		4no.
	Seal piston		4no.
	Bearing front		4no.
	Bearing rear		4no.
	Element 1/3 pint M bros		12no.
	Regulator(n26.10.125 psi)		4no.
	Regulator (0-50) psi		2no.
	Valve solenoid (220/50)		4no.
	Valve solenoid-do-		4no.
	Valve solenoid -do-		4no.
	Valve solenoid (50 cy)		4no.
	Valve inlet 2" (230/50)		8no.
	Cup rubber		4no.
	M rep. Kit		4set
	FA spare parts		4set
	Drain valve		4
	C 58480 relay (700N800-A2) 01121		4
	C 58465 relay (700N800-A2) 01121		4
	Timer REU (SMW RT4X)003		
02-04-00171	Batteries		

Alkaline batteries limited poor sources division P.O.box 4 redditch wprcester shire england Chloride -southamition england		
Charger of D.C batteries amp0- 50A volt 0- 200V	Recommanded spare of different parts of charger as controller transformers relaes ammeter voltmeter FUSES and other parts D.C Relay witch connected the charger to Battery or to load D.C relay witch connected the charger to battery or to load	5lot 12 6
D.C batteries amp 0-50A	Batteries type: Alkaline -nickel- cadmium in plastic containers	700
Lamps110V (pin type)		1000
02-04-00172	Spare parts for small ironies American laundry machinary pivision mail box 449	
	Needle valve	A-50950 8
	Valve assy	A-175 6
	Air hos	A-15715 8
	Hose anocode to MMU	A-33122 4
	Oil less bearing 3/4" x1x1" & 3/4x1"x1/4"	A-50986 8
	Steam valve	A-10518 6
	Small Teflon valve	A-11599 12
	Compression spring	A-31336 12
	Large Teflon valve	A-20084 14
	Small Teflon valve	A-20083 14
	Compression spring	A-51063 8
	Compression spring	A-52307 4
	Large rubber diaphragm	A-18542 6
	Large diaphragm	A-818 6
	Screen assyno. 211	A-10908 6
	Disc	A-51257 6
	Push buttom for closing	20
	Do. Diaphragm for opening cylinder and exhaust	250AA 20
02-04-00173	Spare parts for tumblers American laundry machinery dvision mail box 449	
	Switch	T-185 18
	Rubber damper	HT-139-1 18
	Drive chain	VT-119 12
	Switch lever	DT-1343 12
	Door gasket	TT-140-3 40
	thermocouple	T-163-2 12
	light	ST-162 12
	Thermostat	T-261-1 12
	Timer	ST-268-30 6
	Fuse lint	198 20
	Fuse	T-198 60
	Belt	Vt-129 12
	Van motor	BLS 6T170406EW 4
	Door safety switch	T-183-41 12
	Cyi .motor 1/2 HP	T-183-41 4
	Knob	KNOB ST-261 12
	Door latch astrike	ST-276 6

	Buzzer Indicating lamp Contactor 220V Temp gauge We have three number which have the following serial nos:24888 24887 24886 all of them has mod 42 size 42x42 all designed for 125 steam max pr.	ST-261	10 20 14 6
02-04-00174	Equipment: recommended spear part s list for generators caterpiuar Model:3304 T,RPM 1500,3Q,Kw 80,60-50 HZ(Engine model 3304,serial no. 4B),400 V Company address: Cater bailer.		
	Fuel filter Oil filter Seal water pump Thermostat Water pump Belt set Ualt regulator DC system GOV pump solenoid Air box solenoid Diodes Surge protector Bulb Fuse Rotary sel. Switch Rheostat volt control Ground strop C/BOX Starter motor Over loud relay Fuse holder Control relay AC voltage regulator T.D relay Power supply Coolant gage Oil press gage Socket thermot relay A.V.R board Seleve Battry charger 24 V DC,20 A	AP 81301 885	6 6 2 2 2 4set set 2 4 2 12 2 10 10 2 2 2 2 2 4 4 4 2 2 2 2 2 2 2 2 2
02-04-00175	Equipment:recomonded spaer parts list for generators (BETBOW) S.N 40932 Type:TE 500 RA 71 T,HZ:50,V:415,APM:1500,KVA:625,A:870,control agar type electric start Company address :PETBOW SANDWICH KENT-ENGLAND.		
	Fuel filter Oil filter Seal water pump Water pump		12 12 4 4

Thermostat		4
Belt set	8set	set
Volt regulator (DC) system		4
GOV dump solinoid		8
Diodes		4
Surge protector		24
Bulb		4
Fuse		20
Rotary sel. Swith		20
Rheost volt control		4
Ground strop CIBOX		4
Starter motor		4
Over load relay		4
Fuse holder		4
Control relay		4
AC voltage regulator		8
T.D relay		88
Power supply		4
Coolant gage		4
Oil press gage		4
Socket themot relay		4
A.V.R board		8
Selev		8
Batray charger 24V D.C 20 Assss		4