

2. INDICATORS FOR SUSTAINABLE ENERGY DEVELOPMENT

I. Vera, L. Langlois, H.-H. Rogner
International Atomic Energy Agency

2.1. Introduction

The provision of adequate and reliable energy services at an affordable cost, in a secure and environmentally benign manner and in conformity with social and economic development needs, is an essential element of sustainable development. Energy is vital for eradicating poverty, improving human welfare and raising living standards (UNDP, *et al.* 2000). However, most current patterns of energy supply and use are considered unsustainable (UN, 2001). Many areas of the world have no reliable and secure energy supplies, and hence no energy services—which limits economic development. In other areas, environmental degradation from energy production and use inhibits sustainable development.

Adequate and affordable energy services have been critical to economic development and the transition from subsistence agricultural economies to modern industrial and service-oriented societies. Energy is central to improved social and economic well-being, and is indispensable for industrial and commercial wealth generation. But however essential it may be for development, energy is only a means to an end. The end is a sustainable economy and a clean environment, high living standards, prosperity and good health.

Key energy issues were discussed in 2001 at the ninth session of the Commission on Sustainable Development (CSD-9). In 2002, at the World Summit on Sustainable Development (WSSD) held in Johannesburg, South Africa (UN, 2002), the international community reaffirmed that access to energy is important to the Millennium Development Goal of halving, by 2015, the proportion of people living in poverty (UN, 2000). The WSSD agreed to facilitate access for the poor to reliable and affordable energy services in the context of broader national policies to foster sustainable development. The summit also called for changes in unsustainable patterns of energy production and use.

It is therefore important for policy makers to understand the implications and impacts of different energy programmes, alternative policies, strategies and plans in shaping development within their countries, and the feasibility of making development sustainable over time. Indicators, when properly analyzed and interpreted, can be useful tools for communicating data relating to energy and sustainable development issues to policy makers and to the public, and for promoting institutional dialogue. They provide a way to structure and clarify statistical data to give better insight into the factors that affect energy, environment, economics and social well-being, and how these might be influenced and trends improved. Indicators can also be used to monitor progress of past policies, and to provide a “reality check” on strategies for future sustainable development. This cannot be done, however, without critical analysis of the underlying causal and driving factors.

In response to decisions taken by the United Nations Commission on Sustainable Development (CSD) and to Chapter 40 of Agenda 21, United Nations Department of Economic and Social Affairs (UNDESA) began working in 1995 to produce an overall set of indicators for sustainable development (ISD). This effort concluded with a package of 58 ISD, of which only three were energy related – annual energy consumption per capita, intensity of energy use, and share of consumption of renewable energy resources (UNDESA, 2001). In order to complement the effort of the Commission on Sustainable Development and to provide a higher resolution on energy, the International Atomic

Energy Agency (IAEA) started a long-term programme addressing indicators for sustainable energy development (ISED) in 1999. This was done in cooperation with various other international organisations, including the International Energy Agency (IEA), UNDESA, and some Member States of the IAEA. The project was conceived to:

- Fill the need for a consistent set of energy indicators;
- Assist countries in energy and statistical capacity building necessary to promote energy sustainability; and
- Supplement the work on general indicators being undertaken by the UN Commission on Sustainable Development (CSD).

The project was developed in two phases. In the first phase (1999–2001), an original set of 41 ISED was identified, and the conceptual framework to classify and implement these indicators was developed. Major themes and sub-themes and systematic cross-linkages among indicators were defined to establish causality. The results of the first phase were presented at CSD-9 in April 2001 (IAEA/IEA, 2001). In 2002, the ISED/IAEA project was classified as a Partnership of the WSSD, and was officially registered as such with the CSD.

The second phase started in 2002, with a three-year coordinated research project to implement the original set of ISED in seven countries. The countries were selected on the basis of proposals submitted by experts from statistical and energy research organisations interested in the evaluation of their countries' energy policies in accordance with their sustainable development objectives. The research teams worked on the evaluation of their countries' statistical capabilities and on the implementation of the particular subsets of the ISED most relevant to their energy priorities. The relevant indicators were used to analyse current energy policies and potential future energy strategies. This implementation project concluded in 2005, with participating countries summarising findings and lessons learned. The resulting national case studies are summarized in this publication in the chapters that follow.

The emphasis of the indicators discussed in this document is on national self-examination rather than international benchmarking. The interpretation depends on the state of development of each country, the nature of its economy, its geography, the availability of indigenous energy resources, etc. Critical analysis of underlying conditions is therefore essential. Nonetheless, changes in the value of each indicator over time, properly analysed, can help to quantify progress toward selected development goals within a country.

The second phase also included a parallel effort, coordinated with other international organisations and agencies involved in the development of energy indicators, for further refining the original indicator set. The final set of energy indicators resulting from this effort, which builds on the cumulative experience of these agencies, was published in 2005 in a joint interagency report on methodologies and guidelines (IAEA *et al.*, 2005).

The main criterion driving the selection and refinement process of the energy indicators was their ability to address the most important energy-related issues of interest to countries worldwide. Furthermore, the indicators were selected, defined and classified to help countries assess effective energy policies for action on sustainable development. They were devised as a help to guide the implementation of various actions urged at the WSSD, and in particular to:

- Integrate energy into socio-economic programmes;
- Combine more renewable energy, energy efficiency and advanced energy technologies to meet the growing need for energy services;
- Increase the share of renewable energy options;
- Reduce the flaring and venting of gas
- Establish domestic programmes on energy efficiency;
- Improve the functioning and transparency of information in energy markets;

- Reduce market distortions; and
- Assist developing countries in their domestic efforts to provide energy services to all sectors of their populations.

The selection criteria also included considerations about data availability (in particular in developing countries), and the feasibility of collecting additional data deemed essential to the establishment of important indicators.

2.2. Phase I: Project Definition

The Original Set of Indicators for Sustainable Energy Development (ISED)

The original ISED considered the economic, social, environmental and institutional dimensions of sustainable development. During the first phase of the ISED project, the IAEA, in cooperation with UNDESA, the IEA and a number of Member States, worked on the identification of important issues within each of these main dimensions of sustainable development, with the final objective of defining a set of energy indicators applicable worldwide and commensurate with the CSD approach.

2.2.1. Economic dimension

Economic ISED measure how the use and production patterns of energy, as well as the quality of energy services, affect progress in economic development, and how the status of the energy sector and its trends in a country might improve the chances for economic development to be sustainable in the long run. All sectors of an economy—residential, industrial, commercial, transport, service and agriculture—require energy. These energy services in turn foster economic and social development at the local level by raising productivity and facilitating local income generation. Availability of energy affects jobs, productivity and development. Electricity is the dominant form of modern energy for telecommunications, information technology, manufacturing and services. Therefore, main factors of indicators in the economic dimension include energy use, production and supply; energy supply efficiency and end-use energy intensity; energy pricing, taxation and subsidies; energy security; and energy diversity. A difficulty with economic ISED lies in their interpretation, and specifically in maintaining a clear focus on income generation trends in economic growth and natural resource exploitation.

2.2.2. Social dimension

ISED in the social dimension measure the impact that available energy services may have on social well-being. Availability of energy services have implications in terms of poverty, employment opportunities, education, community development and culture, demographic transition, indoor pollution and health, as well as gender- and age-related implications. Social ISED describe issues related to accessibility, affordability and disparity in energy supply and demand. In rich countries, modern energy services (lighting, heating, cooking, etc.) are almost universally available. The energy is clean, safe, reliable and affordable. In poor countries, up to six hours a day may be required to collect wood and dung for cooking and heating, and this task is usually done by women. In areas where coal, charcoal, paraffin or kerosene are commercially available, these fuels take up a large portion of the monthly household income. Inadequate equipment and ventilation often means that the burning of these fuels inside the house takes a toll on human health, contributing to disease (and even death) through air pollution and fires. A major difficulty in the development of social ISED is the lack of relevant or adequate data (especially time-series) in developing countries.

2.2.3. Environmental dimension

The production, distribution and use of energy create pressures on the environment in the household, workplace and city, and at the national, regional and global levels. Therefore, energy indicators are useful for evaluating impacts of energy systems in all these areas. Environmental ISED measure the impact of energy systems on the overall environment, and in particular the determination of positive or

negative trends in land, water (fresh and marine), and air quality. Such environmental impacts vary depending upon how energy is produced and used, and on related energy regulatory actions and pricing structures. Gaseous emissions and particulates from the burning of fossil fuels pollute the atmosphere and cause poor local air quality and regional acidification. Large hydropower dams flood land and may cause silting of rivers. Both the fossil and nuclear fuel cycles, as well as geothermal production, emit some radiation and generate wastes of different levels of toxicity. Wind turbines can spoil a pristine countryside. And gathering firewood may lead to deforestation and desertification. Principal issues related to the environmental dimension include global climate change, air pollution, water pollution, wastes, land degradation and deforestation.

2.2.4. Institutional dimension

Institutional indicators assess the availability and adequacy of the institutional framework necessary to support an effective and efficient energy system. Institutional indicators are useful for linking and addressing the response actions and policy measures designed to influence trends in the social, economic and environmental dimensions. For example, institutional indicators might help to measure not only the existence but also the effectiveness of a national sustainable energy development strategy or plan, energy statistical capacity and analytical capabilities, and the adequacy and effectiveness of investments in capacity building, education or research and development. Institutional indicators could also help to monitor progress towards appropriate and effective legislative, regulatory and enforcement measures to foster efficient energy systems.

Indicators in this dimension are the most difficult to define for two reasons. First, they tend to address issues that are, by nature, difficult to measure in quantitative terms. Many of these issues relate to the future, and need dynamic analysis based on projections of energy production, use and investment. Second, the variables measured by institutional indicators tend to be structural or policy responses to sustainable development needs.

In practice, the four dimensions are interrelated. Figure 2.1 is a simplified illustration of the interrelationship among these various sustainability dimensions of the energy system. The environmental state associated with the energy system is affected by driving forces originating from the economic and social dimensions. The social state of the energy system is, in turn, influenced by certain driving forces originating from the economic dimension. The institutional dimension can affect all the other three dimensions—social, economic and environmental—through corrective policies that influence the sustainability of the whole energy system.

The effort to identify and categorise ISED went through several iterations. A provisional list of ISED was discussed at an international workshop in 1999 (IAEA, 1999). The list was later subject to informal testing in fifteen countries by volunteer groups of energy system analysts. The list of ISED resulting from the first phase of the project is shown in Table 2.1. The indicators in bold were considered most significant from the point of view of sustainable energy development and were viewed as the core set of ISED.




Figure 2. 1. Interrelationship among sustainability dimensions of the energy sector.
Source: IAEA/IEA (2001)

TABLE 2.1. ORIGINAL SET OF INDICATORS FOR SUSTAINABLE ENERGY DEVELOPMENT (ISED)

1.	Population: total; urban
2.	GDP per capita
3.	End-use energy prices with and without tax/subsidy
4.	Shares of sectors in GDP value added
5.	Distance travelled per capita: total, by urban public transport mode
6.	Freight transport activity: total, by mode
7.	Floor area per capita
8.	Manufacturing value added by selected energy intensive industries
9.	Energy intensity: manufacturing, transportation, agriculture, commercial & public services, residential sector
10.	Final energy intensity of selected energy intensive products
11.	Energy mix: final energy, electricity generation, and primary energy supply
12.	Energy supply efficiency: fossil fuel efficiency for electricity generation
13.	Status of deployment of pollution abatement technologies: extent of use, average performance
14.	Energy use per unit of GDP
15.	Expenditure on energy sector: total investments, environmental control, hydrocarbon exploration & development, RD&D, net energy import expenses
16.	Energy use per capita
17.	Indigenous energy production
18.	Net energy import dependence
19.	Income inequality
20.	Ratio of daily disposable income/ private consumption per capita of 20% poorest population to the prices of electricity and major household fuels
21.	Fraction of disposal income spent on fuels (total population, 20% poorest)
22.	Fraction of households: heavily dependent on non-commercial energy; without electricity
23.	Quantities of air pollutant emissions (SO₂, NO_x, particulates, CO, VOC)
24.	Ambient concentration of pollutants in urban areas: SO₂, NO_x, suspended particulates, CO, ozone
25.	Land area where acidification exceeds critical load

26.	Quantities of greenhouse gas emissions
27.	Radionuclides in atmospheric radioactive discharges
28.	Discharges into water basins: waste/storm water, radionuclides, oil into coastal waters
29.	Generation of solid waste
30.	Accumulated quantity of solid wastes to be managed
31.	Generation of radioactive waste
32.	Quantity of accumulated radioactive wastes awaiting disposal
33.	Land area taken up by energy facilities and infrastructure
34.	Fatalities due to accidents with breakdown by fuel chains
35.	Fraction of technically exploitable capability of hydropower currently not in use
36.	Proven recoverable fossil fuel reserves
37.	Life time of proven fossil fuel reserves
38.	Proven uranium reserves
39.	Life time of proven uranium reserves
40.	Intensity of use of forest resources as fuelwood
41.	Rate of deforestation

Source: IAEA/IEA, 2001.

These ISED were then categorised into a conceptual scheme for identifying cross-linkages among various indicators across all four dimensions of sustainable development (IAEA/IEA, 2001). The initial ISED framework was consonant with the driving force, state and response (DSR) framework devised by the CSD for the original ISD, even though the CSD later replaced its framework with a system of more tractable and more easily defined themes and sub-themes.

The driving force indicators were further split into two subcategories: direct and indirect driving forces. This allowed a distinction to be made between those factors having a direct influence on the state indicators and those that affect the state indicators indirectly by influencing one or more of the direct driving forces.

Table 2.2 classifies each of these 41 ISED either as an indirect or direct driving force, or a state indicator. There are fifteen indirect driving force indicators, fourteen direct driving force indicators and twelve state indicators. Again, the core ISED are shown in bold.

TABLE 2.2. ISED CLASSIFIED ACCORDING TO INDIRECT AND DIRECT DRIVING FORCES AND STATE

Indirect driving force	Direct driving force	State
1. Population: total; urban	14. Energy use per unit of GDP	16. Energy use per capita
2. GDP per capita	15. Expenditure on energy sector: total investments, environmental control, hydrocarbon exploration & development, RD&D, net energy import expenses	17. Indigenous energy production
3. End-use energy prices with and without tax/subsidy	21. Fraction of disposal income spent on fuels (total population, 20% poorest)	18. Net energy import dependence
4. Shares of sectors in GDP value added	23. Quantities of air pollutant emissions (SO₂, NO_x, particulates, CO, VOC)	22. Fraction of households: heavily dependent on non-commercial energy; without electricity
5. Distance traveled per capita: total, by urban public transport mode	26. Quantities of greenhouse gas emissions	24. Ambient concentration of pollutants in urban areas: SO ₂ , NO _x , suspended particulates, CO, ozone
6. Freight transport activity: total, by mode	27. Radionuclides in atmospheric radioactive discharges	25. Land area where acidification exceeds critical load
7. Floor area per capita	28. Discharges into water basins: waste/storm water, radionuclides, oil into coastal waters	30. Accumulated quantity of solid wastes to be managed
8. Manufacturing value added by selected energy intensive industries	29. Generation of solid waste	32. Quantity of accumulated radioactive wastes awaiting disposal
9. Energy intensity: manufacturing, transportation, agriculture, commercial & public services, residential sector		
10. Final energy intensity of selected energy intensive products		

<p>11. Energy mix: final energy, electricity generation, and primary energy supply</p> <p>12. Energy supply efficiency: fossil fuel efficiency for electricity generation</p> <p>13. Status of deployment of pollution abatement technologies: extent of use, average performance</p> <p>19. Income inequality</p> <p>20. Ratio of daily disposable income/private consumption per capita of 20% poorest population to the prices of electricity and major household fuels</p>	<p>31. Generation of radioactive waste</p> <p>33. Land area taken up by energy facilities and infrastructure</p> <p>35. Fraction of technically exploitable capability of hydropower currently not in use</p> <p>36. Proven recoverable fossil fuel reserves</p> <p>38. Proven uranium reserves</p> <p>40. Intensity of use of forest resources as fuelwood</p>	<p>disposal</p> <p>34. Fatalities due to accidents with breakdown by fuel chains</p> <p>37. Life time of proven fossil fuel reserves</p> <p>39. Life time of proven uranium reserves</p> <p>41. Rate of deforestation</p>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Source: IAEA/IEA, 2001.

2.3. Phase II: Project Implementation

The implementation of Phase II began in 2002, when IAEA started a three-year coordinated research project entitled descriptively as “Historical evolution of indicators of sustainable energy development and the use of this information for designing guidelines for future energy strategies in conformity with the objectives of sustainable development.” The project was conducted with research organisations from Brazil, Cuba, Lithuania, Mexico, the Russian Federation, the Slovak Republic and Thailand. The main objective was to test and demonstrate the broad applicability of the original set of ISED, and to prepare country case studies summarising the experiences, lessons learned and problems encountered. Experts in each country were asked to implement the ISED in the context of their own national energy system. The ultimate goal of this activity was to explore, test and demonstrate the usefulness of the ISED for assessing specific policies and trends related to sustainable development.

Participating country teams were asked to perform the following specific tasks:

- Review the energy system in their country and summarise current status, main issues, trends, policies in place and future plans for expansion and improvement.
- Review the energy and environmental statistical capability of their country to determine its strengths and weaknesses, and the extent to which the ISED package could be incorporated.
- Select a number of energy-related priority areas or main issues for assessment with the ISED.
- Compile the necessary time series to develop the relevant ISED for assessing these specific priority areas.
- Implement the relevant ISED using time-series data to evaluate the current situation, past trends and expected future developments.
- Define additional indicators that may be unique to a particular country or required to assess priority areas.
- Assess the effectiveness of existing policies in achieving specific goals that move the country towards a more sustainable energy future.
- Formulate potential policies and strategies that could help further achieve the specified sustainable development goals with respect to energy and the environment, and assess the potential success of these response actions using the ISED framework.
- Provide a critique of the ISED, their ease of use, their applicability to current policy needs, their consonance with national statistical resources, and their utility as policy and energy system analysis tools.

Participants were asked to prepare reports addressing these tasks, and the rest of the chapters in this publication summarize the experiences, findings and lessons learned from the implementation of the ISED in the participating countries. Their findings and critiques also contributed to the further refinement of the ISED. It is therefore important to recognize that the country case studies included in later chapters were based upon the implementation of the original ISED set listed in Table 2.1, rather than the refined version discussed below.

2.4. Phase II: Refinement of Indicators

Energy Indicators for Sustainable Development (EISD)

The second phase of the IAEA energy indicators programme also included a parallel effort to further refine the original ISED set. This effort was conducted with other international organisations and agencies involved in the development of energy indicators, including UNDESA, the IEA, Eurostat and the European Environment Agency (EEA). The final set of energy indicators resulting from this effort builds upon the cumulative experience of these agencies and the inputs from the process of implementing the coordinated research project. It was published in 2005 in a joint interagency report on methodologies and guidelines (IAEA *et al.*, 2005). Based on practicality, data availability and results from “learning by doing,” the original set of 41 indicators was reduced to the 30 that constitute the current refined set of energy indicators. The original name “Indicators for sustainable energy development (ISED)” was then modified to “energy indicators for sustainable development (EISD)” to reflect the view held by many that “sustainable energy development” tends to refer only to renewable energy, rather than the broader spectrum of energy choices. This name change was considered necessary to avoid future misunderstandings in discussions relevant to energy and sustainable development.

A number of indicators were redefined and merged; others were classified as auxiliary indicators. Notably, indicators for the institutional dimension were dropped, having been found to be difficult to define quantitatively or to chart over time in a meaningful way. Since these indicators focus primarily on response actions, the assessment of the adequacy of these measures has been left to a qualitative discussion. Furthermore, although the original indicators followed the driving force/state/response framework, the report on methodologies and guidelines uses the main approach of themes and sub-themes currently used by the CSD.

The indicators in the EISD set are thus consistent with and supplementary to the CSD indicators as published by UNDESA in 2001 (UNDESA, 2001). Moreover, the 2005 interagency report reflects a consensus of leading experts on definitions, guidelines and methodologies. The 30 EISD are now classified according to the three major dimensions of sustainable development: social (four indicators), economic (sixteen indicators) and environmental (ten indicators). Each group is divided into themes and sub-themes. Table 2.3 lists the indicators of the EISD according to this scheme. The list also includes the basic components of each indicator. It is important to note that indicators can be classified in more than one dimension, theme or sub-theme, given the numerous interlinkages among these categories.

The 2005 interagency report provides background on the dimensions, themes and frameworks used to define the indicators. It also provides guidelines on how to select and use the indicators and discusses their limitations, pitfalls and constraints to ensure meaningful analysis and to avoid basic statistical misinterpretations. Finally, the report contains methodology sheets for each of the 30 EISD, designed to assist users in the elaboration, construction and implementation of the indicators. The methodology sheets include complete descriptions of the indicators, principal and alternative definitions, the components of each indicator, the units in which they are measured, instructions on how to construct them, data concerns, key data sources, and linkages to other indicators. The report is intended for specialists in energy and the environment, including statisticians, analysts, policy makers and academics—in particular those involved in the development of energy and environmental indicators relevant to sustainable development.

TABLE 2.3. LIST OF ENERGY INDICATORS FOR SUSTAINABLE DEVELOPMENT (EISD)

Social					
Theme	Sub-theme	Energy indicator		Components	
Equity	Accessibility	SOC1	Share of households (or population) without electricity or commercial energy, or heavily dependent on non-commercial energy	-Households (or population) without electricity or commercial energy, or heavily dependent on non-commercial energy -Total number of households or population	
	Affordability	SOC2	Share of household income spent on fuel and electricity	-Household income spent on fuel and electricity - Household income (total and poorest 20% of population)	
	Disparities	SOC3	Household energy use for each income group and corresponding fuel mix	-Energy use per household for each income group (quintiles) -Household income for each income group (quintiles) -Corresponding fuel mix for each income group (quintiles)	
Health	Safety	SOC4	Accident fatalities per energy produced by fuel chain	-Annual fatalities by fuel chain -Annual energy produced	
Economic					
Theme	Sub-theme	Energy indicator		Components	
Use and Production Patterns	Overall Use	ECO1	Energy use per capita	-Energy use (total primary energy supply, total final consumption and electricity use) -Total population	
	Overall productivity	ECO2	Energy use per unit of GDP	-Energy use (total primary energy supply, total final consumption and electricity use) -GDP	
	Supply efficiency	ECO3	Efficiency of energy conversion and distribution	-Losses in transformation systems including losses in electricity generation, transmission and distribution	
	Production		ECO4	Reserves-to-production ratio	-Proven recoverable reserves -Total energy production
			ECO5	Resources-to-production ratio	-Total estimated resources -Total energy production
	End use		ECO6	Industrial energy intensities	-Energy use in industrial sector and by manufacturing branch -Corresponding value added
			ECO7	Agricultural energy intensities	-Energy use in agricultural sector -Corresponding value added
			ECO8	Service/ commercial energy intensities	-Energy use in service/ commercial sector -Corresponding value added
			ECO9	Household energy intensities	-Energy use in households and by key end use -Number of households, floor area, persons per household, appliance ownership
			ECO10	Transport energy intensities	-Energy use in passenger travel and freight sectors and by mode -Passenger-km travel and tonne-km freight and by mode

	Diversification (fuel mix)	ECO11	Fuel shares in energy and electricity	-Primary energy supply and final consumption, electricity generation and generating capacity by fuel type -Total primary energy supply, total final consumption, total electricity generation and total generating capacity
		ECO12	Non-carbon energy share in energy and electricity	-Primary supply, electricity generation and generating capacity by non-carbon energy -Total primary energy supply, total electricity generation and total generating capacity
		ECO13	Renewable energy share in energy and electricity	-Primary energy supply, final consumption and electricity generation and generating capacity by renewable energy -Total primary energy supply, total final consumption, total electricity generation and total generating capacity
	Prices	ECO14	End-use energy prices by fuel and by sector	-Energy prices (with and without tax/subsidy)
Security	Imports	ECO15	Net energy import dependency	-Energy imports -Total primary energy supply
	Strategic fuel stocks	ECO16	Stocks of critical fuels per corresponding fuel consumption	-Stocks of critical fuel (e.g. oil, gas, etc.) -Critical fuel consumption
Environmental				
Theme	Sub-theme	Energy indicator		Components
Atmosphere	Climate change	ENV1	GHG emissions from energy production and use per capita and per unit of GDP	-GHG emissions from energy production and use -Population and GDP
	Air quality	ENV2	Ambient concentrations of air pollutants in urban areas	-Concentrations of pollutants in air
		ENV3	Air pollutant emissions from energy systems	-Air pollutant emissions
Water	Water quality	ENV4	Contaminant discharges in liquid effluents from energy systems including oil discharges	-Contaminant discharges in liquid effluents
Land	Soil quality	ENV5	Soil area where acidification exceeds critical load	-Affected soil area -Critical load
	Forest	ENV6	Rate of deforestation attributed to energy use	-Forest area at two different times -Biomass utilization
	Solid waste generation and management	ENV7	Ratio of solid waste generation to units of energy produced	-Amount of solid waste -Energy produced
		ENV8	Ratio of solid waste properly disposed of to total generated solid waste	-Amount of solid waste properly disposed of -Total amount of solid waste
		ENV9	Ratio of solid radioactive waste to units of energy produced	-Amount of radioactive waste (cumulative for a selected period of time) -Energy produced
		ENV10	Ratio of solid radioactive waste awaiting disposal to total generated solid radioactive waste	-Amount of radioactive waste awaiting disposal -Total volume of radioactive waste

Source: IAEA et al. (2005).

Clearly, the organisational framework of energy indicators has evolved somewhat from CSD-9 (April–May 2001) to the publication of the report on guidelines and methodologies in 2005. These changes, described above, reflect refinements based on experience in applying the indicators over the past five years. The basic approach and the analytical concept, however, have not changed. The shift from the driving force/state/response framework to the themes and sub-themes does not change the nature of the analysis, nor does it mean that causality and interrelationships among trends and factors are ignored. Such relationships are still the backbone of the indicator approach to sustainable development analysis. The adoption of the theme and sub-theme approach, and the emphasis on institutional changes as responses, make it easier, at least in theory, for policy makers to target policies to influence trends in a more sustainable direction, and to gauge the success of these policies over time.

As it has evolved, the EISD set is intended as a reference point or basis upon which users can develop their own specific indicators. Users do not have to implement the full set, but can select those indicators that are relevant; nor are users limited to the proposed EISD, but can create other indicators that are appropriate for their case.

2.5. Using EISD for analysis

Generating indicators is only a beginning. As a structure for critical analysis, the EISD can be used to relate sustainable development goals and strategies to economic, environmental, or social factors, and to policy analysis and monitoring. The IAEA has been using the EISD in three specific ways:

- To clarify statistical information;
- To monitor progress of past energy-related policies; and
- To provide a reality check on policy proposals.

In all three cases, indicators are being combined with energy system modelling. This marriage of indicators and scenario modelling is now a current analytical focus.

One of the first uses of the EISD was in the context of a partnership initiative, led by the IAEA and registered with the CSD, for developing country profiles on sustainable energy development. Started in 2002, this project now includes three participating countries—Brazil, Cuba and South Africa — along with the IAEA and UNDESA. The main objective is to marry scenario projections of national energy demand and supply and related policies with a statistical analysis of past and future trends in selected sustainable development priorities. This approach thus permits policy makers to gauge whether the energy system is evolving in a desirable direction and how appropriate corrections can be made. These country energy profiles comprise quantitative and qualitative assessments of energy demand, supply, domestic resources, technology and trade, and scenarios of energy sector evolution under different policy and technology assumptions. The analysis is structured to address the most important energy issues and national priorities in the context of the major dimensions of sustainable development (economic, social and environmental). Historical trends and current status are assessed using the EISD tool. Future developments are explored based on scenarios developed using as a starting point nationally defined sustainable development criteria and goals. The partnership initiative is thus an effective mechanism, at the national level, for evaluating the fulfilment of a country's Johannesburg Plan of Implementation. In 2006, the first study conducted under this partnership initiative on the Brazilian energy system was published (IAEA et al., 2006).

More recently, a regional project has been started by IAEA, involving fourteen countries in the Asia and Pacific region. Using the same approach as the national profiles, this project adds a regional dimension to the analysis. A spin-off benefit will be that the EISD framework will be integrated into the national statistical system of participating countries.

2.6. Conclusions

The IAEA has worked successfully in cooperation with national and international organisations to develop a worldwide set of recommended energy indicators for sustainable development. The ISED/EISD is an analytical tool designed for assessing energy systems and for measuring progress towards more sustainable energy futures. This tool is a starting point that can serve as a reference point for a more refined and complete set of energy indicators, for more coherent methodologies and guidelines for its implementation, and for the design of future scenarios.

The country case study presented in the chapters that follow illustrate the applicability and use of the ISED tool in the assessment of energy sectors and trends towards sustainable development at the national level. They also describe limitations and difficulties encountered in the implementation of the ISED analysis and in the interpretation of results.

Further development of energy indicators and their dissemination and implementation at the national and regional levels, as well as designing indicators for the assessment of advanced innovative technologies, are continuous efforts at the IAEA. It is hoped that this work will result in an expanded analytical tool useful to energy experts and other stakeholders.

References

International Atomic Energy Agency (IAEA), 1999. *Indicators for Sustainable Energy Development*. Progress report discussed at the International Workshop on CSD Indicators of Sustainable Development, 7-9 December 1999, Bridgetown.

International Atomic Energy Agency (IAEA), International Energy Agency (IEA), 2001. *Indicators for Sustainable Energy Development*, presented at the Ninth Session of the Commission on Sustainable Development, 16-27 April 2001, New York.

International Atomic Energy Agency (IAEA), United Nations Department of Economic and Social Affairs (UNDESA), International Energy Agency (IEA), Eurostat, European Environment Agency (EEA), 2005. *Energy Indicators for Sustainable Development: Methodologies and Guidelines*, International Atomic Energy Agency (IAEA), Vienna.

International Atomic Energy Agency (IAEA), Graduate School of Engineering (COPPE) - Federal University of Rio de Janeiro, Brazilian Reference Centre on Biomass (CENBIO) - University of Sao Paulo, United Nations Department of Economic and Social Affairs (UNDESA), 2006. *Brazil: A Country Profile on Sustainable Energy Development*, International Atomic Energy Agency (IAEA), Vienna.

United Nations (UN), 2000. United Nations Millennium Declaration, General Assembly, A/RES/55/2, New York.

United Nations (UN), 2001. Commission on Sustainable Development, Report of the ninth session, E/CN.17/2001/19, United Nations, New York.

United Nations (UN), 2002. Report of the World Summit on Sustainable Development, A/CONF.199/20, New York.

United Nations Department of Economic and Social Affairs (UNDESA), 2001. *Indicators of Sustainable Development: Guidelines and Methodologies*, Second edition, New York.

United Nations Development Programme (UNDP), United Nations Department of Economic and Social Affairs (UNDESA), World Energy Council (WEC), 2000. *World Energy Assessment: Energy and the Challenge of Sustainability*, New York.