

02-04-00001	EQUIPMENT: COOLING TOWERS					
	MODEL: BPC 126,					
	COMPANY NAME: WESPER					
	QUANTITY: 3 COOLING TOWERS					
	SITE: SADDAM CENTRAL TEACHING HOSPITAL FOR CHILDREN					
	Spray nozzle					264
	Centrifugal fans					12
	Motor puylleys					18
	Fan pulleys					18
02-04-00002	Set of drive belts					18
	Set of PVC Fills					6
	Set of fan bearigns					6
	Distribution pipes					16
	Motor 9 KW					18
	EQUIPMENT: COLD STORE					
	Type	Refrigeration	Temperature	V	Fluid	
	PRB9	MR 75	+2+4 C	220V/1/50	BP145	
	PRB13	MC 250x2	-22 C	380/3/50	LUC350x2	
02-04-00003	PRB9	MR 100	+1+2 C	220V/1/50	BP215	
	PRB9	MR 150	+4+6 C	380/3/50	BP415	
	PRB9	MR 150	+6 C	220/1/50	BP290	
	PRBO	MR 100	+2 C	220/1/50	BP290	
	COMPANY NAME: BONNET					
	QUANTITY INSTALLED: 42					
	SITE: Baghdad (Ibn Albaladi - Habebia)- Dwania- Najaf- Nasseria - Ramadi					
	Compressor					48
	Condenser Fan					48
02-04-00004	Air Cooler Fan					48
	Reciever					24
	dryer					24
	Expansion valve					24
	Tele thermometer					24
	Control thermostat					48
	Deforost Timer					48
	Protection Circuit breaker					48
	Indiction Lamp					120
02-04-00005	Single pole revers switch					24
	Comind switch					24
	Four pole switch					24
	Fuse					120
	Relay					48
	Starting Capacitor					48
	Permanent capacitor					48
	Defrost heater					60
	EQUIPMENT: COLD STORE					
02-04-00006	COMPANY: TRADING & INVESTMENT					
	QUANTITY INSTALLED: 70					
	Compressor Type: D40100,FRIGOPOL,0.73KW, 1450min, 3/50					20
	Compressor Type: 9RBI-0505-ESL, Coplematic, 3/50/380					30
	Compressor type:LAHI-00-0310-IAD,Coplematic, 3/50/380					20
	Timer Type: 8145-53 USA					30
	Fan motor,Roller,220v,75W,75W,50Hz,W.G					30
	Filter dryer,1/2 in, Alco controls,EK-164					40
	Fan motor DWN copeland 60W,type, LS63A-SI					30
02-04-00007	Fan motor 220V,50HZ 40W, 1300min, Type: VN-10-2-					40
	Compressor H2-28/4-074/12 R12					20
	Temprature Johnnnson control A-28AA-9006					40
	Thermostat for aircondition					2000
	Selector switch for aircondition					2000
	EQUIPMENT: COLD STORE					
	COMPANY NAME: PMT					
	QUANTITY INSTALLED: 50					

		Ref.No.		
	Starter	Moller WG DIL-31 MOD UN- 10-20 prot, Imp,		40
	Motor Fan with blade	1300rpm		100
	Contacteur	16A		40
	Motor Fan	RE 350 Roller 220V 50Hz 75W		60
	Dual Press	PZ2 LA-IC		60
	Timer	Model 6145- 20 Defrost Control, USA		60
02-04-0005	EQUIPMENT: COLD STORES			
	COANY NAME: SMETCO			
	QUANTITY INSTALLED: 50			
	Ref.No.			
	Dual Pressure	Peen Pz2LA-1		100
	Timer Micro-fush, France	15021-172, 16A, 250V 5981- 6A,220V, 50Hz Italy SP,Bgst		100
	Timer Defrost	29z,220V, 50Hz W.G copeland, LS, 3A, 51- 60W		60
	Fan Motor	CAJ 4492 AA, R-12, 220V, 50Hz, Tecumsch. R-12, TMX CL5		40
	Fan Motor	one/four		40
	Compressor	one/four		60
	Expansion Valve			60
	Filter Dryer			60
	Solenoid Valve			40
02-04-0006	EQUIPMENT: MORTUARY COLD STORE			
	COMPANY NAME: TRADING & INVESTMENT			
	QUANTITY: 34			
	Description			
	Compressor (MRBI-0500- TFD) 3ph, 50 HZ			40
	Evapoator fan motor			80
	Blades for evaporator fan			30
	Blades for condensor fan			40
	Thermostat			40
	Litgh Low presses. Cut out			60
	oil pressure Cut out			60
	coutactor for compressor			40
	Relay type : E SSEX			100
	134 -20303-333			
	12F1-A60LRA			
	18A USPAT 286,765,4,724,977			
	Expansion valve			20
	Filter drier			100

	Fuse solenoid Valve		120 20
02-04-0007	EQUIPMENT: BURNER FOR THE BOILER 1-complet burner insteel of old model tepe:- a ruciatori guenod PCS 185 G208 P-150 D 25TI capacity :- 1000 000 Kcal/hr gas pressure :- 150mbar power input:-4KW V:-380V 50HZ two stage - LPG gas - short horizontal 2-the new moel , must be install with out any change in old system 3-spare part for 5 years 4-supply complete catalog for operation and maintenace insttallation 5-install tow unit in one side 6-training 4 engineer for two weaksin factory 7-warranty for one year ather installtion		30
02-04-0008	EQUIPMENT: BODY,FOR,THE BOILER MODEL: AR - TN - 1000 - 1983 CAPACITY: 1109 800 KCal /hr COMPANY NAME: BIASI QUANTITY INSTALLED: 15		
	Main inside fire plate tube Fire tube cut diameter 5cm length 255.5 in diameter 4.5cm Door gasket asbestose rope 1/2 square Maximum thermostat Regulating thermostat Sight glass complete Safety Valve VYC P.N 25 Level Switch Floatless switch Type: 6/F -GP-N2 Volt-220AC Second volt- 8 volt 1985		10 1800 100 meter 10 10 10 10 10
02-04-0009	EQUIPMENT : INCINERATOR MODEL: E-75 ORDER NO.:- BO-2178 COMPANY NAME: SAUNER DUVAL		
	Transformer Electromagnetic valve Motor Proagramer Electrode Inozation electrede Ventilator Condensator Airpressure switch Repair kit for Gasregulator Combustion burner Ignition switch Filter cartridge Temperature controller General Ventalator Protection General Ventalator Contactor Main Power switch Micro Switch ZCK-M102 for the door XCIC-M380V, 10CUSA TELEMECANIQUE Indicator lamp 220V 3 W Burner complete High tension wire supply catalog for installation maintenance operation install one burner in one site warranty for one year from installation trainning 2 engineer in the factory	1 2 5 12 20 21 25 28 30 IMC REG PV C.V IG	10 20 10 30 30 30 10 30 20 20 30 20 10 30 30 10 32 200 32 10
02-04-00010	EQUIPMENT: FORKLIFT MODEL: FAER 5.1 COMPANY NAME: LANSING LIMITED. QUANTITY INSTALLED: 7		
	Bord – printed ciercut	2014843-001	10

	Bord – printed circuit	1046413-001		10
	Tyre	3002853		40
	Tyre	3002853-001		40
	Battery	540 A 48 V		40
	Telescopic forks motor and gear box			10
	Armature			20
	Complete year box			20
	Motor assembly	3012285		10
	Gear box complete for turret head			20
	Armature traction motor	1009059		10
	Safety control unit	4014144-1		20
	Contact assembly	3005078		10
	Bond printed circuit	30-5235		
	Micro switch	1042763		200
	Micro switch	1017409-002		100
02-04-00011	EQUIPMENT: FORKLIFT			
	COMPANY NAME: SUMITOMO YEAL COMPANY			
	QUANTITY INSTALLED: 4			
	Holder	9010948		0
	Injection Pump	9013218		20
	Fall filter assy.	9009078		4
	Water pump complete			6
	FAN	9010968.1		6
	Radiator	9070606		6
	Stator motor	9010989.9		4
	Alternator assy	9010818.9		6
	Hydraulic pump complete			6
	Joint	9012061		4
	Yoke	9007153		16
	Yoke	9022993		8
	Wheel cylinder	9004888.4		6
	Tie rod end	9005403		12
	Tie rod end	9005403		12
02-04-00012	EQUIPMENT: FORKLIFT			
	COMPANY NAME LANSING LIMITED			
	QUANTITY INSTALLED: 3			
	Full pump complete			12
	Injection pump complete			12
	Nozzle Injection pump complete			36
02-04-00013	EQUIPMENT: OPERATING TABLE			
	MODEL: 1005X			
	COMPANY NAME: MIDICORE			
	QUANTITY INSTALLED: 80			
	Piston ring mounted	X 25-3-3		100
	Uniform hydrolic	X -25		40
02-04-00014	EQUIPMENT: OPERATING TABLE			
	MODEL: M-TYPE			
	COMPANY NAME: MIZUHO IKAKOGYO,CO.LTD			
	QUANTITY INSTALLED: 100			
	Relay box complete elect/circuit			12
02-04-00015	Equipment: Body of the Boiler			
	Model: WA1000			
	Item			
	Door gasket in asbestos ref y023.020			24
	Asbestos gasket for smoke box 151g.3900			24
	Klingerite gasket for hand hole 80/120 ref 7020 140			24
	sight glass complete with gasket 7037 090			40
	five tube			2400
02-04-00016	Spare Part For telephone exchange charger			

		380V 50HZ 3phase 48V 5.3KVA 60Amp, NI-Cd 36xMP 200 Type of charger RB 3174 No of Charger 81K				
		Printed circuit SC 338 A				12
		Printed circuit SC 303 H				12
		Printed circuit SC 358 H				12
		Thyristor GI-48/60				24
		Battery Cell Alcad MP 200				3000
		Battery Cell Alcad MP 55				3000
		Battery Cell Alcad MP 37				1000
		Battery Cell Alcad MP 95				1000
		Battery Cell Alcad MP 12				1000
		Alkaline Potassium hydroxide Powder				200 kg
		Battery solution test Kit				12
		Smoothing Chokee ST-6312				12
		Card SCE - 2709 RB 372				60
		Transformer No. 828227 MD/GG - 14656				60
02-04-00017		Subj.,/FUSE A. Fuses HRC				
	10x38		13301	0.1 Amp, 500V		400
	10x38		13302	0.2 Amp, 500V		400
	10x38		13005	0.5 Amp, 500V		400
	10x38		13304	4 Amp, 500V		400
	10x38		14520	20 Amp, 500V indicator		400
	14x51		14516	16 Amp, 500V indicator		400
	14x51		14532	32 Amp, 500V indicator		400
	14x51		14320	20 Amp, 500V indicator		400
	14x51		14310	10 Amp, 500V		400
	14x51		14340	40 Amp, 500V		200
	14x51		14350	50 Amp, 500V		200
	22x58		15550	50 A Amp, 500V		80
	22x58		15563	63 A Amp, 500V		80
	22x58		15580	80 A Amp, 500V		80
	22x58		15596	100A Amp, 500V		80
	78x15		16378	50 A Amp, 500V		40
	78x15		16386	63 A Amp, 500V		40
	78x15		16388	80 A Amp, 500V		40
	78x15		16392	125A Amp, 500V		40
	126x15		16930	50 A Amp, 500V		36
	126x15		16935	63 A Amp, 500V		36

	126x15		16950	125A Amp, 500V		36
	137x24		17460	200A Amp, 500V		36
	137x24		17455	160A Amp, 500V		36
	150x30		17965	250A Amp, 500V		36
	150x30		17970	315A Amp, 500V		36
02-04-00018						
02-04-00019	SUBJECT: PHILIPS (11 Hospital)					
	MaterialDescription	Part 3 Number	Model	Specificatio n		
	Germicidal	1192	TUV-30W	Lamp: 220V,4 foot Lamp current: 0.36A Intensity 83w/cm2 energy output: 30w		3000
	Lamp Assiy Chock Note;					2000 1000
	We want only Lamps.					
02-04-00020	Equipment: Fan coil unit. Manufacturer: Gould Motorized valve Recomanded spare Part Forit. Address: Could Carrftera de Eytremadura KM 20,700 Mostoles - Madrid - Spain Telex No. 22018 Aigo - e					
	Fan coil unit - A/C		NVC 800	186	372watt	
	Fan coil unit - A/C		NVC 600-HCM-5-W	200		400
	Fan coil unit - A/C		NVC 400-HCM-5-W	95		190
	Fan coil unit - A/C		NVC 300-HCM-5-W	80		160
02-04-00021	Equipment:- Cold store unit Company Name:- Huarte (5 hospital) Model:- A) A - 12152 A gas used F-12					

	B) A - 12201 A gas used F-12				
	C) A - 502151B gas used F-502				
	Compressor	150-K-43 HP(1.5)	20	40	
	Compressor	200-L-47.5 HP(2)	20	40	
	Presostate	Ranco MOD 017-6701	20	40	
	Flexible joint D 3/4	1258 FX	25	50	
	Flexible joint D 5/8	1212 FX	20	40	
	Vie finder (3/8)	FLCIA mod SBI-10	15	30	
	Filter dryer (MUFLER- BRASS)	FL 083 O 3/8	30	60	
	Liquid solnoidvalve scem220V	VE 145 IRof 3/8	20	40	
	Liquid solenoidvalve bobains	refno 32940 220V H2	30	60	
	Thermostatic expansion valve FLICA	TMXC 2R.12 with nozzel	30	60	
	Thermostatic expansion valve FLICA	TMXC 2R.so 2 with nozzel	20	40	
	Thermostatic expansion valve	TMXC 2R.12 with nozzel	20	40	
	Thermomteter	ST-100H range-40+40	20	40	
	Thermostat	RANCO mod C-30			
	Condenser fan motor	RANGE -3,+40	30	60	
		VFH60EI 220V 200W	30	60	
	Evapnator fan	GREGAL 2D	40	80	
	Evapnator fan	GREGAL 1.5B	30	60	
	Defroster clock	FRI-60 220V 10A	20	40	
	Contactor	AGUT CL101 a 220V	40	80	
	Contactor	AGUT CL00 a 220V	40	80	
02-04-00022	EQUIBMENT: FIRE ALARM SYSTEM				
	COMPANY NAME: CERBERUIS- GUINARD				
	QUANTITY INSTALLED: 6 SYSTEM				
	Ionization Smoke Detector F712	280228	150	300	
	Optical Smoke Detector R700	288181	30	60	
	Rate of Rise Heat Detector D716	332545	30	60	
	Ionization Smake Detector F600		30	60	
	Batery Unit GXAE 101	225416	12	24	
	Retaining Sping FSF6	161729	60	120	
	Detector Diode	N4007	60	120	
	Test Gas Cam REE4	171890	60	120	
	Zone Modale GFG1-2120	218698	12	24	
	Active nd of Line AE20	222309	60	120	
	Alarm Signal monitoring				
	Module of SE2400	21107	12	24	
	Relay Module GXV1-3	198051	12	24	
	Automatic relay RHN412B	RHN412B	12	24	
	Battery Mouitoring Module GXA.1	245849	6	12	
	Organization Module GF01	270005a	12	24	
	Operating Module GXB1	268389b	12	24	
	Supervisory card Module GXU1	25921b	6	12	
	Emergerxy monitoring Module GXQ1	246000b	6	12	
	Power Module GX6	221070	6	12	
02-04-00023	EQUIBMENT: PUMP				
	COMPANY NAME: WILO ASCAL. A				
	QUANTITY INSTALLED: 180 UNIT				
	Type	Complete pump	repair kit		
	NORM 100/32/18.5/4	18	60		
	NORM 65/20/4/4	18	60		
	Dual DP 80/250/4/4	18	60		

	NORM	80/26/7.5/4	18	60		
	Dual	80/250/4/4	18	60		
	NORM	65/20/3/4	18	60		
	NORM	125/26/15/4	18	60		
	TWIN	TS 50/100	18	60		
	TWIN	TS 65/125	18	60		
	Vertical Position 50 CV N 1/18 Q 10/18 HM 36/18 220/380V		18	60		
	Submer Suble pump 3 inch		24	60		