

SECTOR: Health

Subsector:

PROJECT or TITLE:	HEALTH -ANNEX 7 REHAPETILATION EQUIPMENT		
CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
<b>02-04-00001</b>	EQUIPMENT: TELEPHONE EXCHANGE MODEL: CITEL ALCATEL V-2505MEDIUM CAPACITY EPABX (64X320) CABINET REERERENCE0A0750580101 (2A 0750044/E)PROGRAM REEEGRENS FAH 04H 10H 03HCOMPANY NAME CITEL ALCATELQUANTITY INSTALLED: 6 SYSTEMSSITE: Baghdad (Ibn Albaladi - Habebia)- Dwania- Najaf- Nasseria - RamadiNOTE:- ALL THE CARDS EQUIPED WITH MEMORY (PROGRAMED)		
	CPU Card XG 0816630103	24	
	Convertor XR 0460230101	24	
	Mem.C 0815980100	12	
	Mem. C 0816660100	12	
	Back up mem	12	
	Complete operator consnklsole	12	
	SEC Card XG 0815860403 ED2	36	
	USART Card (slot 18) XG 0815910103 ED4	12	
	Mem A (slot 12) XG 0816670106 ED3	12	
	Mem A (Slot 13) XG 0816670106 ED3	12	
	Mem A (Slot 15) XG 08166703006 ED3	12	
	Mem B (Slot 14) oG 0815980100 Ed 1.4	12	
	Mem C(Slot 16) OG 0816660100 ED2.5	12	
	Mem C(Slot 17)OG 0816660100 ED 2.5	12	
	Mem.Back up Battery OD 0822240100 ED 2.5	12	
	Doughter Card Urta 05082147 Ed1	12	
<b>02-04-00002</b>	<b>Spare Parts for Cabinet</b>		
	Alarmlamp 42v plugged in type	7.2	
	Alorm card oT 0817530200 EDI	12	
	Circuit Breaker 25A	24	
	Cables with connec tos:-	12	
	a- system to operator consol		
	b- conversion to operolor console		
	c- system IA 34 printer		
	d- opevator console to Tty		
	e- controler to frontal }0A0410040018		
	f- frontal to frontal }0A0410040015		
	0A0410040017		
	0A0410040013		
	0A0410020043		
	0A0410020039		
	0A0410020036		
	0A0410020032		
	0A0410010026		
	0A0410020030		
	g- spare connectors for controllers and frontats		
<b>02-04-00003</b>	<b>spare parts for operator console</b>		
	operatar console complefe		
	mother board oG 0815820200 ED2A		
	mother key board xT 081070601 ED1		
	Doughter card for key board xt 081070601 ED1		
	Display board xt 0816560300 EDB		
	TTY card ot 0817560100 EDIA		
	Audio card OG 0896640100 EDN2		
	Number key board Os0815830105 ED1.1	12	
	Telephone hondset with juck	24	
	Operatds console strip connector	12	
<b>02-04-00004</b>	<b>Spare parts for TTY silent700</b>		
	<b>Ref-no 73kSR -EIAL TTY (WE)</b>		
	<b>partno oq 83804 -0201</b>		
	<b>ierial no 04744 (54130)</b>		
	TTY complete	12	
	print head ( thermal dot matrix ) 0474454130	24	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Thermal print paper	120	
	GA Card XG 0816610102 ED4	24	
	GB Card XG 08020360302 ED4	12	
	CPU Card XG 0816630103 ED3	24	
	Mem A Card XG 0816670106 ED3	12	
	Ringing Generator XT 0816840301 ED3		
	series n2-061086	24	
	Convertor ( Power Supply) xR 0460230101 ED5		
	Series no 004655	48	
	Doutor Card mem. A XG 0816750102 ED1	12	
<b>02-04-00005</b>	<b>EQUIPMENT: COLD STORE</b>		
	Type Refrigeration		
	PRB9 MR 75		
	PRB13 MC 250x2		
	PRB9 MR100		
	PRB9 MR150		
	PRB9 MR150		
	PRBO MR100		
	COMPANY NAME: BONNET		
	QUANTITY INSTALLED: 42		
	SITE: Baghdad (Ibn Albaladi - Habebia)- Dwania- Najaf- Nasseria - Ramadi		
	Compressor	48	
	Condenser Fan	48	
	Air Cooler Fan	48	
	Reciever	24	
	dryer	24	
	Expansion valve	24	
	Tele thermometer	24	
	Control thermostat	48	
	Deforost Timer	48	
	Protection Circuit breaker	48	
	Indiction Lamp	120	
	Single pole revers switch	24	
	Comind switch	24	
	Four pole switch	24	
	Fuse	120	
	Relay	48	
	Starting Capactitor	48	
	Permanent capacitor	48	
	Defrost heater	60	
<b>02-04-00006</b>	<b>EQUIPMENT: DEEP FREEZ</b>		
	COMPANY NAME: TRADING & INVESTEMT		
	QUATITY INSTALLED: 33		
	Mercury contactor Cat No. 35 No.220 AH,Coil2081240V,50HZ	60	
	Timer,MLCS-220A-IXS-15M-6151A	60	
	Fan motor G.B 230V,50HZ,25A Type S TK NO 5421	100	
	Compressor,Bristol,230V-1-50 Linb 262 EBCB	60	
	Battry 15V	60	
	Valve Pressure	40	
	Small cabillary tube	40	
	Large cabillary tube	40	
<b>02-04-00007</b>	<b>EQUIPMENT: DEEP FREEZ, BLOOD BANK &amp; AIRCONDITIOING</b>		
	COMPANY NAME: TRADING & INVESTEMNT		
	QUANTITY INSTALLED: 4053		
	Decription		
	Compressor 1.5 tons for aircondeuons window type	1000	
	Compressor 2 tons for aircondetion window type	2000	
	Compressor with overload and capacitor 1/3 hp	700	
	Compressor with overload and capacitor 1/5 hp	800	
	Compressor prest cold LTD,Type: K 150/0020 FLA:11 A,220 V,%0 HZ,1 Phase	4	
	Compressor copelmatic,type:KAH2-0050-CAG 230V, 1 Phase, 50HZ,FLA 3.4A	4	
	Compressor copeland,type:REY3-0175-PFJ 220V,1 Phase, 50HZ	4	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	temperature recorder Pen (the pen is asealed capsule contains an	0	
	temperature recorder Pen (the pen is asealed capsule contains an anti-spread ink the pen is dispoable)	2000	
<b>02-04-00008</b>	<b>EQUIPMENT: COLD STORE</b>		
	COMPANY: TRADING & INVESTMENT		
	QUANTITY INSTALLED: 70		
	Compressor Type: D40100,FRIGOPOL,0.73KW, 1450min, 3/50	20	
	Compressor Type: 9RBI-0505-ESL, Coplematic, 3/50/380	30	
	Compressor type:LAHI-00-0310-IAD,Coplematic, 3/50/380	20	
	Timer Type: 8145-53 USA	30	
	Fan motor,Roller,220v,75W,75W,50Hz,W.G	30	
	Filter dryer,1/2 in, Alco controls,EK-164	40	
	Fan motor DWN copeland 60W,type, LS63A-SI	30	
	Fan motor 220V,50HZ 40W, 1300min, Type: VN-10-2-	40	
	Compressor H2-28/4-074/12 R12	20	
	Temprature Johnnnson control A-28AA-9006	40	
	Thermostat for aircondition	2000	
	Selector switch for aircondition	2000	
<b>02-04-00009</b>	<b>EQUIPMENT: COLD STORE</b>		
	COMPANY NAME: PMT		
	QUANTITY INSTALLED: 50		
	Starter	40	
	Motor Fan with blade	100	
	Contactor	40	
	Motor Fan	60	
	Dual Press	60	
	Timer	60	
<b>02-04-00010</b>	<b>EQUIPMENT: COLD STORES</b>		
	COANY NAME: SMETCO		
	QUANTITY INSTALLED: 50		
	Dual Pressure	100	
	Timer Micro-fush, France	100	
	Timer Defrost	60	
	Fan Motor	40	
	Fan Motor	40	
	Compressor	60	
	Expansion Valve	60	
	Filter Dryer	60	
	Solenoid Valve	40	
<b>02-04-00011</b>	<b>EQUIPMENT: MORTUARY COLD STORE</b>		
	COMPANY NAME: TRADING & INVESTMENT		
	QUANTITY: 34		
	Compressor (MRBI-0500- TFD) 3ph, 50 HZ	40	
	Evapoator fan motor	80	
	Blades for evaporator fan	30	
	Blades for condensor fan	40	
	Thermostat	40	
	Litgh Low presses. Cut out	60	
	oil pressure Cut out	60	
	coutactor for compressor	40	
	Rellay type : E SSEX	100	
	134 -20303-333		
	12F1-A60LRA		
	18A USPAT 286,765,4,724,977		
	Expansion valve	20	
	Filter drier	100	
	Fuse	120	
	solenoid Valve	20	
<b>02-04-00012</b>	<b>EQUIPMENT: KEROCENE REFEREGERATOR</b>		
	COMPANY NAME: SIBIR		
	QUANTITY: 300		
	Description		
	Heater	600	
	Thermostat	60	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Wick	600	
	Blue flame burner	100	
<b>02-04-00013</b>	<b>EQUIPMENT: BODY STORE</b>		
	MODEL: KONREI		
	COMPANY:		
	QUANTITY INSTALLED: 13		
	MARUBENI (A9-13)		
	Thermostat	20	
	Fan motor 200V .20W .2 Phase	100	
	Electromagnetic contactor	100	
	Over current relay for compressor	100	
	Internal thermostat for compressor	100	
	Power source lamp(W)	100	
	Operation lamp (G)	100	
	Defrost lamp (O)	100	
	Timer limit relay	100	
	Solenoid Valve	20	
	Pressure switch	20	
	Fan for	20	
	Drain pan heater	20	
<b>02-04-00014</b>	<b>EQUIPMENT: REFRIGERATOR</b>		
	MODEL: SR-124M 3.6CU. FT		
	COMPANY: SANYO JAPAN		
	QUANTITY INSTALLED: 78		
	MARUBENI (B6-1)		
	Thermostat -K-23	100	
	Gasket assy's F	20	
	Gasket assy's R	20	
	Lock Guide	20	
	Compressor assy	100	
	PTC resistor	20	
	Power cord	20	
<b>02-04-00015</b>	<b>EQUIPMENT: REFRIGERATOR</b>		
	MODEL: MBR-105D		
	COMPANY: SANYO JAPAN		
	QUANTITY INSTALLED: 36		
	MARUBENI (B6-2)		
	Compressor	40	
	Condensing fan motor	40	
	Printed Circuit Board	40	
	Temp. controller proper	20	
	Sensor Assy	20	
	Fluorescent lamp stabilizer	40	
	Push button Switch	20	
	Fanmotor FL2-021BM	40	
	Defrost thermo OTB-S109	40	
	BL-Metal thermo 28 Coff	40	
	Fluorescent lamp (6W)	40	
	Fan motor FL2-011BM	40	
	Fan motor Vibration insulating rubber	40	
	Over Load Relay OE-T	40	
	Starting Relay SB-H	100	
	Dehydrator	20	
<b>02-04-00016</b>	<b>EQUIPMENT: COLD ROOM PHARMACY</b>		
	MODEL: MCU-1000		
	COMPANY: SANYO JAPAN		
	QUANTITY INSTALLED: 13		
	MARUBENI (D6-2)		
	Compressor Assy	30	
<b>02-04-00017</b>	<b>EQUIPMENT: REFRIGERATOR, LAB, BLOOD &amp; DRUG</b>		
	MODEL: CYLINDER		
	COMPANY: KATOMAN SEISAKUSHO		
	QUANTITY INSTALLED: 13		
	MARUBENI (D6-17)		
	Battery Chargeable	20	
	Compressor unit	40	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Compressor	40	
	Fan motor for condenser	40	
	Fan motor for evaporatar	40	
	Dryer	100	
	Thormostate	100	
	Pilot lamp.	20	
<b>02-04-00018</b>	<b>EQUIPMENT: REFRIGARATOR/DEEP FREEZ</b>		
	MODEL: CYLINDER		
	COMPANY: KATOMAN SEISAKUSHO		
	QUANTITY INSTALLED: 13		
	MARUBENI (D6-17)		
	Compressor, 220V 830-1-5269	40	
<b>02-04-00019</b>	<b>EQUIPMENT: CHILLERS</b>		
	COMPANY NAME: TRADING & INVESTMENT		
	QUANTITY: 36		
	Compressor-Carrier-Mod EI No.06EF299610 400V-PM-3HZ-50R22 LRA345	8	
	Compressor-Carrier-Mod EI NO.06E6 299610 400V-PM-3HZ-50R22 LRA345	8	
	Compressor-TRANE-Type L2E5G 89N 400V-PH-3HZ-50R22 138A	10	
	Compressor-Carrier-MogEI 06EJ 175660 400V-PH-3HZ-50 RLA-47 LRA200	8	
	Compressor-YORK-MoEI 1S63H M65 380V-R22-PH-3 HZ-50 RLA 40a9	4	
	Compressor-DunHam-Bush-Type 66AmogEI BE8HHC-400V-PH-3 HZ-50R22	4	
	Compressor-Hitachi-SRM SCREW MogEI 4002SC 380V-PH-3 HZ-	8	
	Motor 4KW-380V 1430/min 50 HZ 8.9A	10	
	Motor HP-15 PH-3 HZ-50 RPH 1400V-380	12	
	Motor 7.5KW-380V PH-3 HZ-50 8A RPH 1440	20	
	Contactora 62A 600V	20	
	Contactora 50A 600V	20	
	Contactora 25A 400V	30	
	Timer Type 117 PB 200 220V RPH3 CY50	20	
	Pilot Duty Realay-P283-1907 HN 61 KK 324 Coil volt-24V	50	
	Run Capaciter Type P291-0503 Volt 370V Maie in mexico,MFD-5	30	
	Temperaure sensor + 5To + 45oC Type sen 2301	30	
	Electronic thermostat Type-TEI 201 supply 200-240V 50 HZ-20 to	60	
	Contactora Type DIL 08-3I,MoELLER	20	
	Timer electric Type HK 25AZ-082 Carrier	20	
	Solenoid Valve-Type EVJD20 V-220,R22 50HZ	20	
	Solenoid Valve AS CO,TYPE HV 1981172 220V 6 WT.R22	60	
	Contactora Type DIL,08-80 30A MOELLER	60	
	contactora Dil 00A-52 20A-MOELLER	60	
	Contactora Dil 00A-652 20A	40	
	Over Load – Type M625,6.3-10A 380V STOTV	40	
	Over Load – BENEDIKT JAGER 380V 10-14A	40	
	Over LOad - 13 ENEDIKT JAGER 350V 6 to 9A	10	
	Alpak – Induction MOtor BS-5000 PT 10 Sive D132M. No,EA 310-10162 7.5KW-3PH 50HZ. Made in UK	10	
	Motor Elin3 – Mot Nr. 3913863LKM-311 Mo4 F6B – 112M 380V - DVE M10/801 8-8A - 1432/min	10	
	Motor Elin – RoBAX 3 - Mot Nr. 3916586 - LKM-413 Mo 4 F6B 7.5KW. 132 MI 380V 16.5A,1450/min		
<b>02-04-00020</b>	<b>EQUIPMENT: CHILLER</b>		
	COMPANY NAME: Copeland		
	Compressor complete 60 Ton	8	
<b>02-04-00021</b>	<b>EQUIPMENT: CENTRIFUGAL CHILLER, RECIPROCATING</b>		
	MODEL: ECVGA 034 A10, LCGE 213E A-Example serial No:- E56589 , E66473		
	ORDER: 12L25A, 06B240		
	COMPANY NAME: TRANE		
	QUANTITY INSTALLED: 33 CENTRIFUGOD		
	66 RECIPROCATING		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Electrical motor Complete tofit burned motor	4	
	shaft and Impeller overhalling Kit (Kit Content to be specified by part no)	4	
	Bearing overhalling Kit (Content to be specified by part no)	66	
	Heater Thermostat	60	
	O-ring oil tank head	60	
	Chilled water temp senser (RTI)	60	
	Demand switch (ESW)	60	
	Flow switch (Fs12)	60	
	Main fuse (500A , 500VAC) jecamec (set) starting Pannel	40	
	Vane actuator motor 24V	10	
	Resistance in starting Pannel	120	
	Overload oil (Red) (50.cc Bottle)	40	
	Manual Disconnecting switch type; 60 jacomec 800A 500 VAC	10	
	Oil pump and motor	24	
	Control module	66	
	Safety valve 3/4 350 PSI-25 bar for LCGE213	10	
	Sight glass oil tank for centrifugal	40	
	Valve solenoid 220V for centrifugal SV1, SV2	40	
	Charging valve	60	
	Star contactor (Telemecaniq)	40	
	Delta contactor (telemecaniq)	40	
	Line contactor (Telemecaniq)	40	
	Oil caella D (68)	18000	
	Set tools for repairing	30	
	Pump out unit for refrigernat	4	
	Timer TR1 for start RP for comp	40	
	Timer TR2 for stant oil pump	20	
	Oil pump compressor E	10	
	Oil filter	240	
	Complete compressor + Motor for CVGA 034	4	
<b>02-04-00022</b>	<b>EQUIPMENT: HERMATIC CENTRIFUGAL LIQUID CHILLER</b>		
	COMPANY: CARRIER		
	MODEL: 19DH		
	MACHINE MODEL No: 19DH 76 95 CP 60 33E		
	COMPRESSOR MODEL No. 19DH 31 95CP		
	OIL PUMP MODEL NO. 19 DG 211 - 764		
	QUANTITY INSTALLED: 3 CHILLERS		
	SITE: SADDAM CENTRAL HOSPITAL FOR CHILDREN IN		
	19DH 31 THRUST BEARING & SHAFT		
	DESCRIPTION		
	Shaft	6	
	Retaining ring	6	
	Bearing & pin package	6	
	Lock washer	48	
	Pan head screw	48	
	Seal ring& pin	6	
	Retainer	6	
	Spacer ring	6	
	Thrust shoe package	6	
	Leveling pad	72	
	Adjusting pad package	6	
	Slinger	16	
	Thermostat	6	
	Labyrinth	6	
<b>02-04-00023</b>	<b>COMPRESSOR ASSEMBLY</b>		
	"O" ring	12	
	Coupling "N" band	12	
	Spray header	6	
	Demistor	6	
	Demistor gasket	6	
	Coupling "V" band	6	
	"O" ring	6	
	Bearing Assembly	6	
	Locknut	6	
	"O" ring	12	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Coupling "V" band	6	
	"O" ring	6	
	Labyrinth	6	
	Impeller spacer	6	
	Impeller shim	6	
	Set screw	12	
	Shaft Cap	6	
	Lockwasher	6	
	Locking pin	18	
	Impeller key	18	
	Static seal	36	
	Temperature gauge	12	
	Sight glass	6	
	Sight glass cover	6	
	Sight glass gasket	12	
	Oil heater	6	
	Oil heater thermostat	6	
	Pilot light	6	
	"O" ring	6	
	Thermostat terminal	6	
	Pressure gauge	6	
	Gear pack	6	
	Labyrinth	6	
	Sight glass	6	
	Rear bearing	6	
	"O" ring	6	
	Bearing assembly	6	
<b>02-04-00024</b>	<b>PURGE ASSEMBLY</b>		
	Pump & Motor	6	
	Valve solenoid	6	
	Gauge, pressure	6	
	Purge operating switch	6	
	Solenoid switch	6	
	Mode selection switch	6	
	Purge safety switch	6	
	purge condenser assembly	6	
	"O" Ring	6	
	Coupling "V" band	6	
	Gland	12	
	Gasket (outer)	12	
	Sight Glass	12	
	Gasket (Inner)	12	
	Valve	6	
	Ring gasket	6	
	Ball,Float	6	
	Arm ,Float	6	
<b>02-04-00025</b>	<b>UNISHELL&amp;INTERCONNECONNECTION PIPING</b>		
	Globe Valve	6	
	Condenser W/B gasket	12	
	Gasket, poppet valve chamber	6	
	Valve ,poppet	6	
	shim,poppet valve	6	
	Screen ,motor cooling supply	6	
	Cooler W/B gaket	12	
	Rupture disc& gasket	6	
	Division plate gasket	21	
	Screen	6	
<b>02-04-00026</b>	<b>LUBRICATIOMYN SYSTEM</b>		
	OIL PUMP MODEL NO. 19 DG 211 - 764	0	
	"O" ring	6	
	Mangetic plug	6	
	"O" ring	6	
	Filter cartridge	6	
	Cooling coil	6	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Spring	6	
	Gasket	6	
	Pump & motor Pkg	6	
	Gasket	12	
	Washer	12	
	Angle valve	6	
	Valve piston	6	
	Spring	6	
	Spring retainer	6	
	"O" ring	6	
	Terminal arrangement	6	
<b>02-04-00027</b>	<b>CONTROL PANEL</b>		
	Relay module assembly	6	
	Relays	30	
	Progran Timer	6	
	Fuse holder	6	
	Amplifier module assembly	12	
	Light indicating	12	
	Switch, low oil pressure	6	
	Switch, vane close oil pressure	6	
	Switch, high condenser cut- out	6	
	Pressure gauge cooler & condenser	12	
	Pressure gauge, oil discharge	6	
	Switch, push button	12	
	Switch, push button	6	
	Light, indicating	24	
	Lock & Key	6	
<b>02-04-00028</b>	<b>GUIDE VANE AND BLADE RING</b>		
	Blade ring assembly	6	
	Drive pulley	6	
	Cable	6	
	Bushing	54	
	Pin package	6	
	Idlen pulley	48	
	Blade pulley	54	
	Shaft	6	
	Bushing	108	
	Pre-whirl blade	6	
	Shaft seal block	6	
	"O" ring	6	
	"O" ring	6	
	Oiler	6	
	Thrust washer	6	
	"O" ring	6	
	"O" ring	6	
	Flanged bearing	6	
	Thrust washer	6	
	Retaining ring	6	
	Oil seal	6	
	Motor actuator	6	
	Linkage connector	12	
	Crank arm	6	
	Crank arm	6	
	Temperature switch Assembly	6	
	Oil pump starter	6	
	Heater Elements	18	
	Discharge Gasket	6	
	Gasket, access cover	6	
	Strainer	6	
	Gasket, 3" , Oil return	6	



CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Refrigerant filter assembly	6	
	Refrigerant filter cartridge	6	
<b>02-04-00029</b>	<b>EQUIPMENT: CONTACTORS</b>	12	
	MODEL: 19DH 76 95CP 6033E		
	COMPANY NAME: CYUTLER HAMMER		
	PART PUB: CIPYOJ-1		
	- CONTACT KIT: 6-28 -2		
	- MAX. 3 PH. RATINGS		
	540 Amps (200V 150HP- 230V 200HP- 460/575V 400HP)		
<b>02-04-00030</b>	<b>EQUIPMENT: COOLING TOWERS</b>		
	MODEL: BPC 126,		
	COMPANY NAME: WESPER		
	QUANTITY: 3 COOLING TOWERS		
	SITE: SADDAM CENTRAL TEACHING HOSPITAL FOR		
	Spray nozzle	264	
	Centrifugal fans	12	
	Motor puylleys	18	
	Fan pulleys	18	
	Set of drive belts	18	
	Set of PVC Fills	6	
	Set of fan bearigns	6	
	Distribution pipes	16	
	Motor 9 KW	18	
<b>02-04-00031</b>	<b>EQUIPMENT: FAN COIL UNIT</b>		
	COMPANY NAME: WESPER		
	COURCOURONNES B.P, 226, 91007 EVRY EEDEX		
	QUANTITY INSTALLED: 60		
	SITE: SADDAM CENTRAL TEACHING HOSPITAL FOR		
	Motor 220-240V, 20W, 0.35A , 3 speeds Sisme-Model No: K48410 Moo514 Olgiate comasco Itala	120	
	Motor 220-240V, 45W, 0.74A , 3 speeds Sisme-Model No: K48410 Moo514 Olgiate comasco Itala	120	
	Ca[acotpr 1.5MF , 400 V AC	120	
	Capacitor 2MF , 400V AC	120	
	Control valve three way control valve complete control boxes	120	
	Selector seitch 3 speeds, selector seitch 220V, 2 Amp.	120	
<b>02-04-00032</b>	<b>EQUIPMENT: COOLING GASES</b>		
	Lithium bromide (Treated) bott of 100 liter	70000	
	Octane alcohol bott of 4 liter	2000	
	Refrigeration gas (Feron 12) Bott of 10 kg	60	
	Refrigeration gas (Feron 11) Bott of 60 kg	10	
	Refrigeration gas (Feron 22) Bott of 13.5 kg	20	
	Refrigeration gas (Feron 13) Bott of 13.5 kg	400	
	Refrigeration gas (Feron 502) Bott of 13.5 kg	10	
	Refrigeration gas (Feron 503) Bott of 13.5 kg	1000	
<b>02-04-00033</b>	<b>EQUIPMENT: WATER SOFTENER</b>		
	MODEL: 139 -274 S. No. 635011		
	COMPANY NAME: ACUARI		
	QUANTITY INSTALLED: 10		
	Programer Tyczka (U.S.A), WASSE RTEC HNIK	10	
	Solenoid valve 12V 50-60HZ 858-218-3 F.3.48	20	
	Repair Kit for By automatic pass value assembly	20	
<b>02-04-00034</b>	<b>EQUIPMENT: WATER SOFTENER</b>		
	MODEL: 3/4 I.P.S Series 600		
	COMPANY NAME: SOLOMATIC VALVES		
	QUANTITY INSTALLED: 10		
	Controller Model S.144-C	10	
	Solomatic valve ¾ series 600	10	
	Repir kits for solmatic valve series series 600	20	
	Predetermineator- water meter model CPM – AT	10	
	Part No. 1675		
	Diptragm valve series 426	10	
	Repair kits for diphragm valve	20	
	Solenoid valve tipo 22C-4	10	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Paso :4 Bdr : 10 Volt 220/50		
	Brine valve	10	
	Flow senser meter 50m 3/H 30m3/4	10	
	Cleck valve	10	
	Filter housing (Glass cover for filter)	10	
	Relay series MR-C C3-A30	10	
	Relay Mod CR 220V 50HZ Relux	10	
<b>02-04-00035</b>	<b>EQUIBMENT: INTERCOM SYSTEM</b>		
	COMPANY NAME: PHILIPS		
	QUANTITY INSTALLED: 11 SYSTEM		
	Mother board M1004 P.CB	44	
	Section board	66	
	Power supply LBB 7997/75	44	
	Rom Integrated circuit A66x6-11	44	
	Ram Integrated circuit 10809EC	44	
	Cpu Interqated circuit 12806EA	44	
	GPI/O Interqated circuit 10696EB	44	
	Clock pulse genrator	44	
	Cable tester	22	
<b>02-04-00036</b>	<b>EQUIBMENT: PAGING SYSTEM</b>		
	COMPANY NAME: PHILIPS		
	QUANTITY INSTALLED: 5 SYSTEM		
	Elite-desk complet LBB 5900/10 REM WK518	10	
	Digital paging reciever LBB 5828/25 REM 535-0401	200	
	Rechargable Battery for reciever 1.2V 1150 MA	1000	
	Housing complate LBB 5922/25 REM WK537	10	
	Notes All integrated circuits must be programmed		
<b>02-04-00037</b>	<b>EQUIBMENT: BURNER FOR THE BOILER</b>		
	MODEL: A.Ruciatori Guenod PCS GAS PCS 185 GR 150		
	Date of manufacturer: -1982 Part No.: - 168 M12. 125		
	Gas pressure: -150 M bar		
	Power input: - 4KW V=3*380 -50HZ Programmer: -LEL. 1.622		
	Cell=QRE1		
	V/REF MI/CM/CM 3421		
	N/PC /MCM/82.9.1107		
	B. PCS 185 glass C or G 207 N 168N 1278 PEREGLE POUR GP		
	PCI 21.8 KWH/MN		
	PUISSANEE - CALORIFIQUE ADTUSTABLE ENTER, 1160 ET 150KW		
	Motor 3KW 220, 50 HZ		
	GAS pressure: - 150 Mbar		
	COMPANY NAME: RECTANGULAR CUENOD		
	QUANTITY INSTALLED: 33		
	Sheet Cone		
	As bostic flange		
	Inoisation – electrode		
	Deflector		
	Ignition - electrode		
	Washer		
	Ball- bearing		
	Grating air -aspiration		
	Half-Shaft air aspiration SME-Sided		
	Half-Shaft air aspiration		
	Pressure control gear		
	Trans Former		
	high-Voltage cable		
	Ionoisation cable		
	Switch centrifuge		
	Coupling switch sided		
	Connection - Coupling		
	Inter mediate coupling		
	Coupling nave		
	Coupling - Fan sided		
	Motor 3 phase mono – chamfer		
	SME		
	Half asbestic - Flange		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Ignition detector		
	Fuse		
	Relay		
	Relay security over-heating		
	Electric magn. Value little stage.		
	Bobbin/ valve little stage.		
	Electric magn. Valve big stage.		
	Bobbin/valve big stage.		
	Security electric magn. Valve		
	Bobbin/security electric mag. valve		
	Filter		
	Photocll		
	Burner complete		
	Programmer complete LFL, 1.622		
<b>02-04-00038</b>	<b>EQUIPMENT: BODY,FOR THE BOILER</b>		
	MODEL: AR - TN - 1000 - 1983 CAPACITY: 1109 800 KCal /hr		
	COMPANY NAME: BIASI		
	QUANTITY INSTALLED: 15		
	Main inside fire plate tube	10	
	Fire tube cut diameter 5cm length 255.5 in diameter 4.5cm	1800	
	Door gasket asbestose rope 1/2 square	100	
	Maximum thermostat	10	
	Regulating thermostat	10	
	Sight glass complete	10	
	Safety Valve VYC P.N 25	10	
	Level Switch Floatless switch Type: 6/F -GP-N2 Volt-220AC Second volt- 8 volt 1985	10	
<b>02-04-00039</b>	<b>EQUIPMENT: STEAM BOILER</b>		
	MODEL:		
	COMPANY NAME: GUSTAR OSPELT HOVAL WERK AG		
	QUANTITY INSTALLED: 6		
	Feed water Pumpe With Motor	16	
	Gestra non-return Valve Dn40	16	
	Water Lerel Cantrol M deunel	12	
	Electrode For 2nd Safety	16	
	Safety Valve Dn32	16	
	Dirt Trap Dn40	12	
	Regulating Pressostat Dn40	12	
	Safety Pressostat L 4079	12	
	Pressure Gauge 0-16 Bar	12	
	Level Gauge 1/2 Complete	12	
	Solenoid Valve For Heat Exchanger	16	
	Steam Trap 1"	16	
	Steam Trap 1" DN25	16	
	Closing Valve DN50	16	
	Steam Trape 1"	16	
	Steam Trape DN50	16	
	Cotuctor For Feed Pump	20	
	Contuctor for burner pump	20	
	Themo relay	20	
	Key swith	10	
	Auxiliary relay	20	
	Melting plug 10 A	20	
	Melting plug 20 A	20	
	Safety element 25 A	20	
	Safety element 40 A	20	
	Control switch	20	
	Idontical with item 30	20	
	Drain valve NW 40 , PN 16	20	
	Burner HL 4-400-D-2R	4	
	Transformer 10.000V-30 MA	20	
	Oil Hoses 1"	20	
	Contecter	12	
	Thermo - Relay	12	
	Burner - Pump	28	
	Oprating relay	12	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Oil nozzle 200 kg,45	28	
	Oil nozzle 200 kg,60	28	
	Clutch shaft	16	
	Replacement kit for noesma consisting of :	12	
	Satronie control	2	
	Satronie base	2	
	Photo cell	2	
	Photo cell holder	2	
	Electrical wiring sketch	2	
	Servo motor	12	
	photo cell	12	
	Oil valver luzifer	12	
	Hydraulic controls	10	
	Inyition cables with plugs	24	
	Inyition electroder rods	24	
	Solenoid valves	30	
	Switch valve complete	20	
	Elctrode relay	20	
	Het exonaner tube compt with gasket AMD nuts Caaaaapacity.450 000 kcalh.	12	
	Heat exchanger compl but with out armatures capacity:1100 000 kcalh	12	
	Set - of tures for horal steam boiler AS suppced tinder	12	
<b>02-04-00040</b>	<b>EQUIPMENT: STEAM BOILER</b>		
	MODEL: THP.U650E		
	COMPANY NAME: GUSTAR OSPELT HOVAL WERK AG		
	QUANTITY INSTALLED: 4		
	Feed water pump	20	
	Main steam valve	10	
	Level control by electrode	20	
	Pressure control	12	
	Control panel inc 1 prewiring	20	
	Insulation with ulu-cover	10	
	Safety valve	20	
	Automatic blow down control	10	
	Float valve	10	
	Level control	20	
	Drain valve	20	
	Thermometer	10	
	Preheating system complete	10	
	booster pump plant 0.5 to 3.5 bar	10	
	Active carbon filter type AKH 300	10	
	Softener type servomutic KS-W 200	12	
	Text kit	8	
	Chem.Dosing plant servo-dos H/O	12	
	Dosing Chemicals servo-phos S.6 50 kg	12	
	Feed water pump	20	
	Safty valve	12	
	Non return valve	20	
	Level indicator complete	12	
	Level indicator sight glass	12	
	Water shortage safety	12	
	Electrodo wit amplifier	20	
	Manostat	16	
	Pressure gauge	16	
	Iqintion transfor mer	16	
	Contacto	20	
	Oil hoses	20	
	Thermo relay	20	
	Oil pump	20	
	Timer	16	
	Nozzles	20	
	Baffle plate	16	
	Sight glass complete	16	
	Control relay	16	
	Magntic valve	20	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Ignition cable with plug	20	
	Flame sensor	16	
	Air flap motor	8	
	Hydraulic regulator	12	
	Control valve	8	
	O - Rings	16	
	Time clock with fittings	8	
	Control valve	8	
	Piston discharge side	8	
	Injector with o - ring	8	
	Brine valve	8	
	Impulse counter	8	
<b>02-04-00041</b>	<b>EQUIPMENT: STEAM BOILER</b>		
	MODEL: HTO 60		
	COMPANY NAME: ELECTROLUX WAS CATOR		
	QUANTITY INSTALLED: 90		
	Oil burner L3 Z-A	24	
	Shaft wheel	20	
	Oil pump j4	24	
	Flame carrier com	20	
	Ignition transfer	48	
	Ignition electrode	38	
	Cables	30	
	Flame guard QRBI	30	
	Photo electric	48	
	Solenoid valve	48	
	Flexible hoses	40	
	L 1000 MM connection 8	20	
	Control box erab	40	
	Electrodes ent 120	40	
	Electrodes cover	40	
	Starting valve	20	
	Feed water pump CP2-140k	50	
	Oil pump vikina F4	30	
	Oil pump sunostrar boost 380/50/3	30	
	Level indicator mobey 501/F05	30	
	Level indicator mobey 501/F83	20	
	Fire pipe set	30	
	Glass with gasket LZ 10mm diam 12mm	200	
	Check valve-connection 20 page 2694	100	
<b>02-04-00042</b>	<b>EQUIPMENT : INCINERATOR</b>		
	MODEL: E-75 ORDER NO.: BO-2178		
	COMPANY NAME: SAUNER DUVAL		
	Transformer	10	
	Electromagnetic valve	20	
	Motor	10	
	Programmer	30	
	Electrode	30	
	Inozation electrode	30	
	Ventilator	10	
	Condensator	30	
	Airpressure switch	20	
	Repair kit for Gasregulator	20	
	Combustion burner Ignition switch	30	
	Filter cartridge	20	
	Temperature controller	10	
	General Ventilator Protection	30	
	General Ventilator Contactor	30	
	Main Power switch	10	
	Micro Switch ZCK-M102 for the door XCIC-M380V, 10CUSA Telemecanique	10	
	Indicator lamp 220V 3 W	200	
	Burner complete	2	
	High tension wire	10	
<b>02-04-00043</b>	<b>EQUIPMENT: PYROLYTIC INCINERATION SYSTEM</b>		
	MODEL: VO 180		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	COMPANY NAME: GUSTAR OSPILT HOVAL WERK AG		
	QUANTITY INSTALLED: 60		
	HY Cdraulic aygregate	10	
	Pipe	8	
	Pipe union	8	
	Straight union connect	0	
	Angle pivot	8	
	Pipe nipple	8	
	Tecaian hose Nd 10	8	
	Tecaian hose ND 10	12	
	Adjustable angle conn		
	T-Coupling	12	
	Straight pipe union	16	
	Angie union connection	18	
	Collar	20	
	Straight	16	
	Angle coupling	16	
	Flange	12	
	Piston	8	
	Cylinder carriage	8	
	Micro switch	20	
	Axis	10	
	HY draulic gear pump	10	
	Coupling	20	
	Electric motor	20	
	2.2 KW Type B5 .220/380 V	0	
	Return filter	20	
	EI.Solenoid Valve	20	
	Valve base with pressure regulator	20	
	Clycerine manometer	12	
	Manometer stop valve	16	
	Non return valve	24	
	Feeding start	20	
	Feeding piston back	20	
	Feeding piston ahead	20	
	Lock gate up	10	
	Lock gate down	10	
	Cover open	10	
	Cover closed	10	
	Mushroom butt Emerg-off	10	
	Key switch	30	
	Signal lamp release	20	
	Replacement lamp	20	
	Relay hydraulic pump	40	
	Motor protection	30	
	Pug-in auxiliary relay	40	
	Do	40	
	Do	40	
	Do	40	
	Relay base	40	
	Program cylinder feeder	10	
	Mechanical time	10	
	Half - wave rectifier	10	
	Feeding Start	10	
	Feeding Pist back	10	
	Main Control panel	30	
	Silicone wire	10	
	Silicane wire	10	
	Silicane wire	10	
	Silicane wire	10	
	Silicane wire	10	
	Doudle shield cable	20	
	Doudle shield cable	20	
	Doudle shield cable	30	
	Doudle shield cable	30	
	Doudle shield cable	30	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Lgnition cable	40	
	Lgnition cable	40	
	Shielding cable	30	
	Oil pipe	60	
	Oil pipe	80	
	Coupling blustik for oil pump	200	
	Electrode	200	
<b>02-04-00044</b>	<b>EQUIPMENT: PYROLYTIC INCINERATION SYSTEM</b>		
	MODEL: VO 100		
	COMPANY NAME: GUSTAR OSPELT HOVAL WERK AG		
	QUANTITY INSTALLED: 40		
	Burner rack complete		
	Diffuser		
	Electric part		
	Pipe clamp		
	Nipple		
	Flexible metal tube		
	Flexible metal tube		
	Hexagon screw		
	Hexagon screw		
	Hexagon screw		
	Hexagon nut		
	Hose coupling		
	Hose coupling		
	Door locking device		
	Door locking magnet		
	Box spanner		
	Micro switch		
	Oil burner		
	Oil filter		
	Air vent		
	Pipe		
	Pipe		
	Supporting collar		
	Return valve		
	Steel armoured pipe		
	Steel armoured pipe		
	Steel armoured pipe		
	Steel armoured bead		
	Metal protecation hose		
	Metal protecation hose		
	Metal protecation hose		
	Metal protecation hose		
	Metal protecation hose		
	Metal protecation hose		
	Silicone wire		
	Silikon wire		
	Silicone wire		
	Shielding cable		
	Lgnition cable		
	Lgnition cable		
	Double shield cable		
	Double shield cable		
	Double shield cable		
	Double shield cable		
	Oil pipe		
	Oil pipe		
	Junction box		
	AGRO universa- Nipple		
	Coble union connction		
	Univ-Cable connction		
	Plug-In coupling sleeve		
	Terminal strip		
	AMP Faston plug		
	Control panel completes with fan box and fan with motor and door complet.		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Fan with motor		
	Main switch cutout		
	Pilot burner cut out sw		
	AUX. burner cut out sw		
	Primary fan cut out sw		
	Over load prot-prim-fan		
	Motor protection		
	Signal lamp with cap		
	Repl.lamp/el.bulb lamp		
	Plug-in au xillary relay		
	Do		
	Do		
	Do		
	Do		
	Do		
	Do		
	Do		
	Do		
	Do		
	Mechanical time relay		
	Mechanical time relay		
	Mechanical time relay		
	Disconnection with trouble		
	Indition		
	Yisible type fuse		
	Limit switch		
	Pyrolytic chamder		
	Transformer		
	Bridge recti fier		
	Relay base		
	Half-wave rectifier		
	Electrolytic condenser		
	Electrolytic condenser		
	Resistor		
	Resistor		
	Cable fastener		
	Burner head		
	Flame monitor		
	Flame monitor QRB3		
	NOZZEL bar		
	Lqnit.Cable compl plug		
	Insulating pocket		
	Plug-in pocket		
	Levelled plug		
	Lgnition cable		
	Electrod holder		
	NOZZEL,30 Mcal/h		
	NOZZEL,60 Mcal/h		
	Lgnition transformer		
	Auxiliary relay		
	Oil firing control LA12		
	Oil Pressure Pump		
	Oil hose		
	Solenoid 220V 50 valve		
	Electric 220V 50 motor		
	Air regulation nob		
	Sack refractory "Cement A50 5kg" (A. P. GREEN REFRACTORIES )		
	Honey well MINIPAK R 7380 A		
	Gaug of oil tank		
<b>02-04-00045</b>	<b>EQUIBMENT: FORKLIFT</b>		
	MODEL: FAER 5.1		
	COMPANY NAME: LANSING LIMITED.		
	QUANTITY INSTALLED: 7		
	Bord – printed ciercut		10
	Bord – printed ciercut		10



CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Tyre	40	
	Tyre	40	
	Battery	40	
	Telescopic forks motor and gear box	10	
	Armature	20	
	Complete year box	20	
	Motor assembly	10	
	Gear box complete for turret head	20	
	Armature traction motor	10	
	Safety control umt	20	
	Contact assembly	10	
	Bond printed circuit		
	Micro switch	200	
	Micro switch	100	
<b>02-04-00046</b>	<b>EQUIPMENT: FORKLIFT</b>		
	COMPANY NAME: SUMITOMO YEAL COMPANY		
	QUANTITY INSTALLED: 4		
	Holder	20	
	Ingection Pump	4	
	Fall filter assy.	6	
	Watter pump complete	6	
	FAN	6	
	Radiator	4	
	Startor motor	6	
	Alternator assy	6	
	Hydorlic pump complete	4	
	Joint	16	
	Yoke	8	
	Yoke	6	
	Wheel cylinder	12	
	Tie rod end	12	
	Tie rod end	12	
<b>02-04-00047</b>	<b>EQUIPMENT: FORKLIFT</b>		
	COMPANY NAME LANSING LIMITED		
	QUANTITY INSTALLED: 3		
	Full pump complete	12	
	Injection pump complete	12	
	Nozzel Injeetion pump complete	36	
<b>02-04-00048</b>	<b>EQUIPMENT: OPERATING TABLE</b>		
	MODEL: 1005X		
	COMPANY NAME: MIDICORE		
	QUANTITY INSTALLED: 80		
	Piston ring mounted	100	
	Uniform hydrolic	40	
<b>02-04-00049</b>	<b>EQUIPMENT: OPERATING TABLE</b>		
	MODEL: M-TYPE		
	COMPANY NAME: MIZUHO IKAKOGYO,CO.LTD		
	QUANTITY INSTALLED: 100		
	Rely box complyt elect/circuit	12	
<b>02-04-00050</b>	<b>EQUIPMENT: WASHER EXTRACTOR</b>		
	COMPANY NAME: ELECTROLUX WASCATOR AB		
	QUANTITY INSTALLED: 90		
	Description		
	Circuit breaker co repl.	10	
	Drain valve	40	
	Repair Kit	10	
	Heating Element	120	
	Level control	20	
	Level control	10	
	Lock Handle	20	
	Microswitch type	20	
	Door Gasket	20	
	Switch 2-Pole 1-W	30	
	Switch 1-Pole 2-W	30	
	Ren. Kit P-Bottonp	10	
	Repair Kit Bearing	10	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Casket	10	
	Motor	20	
	Repair Kit	10	
	Contacto	40	
	Auxilliary Contact	40	
	Auxilliary Contact	20	
	Contacto	20	
	Contacto	20	
	Timer SK5438 220V	40	
	Delay unit 220V	40	
	Buzzer No279 W220	10	
	Valve	10	
	Valve Body	10	
	Motor with gear	20	
	Diaphragm	30	
	Motor with gear	20	
	Microwswitch	20	
	Programme card 47	40	
	Programme card	40	
<b>02-04-00051</b>	<b>EQUIBMENT: DRYING TUMBLER</b>		
	MODEL: TT900S		
	COMPANY NAME: ELECTROLUX WASCATOR AB		
	QUANTITY INSTALLED: 40		
	Description		
	Microswitch	20	
	V-Belt	40	
	Actuator Spring	18	
	Filter	20	
	Relay TU6947	10	
	Thermostat	20	
	Thermostat	10	
	Timer	20	
	Bearing and Collar	50	
	Pulley	4	
	Pulley	8	
	Idler Bracket	6	
	Motor TT900	20	
	Felt Seal	10	
	Relay 220V 50/60	6	
	Transformer	4	
<b>02-04-00052</b>	<b>EQUIBMENT: DRYING TUMBLER</b>		
	MODEL: TT1100S		
	COMPANY NAME: ELECTROLUX WASCATOR AB		
	QUANTITY INSTALLED: 32		
	Description		
	V-Belt	20	
	Filter	20	
	V-Belt	30	
	Contact	10	
	Contact	10	
	Timer	10	
<b>02-04-00053</b>	<b>EQUIBMENT: HYDRO EXTRACTOR</b>		
	MODEL: C30-C18		
	COMPANY NAME: ELECTROLUX WASCATOR AB		
	QUANTITY INSTALLED: 120		
	Description		
	Rubber Cushion	20	
	Plexiglass Lid	20	
	Solenoid	60	
	Microswitch	60	
	Delay Mechanism	30	
	Rectifier	14	
<b>02-04-00054</b>	<b>EQUIBMENT: DRYING TUMBLER</b>		
	MODEL: TT754		
	COMPANY NAME: ELECTROLUX WASCATOR AB		
	QUANTITY INSTALLED: 65		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Contactora	50	
	Auxilliary contact	50	
	Auxilliary contact	50	
	Contactora	50	
	Thermostat	40	
	V-Belt	40	
	Stretcher	10	
	Element	100	
	Overheat protection	40	
	Timer	40	
	Motor	40	
	Carrier with shaft	10	
<b>02-04-00055</b>	<b>EQUIPMENT: IRON</b>		
	MODEL: VMS500		
	COMPANY NAME: ELECTROLUX WASCATOR AB		
	QUANTITY INSTALLED: 50		
	Description		
	Motor	20	
<b>02-04-00056</b>	<b>EQUIPMENT: IRON</b>		
	MODEL: NBORG 300/2000S		
	COMPANY NAME: ELECTROLUX WASCATOR AB		
	QUANTITY INSTALLED: 44		
	Description		
	Motorcoupling	16	
	Thermostat	20	
	Contactora	20	
	Motor	16	
<b>02-04-00057</b>	<b>EQUIPMENT: IRON</b>		
	MODEL: CORDES 965		
	COMPANY NAME: ELECTROLUX WASCATOR AB		
	QUANTITY INSTALLED: 40		
	Description		
	V-belt	20	
	V-belt	20	
	Fan Motor	20	
	Thermostat	20	
	Thermostat	10	
	Thermostat	10	
	Thermostat	10	
	Switich	20	
	Overload protection	10	
	Relay	10	
	Fan House	4	
	Fan Wheel	6	
	Fan Wheel	4	
	Pulley	24	
	Worm Shaft	4	
	Pulley	10	
	Drive Motor	4	
	Switch	8	
<b>02-04-00058</b>	<b>EQUIPMENT: DRYING, TUMBLER, UNI. WASH</b>		
	MODEL: 100 IBS (tender 8L5L80)		
	COMPANY NAME: UNIWASH		
	QUANTITY INSTALLED: 60		
	Timer 124-005	20	
	Push buttom switch 122.103	30	
	Rocker on-off switch 122.403	30	
	Manual reset (thermostate) 130.301	20	
	Thermostate 130.200	20	
	Filter	40	
	Fan motor	20	
	Drive motor	20	
	Steam coil (hot steam heating unit)	70	
	Trans former	20	
	V-Belt	20	
	REV contact	30	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Fan contact	30	
	Steam valve	30	
	Motor	30	
<b>02-04-00059</b>	<b>EQUIPMENT: GENERATING SETS</b>		
	COMPANY NAME: HITZINGER		
	QUANTITY INSTALLED: 172		
	Description/Part No.		
	cct Breaker type 500 G400	40	
	cct Breaker 160 A C250 G160	40	
	Coil 220 V for conector of 250 KVA Gen	40	
	Contacto FK43 M22	50	
	Coil for 100KVA contactor	50	
	Lamp type 2B2 130V+ZB2	160	
	Contacto CN1-HC 133M 220V	40	
	Bulb 130V OL1-CE 130	160	
	Push Button ZB2-BA2t	20	
	Voltage regulator T32	40	
	Charging coil	40	
	Transformer LG 12V/5	20	
	Starter motor for 250KVA	20	
	Operating solenoid 24V	50	
	Temperature sender	20	
	Oil pressure switch	40	
	Electronic unit type E-12/24	120	
	Dynamo 24V for 250KVA	40	
	NH-fuse breaker base 1 1st.4-NA w/o cover	40	
	NH-fuse breaker base 1 2st.4-NA w/o cover	40	
	Power fuse cover	20	
	Terminal box ML2 DIN 46260	20	
	Contacto LC1-220V FK23M22	60	
	Over voltage relay SWV1	20	
	Relay 12V	20	
	Voltage meter selector switch type F-10A008-622EG	20	
	Terminal box KL 17/14 14 pole	10	
	Bypass selector switch L100	20	
	Switch type B17 A200E	20	
	Contacto CA-150	50	
	Charging device LG 24/5	40	
	Charging device LG 12/5	20	
	Ferquency meter 1014/05(47-53)HZ	20	
	Voltmeter 1014/10027(500)	20	
	Dynamo 12V for perkins Eng.	10	
	Operating solenoid 12V	20	
	Coil CA-1-150,380V	40	
	Bulb 130V	100	
	Contacto CA1-60-380	20	
	Print part for charging LG 24/5	60	
	Print part for charging LG 12/5	30	
	Relay type CS1A 220V	40	
	Relay type CSIS, 89592,12V	40	
	Relay S2/24V	40	
	Lock NS 0342 311-004	30	
	NH Power fuse holder OOSTSE1	40	
	Voltmeter 1014/00220(0-40)	20	
	Zener diode ZX22	40	
	Diode IN4148	40	
	Relays AZ692-8-2M	30	
	Cct Breaker C250 3P SDF BAu	10	
	Lock NS 0342311-004	30	
	Frequency supervision FE17B No.2571.1.5	20	
	Current contactor LC FG 43M22-220V 50HZ	20	
	Current contactor LC FG 43M22 with auxiliary contactor block ZC1-GPA and thermorelay LR1 F160 100-160	20	
	Markoni automatic voltage regulator fPr Marko gen. set 250KVA	10	
	Electronic (speed control) Barbar-Coleman for Cummins engine	10	
	Gasket Cylinder head 550212FC001	80	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Repair kit outer turbocharger 550095	12	
	Repair kit inner turbocharger 550094	12	
	Main bearing Shell 302700	128	
	Main bearing Shell 302701	128	
	Cylinder liner 29509	64	
	Gasket oil pan 550039	30	
	General overhaul set GAS 550188	40	
	Seal ring 338643	40	
	Seal ring 231938	40	
	Sealing compound 584010	40	
	Piston ring set 550171	160	
	Piston Assembly 328589	160	
	Bearing shell 279113	146	
	Push rod 265476	64	
	Tappet valve 550206	64	
	Nozzle 303739	160	
	Oil pressure transmitter 312398	20	
	Cylinder head 289622	24	
	Oil pump 263161	20	
	Oil cooler 341475	10	
	Connecting rod 319329	16	
	WATER PUMP 320592	20	
	Bearing housing 306524	48	
	Injection pump 310685	8	
	Feed pump 319792	20	
	Nozzel holder 325708	16	
	Alternator 335795	16	
	Repair kit water pump U7LW009	10	
	Set gasket 68020	10	
	Thermostat 2485638	20	
	Ring set PN 86785	20	
	Coil 196086	20	
	Air cleaner AF263	20	
	Gasket set 3801096	16	
	Filter water WF2055	20	
	Gasket set 38001406 (upper)	10	
	Gasket set 3017564 (lower)	10	
	Fuel feed pump 243083-3	20	
	Starter pin 244361-2	8	
	Oil pump 466 530-3	16	
	Cylinder head 466 549-3	16	
	Starter motor 465604-7	20	
	Stop solenoid 881332-6	20	
	Guide intake valve 300957-8	160	
	Guide exhaust valve 300958-6	160	
	Intake valve 324675-8	152	
	Exhaust valve 232018-2	152	
	Valve steam cap 246638-1	32	
	Rocker arm inlet 263935-9 (307357)	40	
	Rocker arm exh.307359.0 (263772-6)	40	
	Bearing bracket inlet 170064-8 (384433)	32	
	Bearing bracket exhaust 170065-7 (384434)	32	
	Gasket set cylinder head 550214, 551469	72	
	Sealing ring center 323641-1	80	
	Nozzel 252840	140	
	Gasket 170702-5,371496	40	
	Gasket 170700-5,371505	44	
	Piston 328589-7	48	
	Connecting rod bearing 279112-7	72	
	Crank shaft 345970,33747-1,305730-4	2	
	Crank shaft key and gear key 353893 (358462)	8	
	Valve tappet, 131105-9, 1103422	44	
	Oil pump gear 263161-2	10	
	Water pump 370625	16	
	Injection 310691-1	8	
	General overhaul kit 550188-7/551551470	30	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Hand pump 393620	20	
	Big-End gearing kit 270115-9	48	
	Big-End gearing kit 270116-7	64	
	Big-End gearing kit 270117-5	56	
	Big-End gearing kit 270118-3	48	
	Big-End gearing kit 270119-1	42	
	Big-End gearing kit 270434-1	44	
	Big-End gearing kit 270435-1	44	
	Big-End gearing kit 270436-9	44	
	Big-End gearing kit 276755-6	32	
	Big-End gearing kit 276756-4	32	
	Big-End gearing kit 276757-2	32	
	Water pump 466833	16	
	Fual injector 466891-1/1544090-2	10	
	Fan belt 814195	40	
	Cylinder head gasket (135978) BM-9802	32	
	Cct breaker for 1000KVA Klocknar LH 1250A (3765265)	8	
	Cct breaker for 575KVA Klocknar LH 1000A (3765570)	8	
	Electronic compact unit for (1000&575)KVA (3772349)	10	
	Electronuc compact unit for 775KVA	4	
	Varistor (Siemens) voltage supressorfor (1000,575and 775KVA	20	
	Cooling water perheater 3KW 220V (1070467)	40	
	Battery charger U72 for 1000KVA (3761010)	10	
	Pair turbocharger left & right sides (4000442) (Ba 16M816)	2	
	Repair kit turbocharger set	4	
	crnak shaft 305730	2	
	Gear key 358893	8	
<b>02-04-00060</b>	<b>Spare parts for Hitzinger diesl</b>		
	Generator engine, 1900 KVA-Hedemora		
	engine Type V16 A/15 16 cylinder, 1500 R.p.m, 2240 HP.		
	Gudgen pin Ghromium plated	72	
	piston ring set	72	
	Retainer ring	136	
	piston	72	
	Valve spindle inlet exhaust	136	
	valve guide	136	
	valve spring cup , lower	136	
	v alve spring inner	136	
	valve spring outer	136	
	valve spring cup , upper	136	
	valve cotter half	136	
	Nozzle	72	
	Connecting rod assy .	8	
	Small end bush	72	
	Bearing shell set	72	
	Complet set of gasket	16	
<b>02-04-00061</b>	<b>Generator set type 47/77 250kva</b>		
	Alter nator MARKON type B 514J		
	Enging CUMMINS type NT-855		
	Control Box BC	20	
	Actuator BC	8	
	Magnetic pick up	10	
	Alternator(Dynamo)	8	
	Connecting rod Assy	12	
	Water pump	10	
	A.V.R	10	
	Fuel pump assy	2	
	Speed senser	2	
	Main fail relay	10	
	Frequency relay	20	
	Tension relay	20	
	Auxiliary relay	20	
	24 v d.c relay	40	
	24 v d.c time relay	20	
	220 v relay	40	
	Alternator contactor	40	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
<b>02-04-00062</b>	<b>Equipment: hightension substation</b>		
	Company: CEM		
	Curcuit Breaker	96	
<b>02-04-00063</b>	<b>Equipment: Body of the Boiler</b>		
	Model: WA1000		
	Item		
	Door gasket in asbestos ref y023.020	24	
	Asbestos gasket for smoke box 151q.3900	24	
	Klingerite gasket for hand hole 80/120	0	
	ret 7020 140	24	
	sight glass complete with gaskct 7037 090	40	
	five tube	2400	
<b>02-04-00064</b>	<b>EQUIPMENT: GENERATING SETS</b>		
	MODEL: BA 16 M816, BA12 M816		
	COMPANY NAME: KLOCKNER HUMBOLDT- DEUTZ AG		
	QUANTITY INSTALLED: 44		
	<b>NOTE</b>		
	The down list in for 30 generating sets type BA16M816 power rated 1012KVA which have serial numbers 1-8836-5-9250 order no. 24741, engine no. 65 35 373 and 1-8836-5-9246 order no. 24732,engine no. 63 36 354,etc. That, is to say all parts in the down list should be exactly the same parts which the above serial		
	Big-End bearing	160	
	Big-End bearing	160	
	Big-End bearing	320	
	Big-End bearing	320	
	Big-End bearing	224	
	Water pump	20	
	Impeller	8	
	Drive shaft	16	
	Pump housing	4	
	Oil line	10	
	Oil line	6	
	Suction line	6	
	Pipe/Line/Lead	4	
	Drain/Disc/Pipe	4	
	Plug	4	
	O-seal	8	
	Gate valve	8	
	Shut-off valve	10	
	Turbo charger (left and For the above Right sides of the engine serl no).	6	
	Repair kit set for turbo charger	12	
	Set of ring	256	
	Sealing set	20	
	Element	40	
	Gasket	50	
	Gasket	40	
	Oil resevoir	4	
	Bearing housing	12	
	Hub	12	
	Lub oil pump	12	
	Repair kit oil pump	10	
	Distributor	10	
	Lube tube	8	
	Adapter nipple	10	
	Head	4	
	Lub oil filter	4	
	Semi-Rotary pump	4	
	Lube tube	12	
	Twin nipple	10	
	Delivery line	6	
	Coupling piece	20	
	Cover	6	
	Solenoid	20	
	Pneumatic line	4	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Delivery line	10	
	Fuel line	4	
	Cap	4	
	Flexible coupling	10	
	Rubber suction	66	
	Switch	8	
	Angle joint	20	
	Contro unit	20	
	Fly wheel	8	
	Starter motor coil	30	
	Radiator heater	300	
	Fan	16	
	Electric motor fan	6	
	Rubber pad	20	
	Temprature transmitter	160	
	Relay	40	
	Flow switch	10	
	Relay	40	
	Sensor pocket	20	
	Reducing nipple	20	
	Monitor switch	120	
	Relay	40	
	Clamping bush	20	
	Complete engine model BA16M816	4	
	Over voltage protaction	18	
	Housing	4	
	Plaq in sleeve	6	
	Plaq in sleeve	10	
	Capasito/ condensor	10	
	Lift pump	30	
	Hand pump	12	
	Varistor (for alternator type IFC5502-4)	100	
	Circuite breaker A3, A31 drawing no. DE-S 5095-1	40	
	Circuit breaker A204 318.002-00	12	
	Control contactor	80	
	Relay D64	40	
	Control transformer M72	100	
	Relay D89,91	80	
	Relay D(92,97,98,100,211)	80	
	Relay instantenouse D5,D33	120	
	Timer relay D78	30	
	Diode N211	20	
	Charging regulator U72	80	
	Bridge rectifier M72	160	
	Relay D207	20	
	Relay output main voltage controller HNC	40	
	Relay output generator voltage controller(HGC)	40	
	Charging regulator U1	40	
	Drop indicator relay d1	30	
	Compact electronic U90	120	
	Startor motor	20	
	Set of rotating rectifier (t & -)	60	
	Cylinder Block	2	
	starter motor armature	24	
	thermometer	80	
	cover tube	16	
	drive shift	40	
	drive disc	40	
	centering washer	40	
	flange	40	
	flange	40	
	dowel sleev	40	
	drive shift	40	
	speed governer	16	
	injection pump	16	
	injection pump	16	



CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	lamp oil filter	4	
	connecting rod	128	
	small end push	192	
	carring shift	8	
	can shaft	12	
	ball joint	20	
	<b>NOTE:-</b>		
	The list below contains sparts for generating sets type BA16M816/IMPERIA power rated 775KVA for sets like that of serail no. 12.432,engine no. 5656641.		
	Circute breaker Q1,Q2	12	
	Battery charger BLG 2/E	2	
	Stand by control NST2	2	
	Stand by switch gear N2 - 1200 133	2	
	Set off all relays (K11,K21, K12,...ect)	10	
	Timer (K1,K22,...ect)	10	
	Flexible coupling	2	
	A.V.R	2	
	Power transister V4	10	
	Capicitor	20	
	Current transformor T6 & T4	4	
	Voltage suppressor	32	
	Diode +	48	
	Diode -	48	
	Rectifier modale +1	16	
	under voltage relay	24	
	<b>NOTE:-</b>		
	The list below contains spare parts for generating sets type BA12M816 struver power rated 575 KNA for sets which likethat of serialno. 24.791 engine no.65 36 269.		
	Starter motor	4	
	Starter motor coil	20	
	Complete engine type	4	
	Flixible coupling	8	
	Circuit breaker A3,A31 above serl.no	24	
	Bush camshaft	340	
	Cylinder block	4	
<b>02-04-00065</b>	<b>EQUIBMENT: DRYING TUMBULER</b>		
	MODEL: C8-BUT PROPANE 22.6 KW MACHINE NO.: 4654		
	ELECT: 0.6KW V=380 50 Hz 16 JUILET 1981		
	CAPACITY: 8KG		
	NOTICE NO.: 3723		
	COMPANY NAME: DUBIX		
	QUANTITY INSTALLED: 12		
	Description		
	Motor	24	
	1500 belt	120	
	Glass for door 318	48	
	Burner Bp 74	24	
	Gas 20 + 27 Elect valve or Regulator (72043 053)		
	72 011 073		
	Electrode	24	
	0 to 120 thermostat	24	
	Safety thermostat	24	
	Door Safety	24	
	Timer	24	
	Contactore	24	
	Bearing Pf 80-40FA	72	
	Pillow-block	24	
	Ignitor	48	
<b>02-04-00066</b>	<b>EQUIBMENT: WASHER EXTRACTOR</b>		
	MODEL: FL 503		
	COMPANY NAME: WASCATER		
	QUANTITY INSTALLED: 140		
	Door gasket	60	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Wash motor compl 380-415V50 HZ (440V 60HZ)	20	
	extract motor compl with cluch 380-415V50HZ(440VGOHZ)	20	
	Drain hose	60	
	Solenoid valve 220V 50HZ	70	
	Drain valve compl suspensian leg seepagell	50	
	Steam injector	20	
	Steam valve 314 50/60HZ	80	
	Steam hose	100	
	Transformer	60	
	Overloed protector 380V	30	
	Switch 2.Pole with red lamp	120	
	Reverser 50HZ	60	
	Relay K6 50HZ	40	
	RElay K6 50HZ	60	
	Receiver speed control	80	
	Comple valve 220-240V 50HZ	60	
	Ball bearing	60	
	Stator 380-415V 50HZ	40	
	Stator 380-415V 50HZ	40	
	Coil	20	
	Drive playe	20	
	Ball breaing	40	
	Ball bearaing	30	
	Rotor	30	
	Compl card programmer	40	
	Solenoid 50HZ	20	
	suspension leg see page 11	120	
	Repair kit bearing	70	
	seal ring	6	
	seal ring	28	
	Roller bearing	30	
	Puller bushing	32	
	Lock washer	34	
	Shaft nat	36	
	Roller bearing	38	
	Seal ring	40	
	Bushing	40	
	Frointcorer	40	
	Spacer inner	40	
	Spacer auter	40	
	Bushing	40	
<b>02-04-00067</b>	<b>EQUIBMENT: DRYING TUMBLER</b>		
	MODEL: C15 - PROPANC GAS - 40 KW - 380 V 11 KW ELEC.		
	COMPANY NAME: DUBIX		
	QUANTITY INSTALLED: 10		
	SITE: HILLA - SAMAWA - MOSUL BASRA - IRBEL		
	Description		
	Drum door catch	20	
	Timing device C52	20	
	Contactore LC2-DO99-	40	
	Contactore LC1-DO93-	20	
	Safety thermstat device-	20	
	Safety drum door device 83714	20	
	Strock sc60 thermostat	40	
	Thermostat device	20	
	Lighter	20	
	French standard putane gas Electro valve propane cf12-G318.17	20	
	Electrods	20	
	Reverser	20	
	Belt 13x8 refrence 13010400L1400	60	
	Contactore	10	
	Drive motor M.E.V.A 8026 type B31000r.p.m , 0.5 hp	10	
	Belt 13x8 refrence 1301 1500L1500	60	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Fan Motor 1500 r.p.m	10	
	Paleping 80x40 1500w 220V TEEN	0	
	Dram door joint (8x25) L3000	20	
	Glass for door (extra)	20	
	Auto Lubricating ring Bp25=25x30 O/	20	
	On/off switch	20	
	(SKF) bearing pf 80-40f4	40	
	Cartridge 2A	200	
<b>02-04-00068</b>	<b>EQUIPMENT: WASHING MACHINE</b>		
	MODEL: 1/M2S - 20 kg but propane 24.5 kW v=380 3z, 50		
	MACHINE NO. 6833		
	QUANTITY INSTALLED: 11		
	2/M2S - 40 kg but propane 46.5 kW v=380 Hz, 50 MACHINE NO.		
	QUANTITY INSTALLED: 33		
	COMPANY NAME: DUBIX		
	SITE: BAGHDAD (IBN ALBALADY- HABEBIA) HILLA - SAMAWA -		
	MOSUL BASRA - IRBEL-NAJAF - NASSIRA - DEWANIA- RAMADI		
	Description		
	Motor	66	
	Reulating unit	20	
	Motor	22	
	Motor safety	88	
	Belt	220	
	Bearing	308	
	Belt	220	
	Bearing	88	
	Door glass 40kg	220	
	20kg	110	
	Glass joint LGT2000	154	
	Door safety	176	
		176	
	Shock absorber	308	
	Drining electro magnet	88	
	220 Type: 1508 S.N.180 860		
	Pressostat 731-2 Postion 72 060	44	
	Gas electro valve 20x17	44	
	Lighter A 70	110	
	Bellow	44	
	Heating timer 10-1805 LA3-D24	44	
	Washing contactor	50	
	Extraction contactor	20	
	Auxiliary contactor 220V CA2-DN122	40	
	Reversor Bx 482 (INVERTER)	44	
	Reception pulley 40kg	44	
	Motor pulley	44	
	Silicon cable	50	
	Balancing spring	40	
	Gas burnor with heat exchanger	80	
	Electrode	22	
	Reception pulley 20kg	22	
	Fuse 10A (cartridge)	240	
	2A 10 x 28 cartridge	240	
<b>02-04-00069</b>	<b>EQUIPMENT: FLAT WORK IRONER</b>		
	MODEL: Type: SR 719 BUT. Propane 442 kW		
	Capacity: LM 90 kg v 380 Hz: 50 32 kW		
	Notic: 3854 For SR 700		
	MACHINE NO. 37837		
	COMPANY NAME: DUBIX		
	QUANTITY INSTALLED: 22		
	Description		
	Feeding belts (Engagment band)	440	
	Gas electro valve 20x27	44	
	Movement Motor REL ASI 71.14.4 0.25kw	22	
	Driving pulley KL20 mode Board O/14	22	
	Wide Belt W20 1qt 1000	88	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	White Light. 220 V	120	
	Red Light. 220 V	120	
	Yellow Light. 220 V	120	
	Fan Motor	44	
	Fan contactor	44	
	2 Amp Fuse Cartridge	240	
	BULB	88	
	On/Off Switches	44	
	SC 60 Thermostat KWS Strock Cable length 3 Meter	44	
	Vigitherme M30 HEITO	10	
	Thermal overload relay4 to 6	44	
	Thermal overload Relay2.5 to 4	330	
	Thermal overload relay 1 to 6	44	
	Electrode	88	
	Bearing Roller unit	60	
	Ironing Board L3060	44	
	Blue flam rack	44	
	Reducer E45 AR 1/60	44	
	Pillow-Block with bearing	44	
	Pig-Iron Bearing CFT 06	44	
	Pig-Iron Bearing CFT 06	44	
	Safety xck – s+ zck - Do 8	10	
	Electro valvo	44	
	Igniter (euroflex)	44	
	Auxiliary contactor CA2- DN 122	20	
	Auxiliary contactor LAIDII	20	
	Safety XCM+NFC63 - 145 y2	20	
	Gas electric gas ket	10	
	Cartridge 10 A	440	
<b>02-04-00070</b>	<b>EQUIPMENT: STERLIZER</b>		
	MODEL: POUPINEL TYPE PO A 4252 REF 4252 D.O REF E.A.P REF 4251 S.O		
	COMPANY NAME: SUBITIL / CREPIEUX		
	QUANTITY INSTALLED: 6		
	Description		
	Motor NKP 730	12	
	Blower kofl EL 220V	12	
	Electric heating resistance	24	
	Capaciter 1 mf 500V 80 C	12	
	TEMPRETURE CONTROLER	24	
	PROBE	24	
	RESTORE CONTACTOR	24	
	DOOR SEAL	48	
	TIMER 0 TO 24H	24	
	SIGNAL LAMP	240	
<b>02-04-00071</b>	<b>EQUIPMENT: STERLIZER</b>		
	MODEL: AUR 1362 FAB NO. 3348, 3326, 3327 1982 UR 2352, APPAREIC AUSTER 360 REF ACL REF 1361 S.O, REF 1362 D.O OPTION RECORD RF OPS 0701 NOTRE REF PC/CB 82/25.095		
	COMPANY NAME: SUBITIL / CREPIEUX		
	QUANTITY INSTALLED: 12		
	Vacuum electric pump REF. Lone 25309 BN1310.10 pump 0004	12	
	Motor 2900 rpm 1.5 HP mot 0007	12	
	Electro Magnetic sluice gate ES 18 24V ELE 0016	48	
	Electro Magnetic sluicd gate Burkerr 11243 A06	48	
	SET. of Resistor 18KW 220V drawing 102106 RES 0022	36	
	Safety valve SOU 0003	12	
	Coupling device ref 3500 18 O 4mm	24	
	Compleat air compressor MC as per drawing 510069	24	
	pluse counter ET 025 24V	12	
	Fuse Lamp sil 032 1106 Lam 0004	48	
	2L can oil for cressenssace 016	24	
	Inflatable gasket JOI 0013	120	
	Bacteriology filter FIL 0006	24	
	Descaling powder POU 0001	24	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Diagram Paper	48	
	Pen	12	
	Vaccum gate	12	
	Float valve complete	24	
	PROGRAMATOR FOR CYCLE	24	
	TIMER 24 V	96	
	CONTACTOR	24	
	SAFTY VALVE	48	
	TEMPRETURE CONTROLER	24	
	SAFTY HEATING THERMOSTATE	24	
	AIR INLET PRESSURE	24	
	CONTACTOR	24	
	RELAY CA2 FK 1202	24	
<b>02-04-00072</b>	<b>EQUIBMENT: ELECTRICAL LOW TENSION BOARD</b>		
	COMPANY NAME: TELE MECANIQUE ELECTRIQUE		
	QUANTITY INSTALLED: 6 SYSTEM		
	Description		
	LCID804	120	
	LCID123	120	
	LCID093	120	
	LCID503	120	
	LCID163	120	
	LCIFJ23	48	
	LCIFJ23	120	
	LCID633	120	
	LCID403	120	
	LCID253	120	
	LPID123	24	
	CACDN122 (500V 10A)	120	
	CA2FN122 24V	60	
	CA2FN144 24V	60	
	CA2FK120 24V	24	
	CA2FK120 220V	24	
	CA2DN122	120	
	CA2DN140 (600V 10A)	48	
	CA2FN131 24V	24	
	CA2FN222 24V	48	
	CA2FN240 24V	48	
	CA2FN140 220V	48	
	CA2FN231 24V		
	CA2FN262 24V	24	
	CA2FN244	48	
<b>02-04-00073</b>	<b>ISOLATORS</b>		
	DK1FB18 (500V 80A)	120	
	DK1EB14 (660V 50A)	120	
	DK1EB28 (660V 50A)	120	
	DK1GB28 (660V 125A)	120	
	DK1GB18 (500V 100A)	120	
	LSID253 (600V 25A)	60	
	DK1HC18 (600V)	12	
<b>02-04-00074</b>	<b>SWITCHES</b>		
	ZB2BE101	120	
	ZB2BE102	120	
<b>02-04-00075</b>	<b>INDICATION LIGHT HOLDER</b>		
	ZB2BV6	120	
	(XCK-PL06) out of balance switch	24	
<b>02-04-00076</b>	<b>TIMERS AUXILLIARY</b>		
	LA2D22	120	
	LA2D24	120	
	LA3D22	120	
	LA3D24	120	
	CA2FT141	120	
	CA2FT111	120	
	CA2FT211	120	
	CA2FT241	120	
	RHC419	24	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	RHT21	12	
<b>02-04-00077</b>	<b>AUXILLIARY CONTACTS</b>		
	LAID22	120	
	LAID11	120	
	LAID04	120	
	LAID28	120	
	LAID40	120	
	LAIF31	24	
	LAIF22	24	
<b>02-04-00078</b>	<b>OVERLOAD RELAYS</b>		
	LRID09302 (0.18-0.2) A	60	
	LRID09304 (0.4-0.36) A	60	
	LRID09306 (1-1.6) A	120	
	LRID09307 (1.6-2.5) A	120	
	LRID09308 (2.5-4) A	120	
	LRID09310 (4-6) A	120	
	LRID09312 (5.5-8) A	120	
	LRID09314 (7-10) A	120	
	LRID09305 (0.36-1) A	120	
	LRID12316 (10-13) A	120	
	LRID16321 (13-18) A	120	
	LRID25322 (15-25) A	120	
	LRID40353 (23-32) A	120	
	LRID63359 (48-57) A	120	
	LRID63361 (57-60) A	120	
	LRID09309 (3-8) A	120	
<b>02-04-00079</b>	<b>EQUIPMENT: AIR COMPRESSOR</b>		
	MODEL: LE7E		
	S. NO.: - AML063239 or AML109658 MAX: 10 bar 4KW HZ:50		
	Information LE7E AML063239 10BAR 1500 r.p.m		
	L= 112 M No 56581 KW=4 R.P.M1430 PH3		
	HZ 50 Eo C 40 IP 44		
	1080 2.37-01 1981 France and 1983 Sewedin		
	COMPANY NAME: ATLAS COPCO		
	QUANTITY INSTALLED: 11 SYSTEM		
	Discription		
	Set of over all Kit for the air compressor	40	
	Pressure Switch	40	
	Solenoid valve	40	
	Nipple	40	
	Gasket	40	
	Strainer	40	
	Valves	40	
	Relay	40	
	Motor complete	20	
	Compressor with motor	20	
	High pressure air tube	60	
	Sight class	24	
	Unloader	44	
<b>02-04-00080</b>	<b>EQUIPMENT: CHARGER INVENTOR</b>		
	COMPANY NAME: COREDEL		
	QUANTITY INTALLED: 96		
	Description		
	Printed circuit RCD	24	
	Printed circuit Pon 101	24	
	Printed circuit TGO 101	24	
	Printed circuit POCO 102	24	
	Printed circuit RCO 102	24	
	Printed circuit RCO 101	24	
	Printed circuit SICN	24	
	Electronic module MT 2900D	12	
	Electronic module MM 504 D	12	
	Printed circuit CIB 104 E	12	
	Rectifier Bridge SKB 33/06	120	
	Rectifier Bridge SKH 15/06	120	
	Rectifier Bridge SKKH 15/06	120	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Stabilizor ST-6774	12	
	Stabilizor ST-6777	12	
	Stabilizor ST-6776	12	
	Thyristor SKT 45/F/10	24	
	Thristor SKT 110-F 10	24	
	Tyristor SKT 140/F/10	24	
	Thristor SKT 170/F/10 CV	24	
	Diode SKR 45/10	48	
	Diode SKN 45/10	48	
	Diode SKR 70/10	48	
	Diode SKN 70/10	48	
	Diode SKR 100/10	48	
	Diode SKN 100/10	48	
	Zener Diode IN 2985	48	
	Transformer ST-4478-DI	24	
	Smoothing choke ST-4549-DI	12	
	Smoothing choke ST-6359	12	
	Smoothing choke ST-6359	12	
	Smoothing choke ST-6359	12	
	Contactora IOS-12M	36	
	Contactora IOS-16-40	36	
	Contactora NOS 12-22M	36	
	Contactora IOS-20-40	36	
	Contactora IOB 32H	36	
	Contactora IOBC 45.30	36	
	Contactora -NOS 16-22M	36	
	Timed contact TPA	36	
	Capacitor 5 MF 330 V	36	
	Capacitor PKV 250V 33MF	36	
	Capacitor 3300MF 220 V CO18	36	
	Capacitor 15MF 500V	36	
	Capacitor 3MF 400V	36	
	Relay IO58 40M	36	
	Ametor/AC 72 TC/L 25A direct	48	
	Votmetor /AC 72 TC /L 200V	48	
	Ultra fast fuse 621 CPUR 14/16	120	
	Ultra fast fuse 621 22/63	120	
	Ultra fast fuse 621 14/25	120	
	Ultra fast fuse 621 22/100	120	
	Ultra fast fuse 621 22/80	120	
	Ultra fast fuse 621 14/40	120	
	AM fuse 14x51 20A	120	
	AM fuse 14x51 32A	120	
	AM fuse 22x58 63A	120	
	AM fuse 14x51 25A	120	
	AM fuse 22x58 100A	120	
	Lamp ZB2 BV6	120	
	Lamp ZB2 BV04	120	
	Lamp ZB2 BV7	120	
	Lamp ZB2 BV07	240	
	Lamp ZB2 BV05	240	
	Lamp BA 95 130V	240	
	Resistor 86 OHM RSSD 20x117	36	
	Resistor 47 OHM RSSD 16x94	36	
<b>02-04-00081</b>	<b>Spare Part For telephone exchange charger</b>		
	380V 50HZ 3phase		
	48V 5.3KVA 60Amp, NI-Cd 36xMP 200		
	Type of charger RB 3174 No of Charger 81K		
	Printed circuit SC 338 A	12	
	Printed circuit SC 303 H	12	
	Printed circuit SC 358 H	12	
	Thyristor GI-48/60	24	
	Battery Cell Alcad MP 200	3000	
	Battery Cell Alcad MP 55	3000	
	Battery Cell Alcad MP 37	1000	
	Battery Cell Alcad MP 95		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Battery Cell Alcad MP 12	1000	
		500	
	Alkaline Potassium hydroxide Powder	200	
	Battery solution test Kit	12	
	Smoothing Chokee ST-6312	12	
	Card SCE - 2709 RB 372	60	
	Transformer No. 828227 MD/GG - 14656	60	
<b>02-04-00082</b>	<b>EQUIPMENT: GENERATOR</b>		
	MODEL:		
	No 9163-7305 16V-149T ((Serielel No.))		
	16E7060		
	16E7061		
	16E7059		
	16E7064		
	16E7058		
	16E7006		
	16E7007		
	16E7009		
	16E7008		
	16E7057		
	16E7062		
	16E7063		
	COMPANY NAME: DETRIOT DIESEL ALLISON		
	QUANTITY INSTALLED: 12		
	Description		
	Fuel Filter	192	
	Oil Filter	192	
	Water Filter	48	
	Air cleaner	48	
	Fuel Pump	12	
	Oil pump	12	
	Fresh Water pump	12	
	Raw Water pump	12	
	Starting Motor 24V	12	
	Speed governer	12	
	Tacho meter Derive	12	
	Switch Water tempretare shutdown	16	
	Adaptor temperatate shutdown valve	20	
	Water temp switch	16	
	Cooling pressure contorl	16	
	Oil Pressere switch	20	
	Oil Pressure value	16	
	Turbo charger	8	
	Preheating element	24	
	Filling fuel pump	24	
	Fuel Float switch	8	
	Manual Fuel pump	16	
	Repair Kit for fuel pump	12	
	Repair Kit for Oil pump	12	
	Repair Kit for Water pump	24	
	Repair Kit for filling fuel pump	12	
	Set of over all Kit (For engine)	12	
	Repair kit for turbocharger	10	
	Alternater complete	4	
	Engine Complete	4	
<b>02-04-00083</b>	<b>GEORGIN-REGULATEARS (NAME OF COMPANY)</b>		
	RG 98 (400V) 50HZ 2x5A Automatic Frequancy regulator	24	
	RRW TBS-EN 3003/A Reversepower	24	
	RTZ TBS-1 EN 3006/B Mini and maximum uoltage	24	
	RWZ H. TBS EN 3005A 24V+ Sourco 400 V 2x5A		
	Over active power relay	12	
	RSC 400V Coupling relay	12	
	RG 806 Synchro-coupling device	12	
	Batteny change type CG 24/18 C	24	
	ES-CRT GVRI Type Rool	24	
<b>02-04-00084</b>	<b>Marlin-gerin. (Name of company)</b>		



CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Circuit Breaker DN2-1638204 3x1600A	24	
	Circuit Breaker DS2-2038249 (2000A)	12	
	Circuit Breaker DS2-1038249 (1000A)	0	
	La+ Lu+ih (Name of company)	12	
	RW1 Min and Max Voltage relay	12	
	RW2 Min and Max Voltage relay	12	
	CVD Differential voltmeter type M96 3B 2x220V 50HZ	12	
	CSY Synchronoscop type M96 8B 220V 50HZ	24	
	CPS 231 (phase motor) Type M 72-9B	24	
	VD Meter for diferntial M96.60C	12	
	SY meter for syndronoscope	12	
	FD Double frequency meter Type M960B 220V 50HZ	12	
	Multi	60	
	Multiq(Name of Company) C32N (Cincult Breaker)		
	No 6-U 5A 380V ~ 20123	60	
	No 12-U 10A 380 V 20134	60	
	No 22-U 20A 220 V 380 20106	60	
	10A Type D 380 V 20874	60	
	No 12-U 10A 380 20124	60	
	No 35-U 32A 380 20138	60	
	No 6-U 5A 380 2012	60	
	2A type U 380 20121	60	
	No 12-U 10A 380 V 20144	60	
<b>02-04-00085</b>	<b>Baco (Name of company)</b>		
	PR10 Selector switches	12	
	PR16 Selector switches	24	
<b>02-04-00086</b>	<b>Subl./FUUSE A. Fuses HRC</b>		
	10x38	400	
	10x38	400	
	10x38	400	
	10x38	400	
	10x38	400	
	14x51	400	
	14x51	400	
	14x51	400	
	14x51	400	
	14x51	200	
	14x51	200	
	22x58	80	
	22x58	80	
	22x58	80	
	22x58	80	
	78x15	40	
	78x15	40	
	78x15	40	
	78x15	40	
	126x15	36	
	126x15	36	
	126x15	36	
	137x24	36	
	137x24	36	
	150x30	36	
	150x30	36	
<b>02-04-00087</b>	<b>B.</b>		
	Renge		
	0.5A, 500V	160	
	1.0A, 500V	200	
	2 A, 500V	240	
	4 A, 500V	200	
	6 A, 500V	240	
	10 A, 500V	20	
	12 A, 500V	160	
	16 A, 500V	200	
	20 A, 500V	240	
	32 A, 500V	160	
<b>02-04-00088</b>	<b>2A HRC Fuses</b>		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	2 Amp, 500V	2800	
	6 Amp, 500V	1000	
	4 Amp, 500V	800	
	10 Amp, 500V	800	
	0.25A	220	
	0.2 A	220	
	one A	220	
	1.5 A	220	
	1.63A	220	
	two A	220	
	2.5 A	220	
	three A	220	
	3.6 A	220	
	four A	220	
	five A	220	
	6.3 A	220	
	ten A	220	
<b>02-04-00089</b>	<b>Equipment: Electrical pant</b>		
	Company name: Klockner moeller		
	A Circuit breaker		
	NZM 24 2000+ZM24 2000	60	
	NZM 24V 2000 + ZM24V 2000	24	
	NZM 12-630 + ZM12 630	12	
	N24 2000	12	
	NZMH11 500 + ZM11 500	12	
	NZM12 800 + ZM12 800	12	
	NZMH6 160 + ZM6 160	36	
	NZMH6 63 + ZM6 63	36	
	NZM9 250	36	
	NZM6 100	60	
	NZMH4 63	60	
	NZMH4 40	60	
	NZMH6 160	48	
	NZMH6 100	60	
	NZMH4 25	60	
	NZMH9 200	36	
	NZMM11 400	36	
	NZM6 160	48	
	N11 630	36	
	N11 500	36	
	N11 400	36	
	N6 160	36	
	N6 100	36	
	N6 63	36	
	KVA-2NZM Mechanical interlock for C/B NZM24-2000K NZM12-	60	
	Shunt coil for C/B NZMH4	60	
	Under voltage coil 110VDC	240	
	Driving motor 110VDC	24	
<b>02-04-00090</b>	<b>Contactors</b>		
	DIL 08 22G 110V 50HZ	120	
	DIL 08 31G 110V 50HZ	120	
	DIL 08 33 110V 50HZ	120	
	DIL 08 40G 110V 50HZ	120	
	DIL 3 22 220V 50HZ	60	
	DIL 1 22 220V 50HZ	60	
<b>02-04-00091</b>	<b>Others</b>		
	L2RT Lens red	120	
	L2RT Lens white	120	
	L2RT Lens orange	120	
	DX/K push button	120	
	H6U MCCB	120	
	GL 130 lamps 130V	240	
<b>02-04-00092</b>	<b>Equipment: Incinerator</b>		
	Weishav Pt P.A.T		
	Burner type: WG 2f/1-E KW 30-140 DIN-DVGW-Reg Nr.80 FW		
	1981 S.No: 232357		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Main switch		
	Air pressure switch		
	Gas Pressure Switch		
	Temperatere regulator		
	Flame Sensor		
	Burner Motor		
	Ignition Transformer		
	Solenoid valve		
	Burner control		
	Servo motor		
	Ignition electrode 4		
<b>02-04-00093</b>	<b>Company Name: Labesse</b>		
	Type: MD 030G6 MD100G		
	Unitrol Safety valve	48	
	Regulation valve dia 15-12	48	
	Piezo electric spark generator	48	
	Injector nozzle for main burner	480	
	Injector nozzle holder tube	2	
	Thermo Couple.	48	
<b>02-04-00094</b>	<b>Equipment: AHU Bearing with bracket</b>		
	Company Name: France Air, Hydronic		
	M.DB 31	120	
	M.DB 34	120	
	M.DB 38	120	
	M.DB 42	120	
	M.DB 46	120	
	M.DB 50 M1	120	
	M.DB 50 M2	120	
	M.DB 56 M1	120	
	M.DB 68 M1	120	
<b>02-04-00095</b>	<b>ShAft</b>		
	35 Length 960	24	
	40 Length 1060	24	
	40 Length 1230	24	
<b>02-04-00096</b>	<b>Motor with pulley F.A/Hydronic</b>		
	3ph/380V/50HZ 9 kw	36	
	3ph/380V/50HZ 7.5 kw	60	
	3ph/380V/50HZ 4 kw	48	
	3ph/380V/50HZ 5.5 kw	60	
	3ph/380V/50HZ 3 kw	48	
	3ph/380V/50HZ 2.02kw	48	
<b>02-04-00097</b>	<b>Belt</b>		
	SPA Length 1850	360	
	SPA Length 2000	240	
	SPA Length 2240	120	
	SPA Length 2720	60	
	13X8 Length 900	120	
	13X8 Length 945	60	
	13X8 Length 1110	60	
	13X8 Length 1260	60	
	13X8 Length 1500	60	
	13X8 Length 1389	240	
	13X8 Length 1880	240	
	SPZ 1850	360	
	SPZ 1360	60	
	SPZ 1450	60	
	SPZ 1500	60	
	SPZ 1600	60	
	SPZ 1650	60	
	SPZ 1700	60	
	SPZ 1850	120	
	SPZ 1900	120	
	SPZ 1950	120	
	SPZ 1270	60	
	We need also spare part for all AHU		
	A-Blowers		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	B-Pulley		
	C-Motor bearing		
<b>02-04-00098</b>	<b>Equipment: CHARGER INVERTER</b>		
	Company name: MERL IN GERIN		
	Quantity installed: 80		
	DPM5 p1587/310	30	
	DPM5 p1257/186	30	
	SM4 p4285/266	30	
	SM11 p3644/285	20	
	DPM5 11386/186	20	
	SMG p3417/266	20	
	SRD p2289	20	
	CHC p3061/218	20	
	U.P.S 40 6703145/H	20	
	DPM5 1412/186	20	
	DPM5 p1077/280	20	
	DPM5 p1272/186	20	
	SRD p2328/117	20	
	DPM5R 1140/186	20	
	SRO p2235/147	20	
	SMU p3376/266	20	
	DPM5 p323/186	20	
	SRD p2574	20	
	SM11 p3674/277	20	
	SRD1 2874	20	
	Fuses 125 A Size 22 x 58	200	
	Bulb 48V 12W	240	
	Bulb 130V	240	
	Battery VARTATP 40 (MAVACHAT)	1200	
	Battery VARTA TP 55 (MAVACHAT)	2000	
	Battery VARTA TP 90 (MAVACHAT)	200	
	Electrolyte for Battery liquid (MAVACHAT)	20	
	Electrolyte for Battery Powder (MAVACHAT) Distilled on site	20	
	160 NIFE NIKEL Cadmuim high rate Battery HIP2 (MAVACHAT)	10	
	260 NIFE NIKEL Cadmuim high rate Battery HIP25	10	
	Battery Charqet type 110/10 FE	10	
	A.V indicator	24	
<b>02-04-00099</b>	<b>SUBJECT: PHILIPS (11 Hospital)</b>		
	MaterialDescription		
	Germicidal	3000	
	Lamp Assiy	2000	
	Chock	1000	
	Note;		
	We want only Lamps.		
<b>02-04-00100</b>	<b>Equipment: Generator</b>		
	Company Name: (Cater Pular) (5 Hospital)		
	Model: 3508 DITA		
	Origin: USA		
	V8, 4 Stroke - Cicle diesel		
	Bore: 170mm		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Stroke: 190mm		
	Displacement: 34,5 lts.		
	Refrigeration system: Radiator with fan and Fan Drive.		
	Speed regulator: Wood ward electronic EG 3P2301 with load		
	Starting system: Electronic 24V		
	Stand by power without overload: - 930HP		
	Speed rating: - 1500 r.p.m		
	The Power is given for 300 meters altitude and 50		
	Alternator makes CATERPILLAR		
	Model: SR4 brushless		
	Origin: USA		
	Power: 600kw		
	Power (apparent): 750KVA		
	Speed rating: 1500 r.p.m		
	Voltage: 200-400V		
	ALTERNATOR		
	Sr. No.		
	5UA00590 5N9326		
	5UA00593 5N9326		
	5UA00602 5N9326		
	5UA00589 5N9326		
	5UA00610 5N9326		
	5UA00609 5N9326		
	5UA00696 5N9326		
	5UA00691 5N9326		
	Current Transformer 1,500/5	30	
	DC meter (0-40) A	10	
	DC Voltmeter (0-40)V	10	
	Light Pilot (Only Light)	100	
	Light Pilot (Only Light)	100	
	3 Phase Transforme 380/220100Va	10	
	Potintiometer 100 ohm.	10	
	Potintiometer 200 ohm.	10	
	Peverspower relay.	10	
	Diferential relay.	10	
	Dieselmatic	20	
	Set Diod DST (35-0.8)	10	
	Start Inhibitor	10	
	Signal Converter	10	
	Speed and Power regulator	10	
	Frequency relay 220V 50HZ	10	
	Voltage relay 220V 50 HZ	10	
	Timer 24V CC	10	
	Electric Commanod 220V 50HZ	10	
	Coilmn voltage 220V 50HZ	10	
<b>02-04-00101</b>	<b>Auxliray contact 2 of For Automatic breacker III</b>		
	<b>DN25 1.250A DN2</b>		
	Contactur LC1 D095MA60+LA1 D11-TEE	30	
	Auxiliary Contactur CA2 DN122M + LA2 D22TEE	30	
	Auxiliary Relay 24V CCMK3POMRON	30	
	Auxiliary ContacturCA2DN222B TEETEE	40	
	Auxiliary ContacturCA2DN122MTEE	40	
	Thermic relay3VA5900IGSiemens	10	
	Magnitac relayRMIX 010 TEE	10	
	FuseCMA1020Siemens	100	
	ContacturCA2DN140MTEE	40	
	Auxiliary Contactur CA2 DN122M + LA1D22 TEE	20	
	hermic relayLRI D09314TEE	20	
	Fuse NH00 63A3NA1 020 Siemens	20	
	Current Transformer 3000/5ATLESACI	20	
	SynronoscopeSRSSYE	10	
	Double Frequency MeterFC3V11SACI	10	
	Double VoltmetterF03V11SACI	10	
	Ametter 0-2.500E03VSACI	10	
	Power Factor MeterSC3V11NSACI	10	
	Light Pilot6B2BV75TEE	30	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Lamp 24V 60W--	20	
	Fan 220V 50HZSK3202RITTAL	20	
	Resistor SK 6 + SK6PW30DAVILA	30	
	Power relaySRPASVE	10	
	TimerSB245724Electromatic	10	
	SyncronnizerSRSSVE	10	
	Start LogicSVE	10	
	Connecting Watch QWT 94500/924215 DINNY	10	
	Lamps BA95	200	
	Watter Heater 3 KW for catterpillar Generator 750 KVA	40	
	Generator Heater 750W for Captterpillar Grenrator 750 KVA	30	
	Thermostat for watter ZM4CICT	40	
	heater for catterpillar Generator 750 KVA A=N=V 20/220 15/380	20	
	Automitic Battery Charger VN220V AC VCC 24V DC Type SVE S.L No. Fa 263SCB20A	10	
	Contactoer LCI-D253 for electrical Board for Catterpillar Generator 750 KVA	10	
	Vil 220V for electrical Boards for catterpillar Generator 750 KVA	10	
	Contactoer LCI-D123 For electrical Board for catterpillar generator 750 KVA	10	
	Contactoer VIL Catterpillar Generator 750 KVA	10	
	J Rochet 130V 24W Lamp3AHC	150	
	Timer Range 10-180 SLA2-D24Telemecanique	40	
	Resistanicq 2 x 7100 5L C1.0.546654	10	
	Timer 220V.Max Rex GWT94500192422x164/250V	20	
	RMI-XA IN 10 600V maxAc heavy duty Dc Standerd duty3	60	
	Delco Romy series 50 MT model 1990236 serial 82H24 Volts 24 rotation CW (U.S.A)	800	
	Tedding ton DBG/RB/2 0.2/2.86 Kg/CM2 England	20	
	Wood Ward part No 8250-4.55 serial No 1933450 2W7000	4	
	Relay 3A 250V AC 21127 AP32A2	10	
	Electronic Card GNMNO E99D01 Serial No 1377 LOT No43 Ct Co No 5N1955	10	
	Control Ador-DE (POTENCIA ACTIVA) ApTdo 88 SPPAN FAB 112 Vin 380/220v	40	
	Automatic breaker III DN2 1250 A +Electric command + Auziliary contacts 2 of	20	
	Potenuiometer	20	
	Load sharing speed control	10	
	Electric over Speed snut off	10	
	Electric high water temper ature shut off	10	
	Hydra-Mechanical shut off (HMSO)	10	
<b>02-04-00102</b>	<b>Mechanical Coverner Control</b>		
	Impeller For water Pump	10	
	Oil Filter	300	
	Fuel Filter	800	
	Primary Fuel Filter	300	
	Air Filter	200	
	V Belt (Set 4 belt) for Fan	20	SET
	V Belt (Set 2 belt) for all	40	SET
	Watter Temp control with thermostat complete	50	
	Oilpressur Complete	50	
	Thermostat Oil temoperature control	60	
	Radiator Fan	20	
	Over all Kit catterpillar for engine	20	
<b>02-04-00103</b>	<b>MOTOR WITH.PUMP-5 Hospital</b>		
	Company: -Willo PUMP		
	Type Z30 220V,380 Y/D		
	No. 90492/853-1 Hot Water		
	Type Z40		
	No. 0998496/832		
	D. 0231 418086		
	DPN 65/140		
	DPN 65/250-4/4		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	DOP/Dos 40/90		
	DPN 40/90		
	DOR / DOS 50/100		
	DPN 50/200-17/4		
<b>02-04-00104</b>	<b>MOTOR WITH,PUMP-6 Hospital</b>		
	Type with motor complet repair kit for pump		
	NORM 100/32/18.5/4		
	NORM 65/20/4/4		
	Dual DP 80/250/4/4		
	NORM 125/26/15/4		
	NORM 80/26/7.5/4		
	Dual 80/250/4/4		
	NORM 65/20/3/4		
	TWIN TS 50/100		
	TWIN TS 65/125		
	Vertical position		
	50CV 4 N 1/80		
	Q 10/50 HM 36/18 220/380V		
	Note:		
	Please describe the items of the set of repair kit of the pump		
<b>02-04-00105</b>	<b>Clock system (5 Hospital) Type: - GT1/6D</b>		
	Company: - GORGY TIMING		
	Reverse circuit board	40	
	Time base circuit board Gt1/60 CI	40	
	Power supply circuit board	40	
	Commutation circuit board	40	
	Moniter Clock	40	
	Nickle cadmium Batlery 12V	40	
	Step down transfermer	10	
	Pilot light	100	
	Fuse 1 A	200	
	Slave clock diam 300mm with Sepond hand	50	
	Slave clock diam 300mm with Sepond face	30	
	Slave clock diam 300mm with double face	30	
	Push Butten	20	
	Time recoder	20	
	Key Lot.	20	
	PCB with battery accumulation	20	
	Nickle Cadmium battery	40	
	Step by step movenment	20	
	Pilot light.	120	
	Fuse 0.1A	200	
<b>02-04-00106</b>	<b>MERLIN GERIN</b>		
	Under Voltage Relay TTG 7123 B/8173 (50-60)HZ	40	
	Aux CC/DC 110V 226695 73799		
	Over power Relay WTGA 7132 A/9085	40	
	In: 5A-50HZ Un:100V 226718 43799		
	Earth Fault Protec ITD 7202 B/9746	40	
	In:5A-50HZ Po:3110 100-110V/3		
	ANG-20 DEG Aux cc/Dc 110V. 226718 43799		
	Phase Protec ITD 7211 B/9744	120	
	In: 5A-50HZ Pol :- 100-110V Aux CC/Dc 110V		
	Power Factor Control Relay BELUK GMBH-		
	8000 MUNICH 45 INGOLSTADTER STRASSE 62		
	BLR 66-Elo	40	
	Capacitor banks rectiphase Sec/Auto-	240	
	Cic ATRISANT		
	DRY/SELF - HEALING-25+55'C C54-100/IEC		
	70 45KVAR 400V 50HZD NaID 48032		
	Circuit Breaken selpact DS2-2538339	60	
	TCO 20940002 In:2500A Un: 500U 50-60HZ		
	Breaking capacity 220-380-500V. CEIP2-UTE-VDE		
	50-50-50 KA DIRSA 10000 A		
	Circuit Breaker selpact DS2-2038339	90	
	TCO 21179001 In: 2000A Un:500V 50/60 HZ		
	Break capacity 220-380-500V. CETP2-UTE-VDE		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	50-50-50KA DIRSA 10000 A		
	Circuit Breaker In:1600A Un:500v 50/60HZ	40	
	Breaking capacity 220-380V-500V CETP2-UTE-VDE		
	55-55-50KA DIT5 1600 A Selpact DN2 1638339		
	DINA 8000 A TCO 21165001		
	Circuit Breaker Selpact DS2 2500A 500V 50/60HZ	20	
	Break capacity 220 380 500V.		
	CEL P2-UTE-VDE 50-50-50 KA DIRSA 10000 A		
	Reference DS2 2538340 , TCO 21040001		
	Circuit Breaker Selpact 2000A Un:500V 50/60 HZ	10	
	Reference INT: 2038340 , TCO:21046502		
	Circuit Breaker Selpact DS2	20	
	In:2000A Un: 500V 50/60 HZ		
	Break Capacity 220 380 500V		
	CEI P2-VTE-VDE 50-50-50 KA DIRSA 1000 A		
	Reference DS2 2038340, TCO20858001		
	Compact circuit breaker C125LB	80	
	In Min : 16A-40°C		
	In Max : 125A-40°C		
	Un: 660 VN ISC 150 KA-220/240VN		
	100 KA-380/415 VN		
	ISC: 85 KA 240 VN , 50KA-380/415VN	120	
	RS INDVCT ANCE		
	DN: 380V V1 1000 V 50 HZ		
	S.N: 83-9305 Type : SS50		
	LCI-D803 TELE MECANIQUE Contactors	320	
	125A Ith: 12A V1:600V		
	Thermal relay (Overload) 95-125A	320	
	600V Max ac/dc RA1-HA 95-125		
	Type: 9M125		
	NIFE Nickel cadmium High-Rate	200	
	Batteries HIP2		
	NIFE Nickel cadmium High-Rate	40	
	Batteries HIP25		
	EQUIPO C.C NIFE Battery charger		
	Bat. 82 HIP2		
	CTE ALTERNA 220 V-I Fas-50HZ 12 A		
	MATRICULA : 47129		
	Type: 110/10 FE		
	S.No. B4237		
	Lower auxiliary block for selpact DS2	40	
	Circuit Breaker In: 2500A Un: 500V. 50/60HZ		
	B6-10-Selpact DS2		
	Lower auxiliary switch block for selpact DS2	40	
	Circuit breaker		
	In: 2500A Un: 500V 50/60 HZ		
	12-16-20-25 selpact DS2		
	Complete thermal - Magnetic tripunit for	40	
	selpact DS2 Circuit breaker		
	In:2500A Un: 500V; 50/60 HZ, B6-10-Selpact DS2		
	Complete magnetic trip unit for Selpact DS2	40	
	Circuit breaker In: 2500A Un: 500V 50/60 HZ		
	12-16-20-25 selpact DS2		
	Timer for DIRSA and DIRSA-TR Magnetic	40	
	relases for selpact DS2 Circuit Breaker		
	In: 2500A UN: 500V B6-10 + 12-16-20-25 Selpact		
	DS2		
	DIT5 or DIT5G thermal release box with or without	40	
	indication contact for selpact DS2 circuit breaker		
	B6-10 & 12-16-20-25 Selpact DS2		
	A.C Shunt trip release MX1 & AC Under voltage	80	
	release Mn for Selpact DS2 circuit breaker B6-10		
	selpact DS2		
	D.C Shunt trip release MX1 & D.C Under voltage	80	
	release Mn for Selpact DS2 circuit breaker		
	B6-10 selpact DS2		



CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	A.C. Shunt trip relase MX1 & a.c Under voltage relase Mn for Selpact DS2 circuit breaker B6-10 selpact DS2	80	
	D.C. shunt trip relase MX1 & D.C Under voltage relase Mn for Selpact DS2 circuit breaker B6-10 selpact DS2	80	
	Electronic time delay for selpact DS2 circuit breaker	80	
	Micro switches : M1 & M2 & M3 & M4 & M5 & M6 for B6-10 & 12-16-2--25 selpact DS2 Circuit breakers	200	
	Electrical operating mechanism for selpact DS2 Circuit broken B6-10 for selpact DS2	40	
	Electrical operating mechanism for selpact DS2 Circuit breaker 12-16-20-25 for selpact DS2	40	
	Spring Charging motor for selpact DS2 Circuit breaker 12-16-20-25 for selpact DS2	40	
	Anti pumping relay for selpact DS2 Circuit breaker 12-16-20-25 for selpact DS2	40	
	Crandle Micro switch with angle bracket for selpact DS2 Circuit breaker B6-10 & 12-16-20-25	80	
	Fuses HRC 125 A size (22x5m)	1000	
	Indicating lamp 12Watt & 48 volt.	1200	
	Indicating Lamp 130V & 2.4 watt.	2000	
	Circuit Breaker DN2-1638204 3X1600A	24	
	Circuit Breaker DS2-2038249 (2000A)	12	
	Circuit Breaker DS2-1038249 (1000A)	12	
<b>02-04-00107</b>	<b>(Electrical Part for AHU)</b>		
	COMPANY NAME: KLOCKNER-MOFLER - 5 Hospital		
	Contactora Dil 08-22, 220 volt 50HZ	500	
	Contactora Dil 0-22, 220 Volt 50HZ	500	
	Contactora Dil 0A-22, 220 Volt 50HZ	500	
	Contactora Dil 08-80, 220 Volt 50HZ	500	
	Contactora Dil 08-40, 220 Volt 50HZ	500	
	Contactora Dil 08-52, 220 Volt 50HZ	500	
	Contactora Dil 08-62, 220 Volt 50HZ	500	
	Contactora Dil 1-22, 220 Volt 50HZ	500	
	Coil for Each Type containor above	100	
	Voltage Transformer, N:02876,800VA, 380/220V 380 V-2.1A, 220V-3.6A Type : TRII	100	
	Voltage Transformer, N:2899, 160VA, 380V x 0.42A = 220V x 0.72A, Type : TRII	100	
	Voltage Transformer, 4000VA, 380 to 220V Type : LVAVII	100	
	Voltage Transformer, 380V to 220V 1000VA Type :TRII	100	
	Voltage Transformer, N:02396 380V to 220V , VA:320	100	
	Voltage Transformer, N:0896, 200VA 380 x 0.59A-220V x 0.9A.	100	
	Voltage Transformer, 100VA, N:02900 380V x 0.25A-220V x 0.45A	100	
	Voltage Transformer, 130VA, N:02878 380V x 1.3-220V x 2.2A.	100	
	Voltage Transformer, 200VA, N:62922 220V x 09A-12x16.6A	100	
	Over Load for contactora range 6.7-12A	150	
	Over Load for contactora range 2.1-3.7A	150	
	Over Load for contactora range 16-24A, Type Z1-24	150	
	Over Load for contactora range 10-16A	150	
	Over Load for contactora range 1.2-2.1A	150	
	Over Load for contactora range 3.7-6.7A	150	
	Over Load for contactora range 10-22.5A	150	
	Over Load for contactora range 6.7-12A	150	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Over Load for contactor range 0.67-1.2A	150	
	Over Load for contactor range 4.7-6.7	150	
	Over Load for contactor range 3.7-5.7A	150	
	Current Transformer A 5015, 50HZ,	100	
	CI 313 KV1.2		
	Ampermeter 0-300A, Code 72, Pantic 1590520	100	
	Voltmeter 0-500A, Pantic Code 72	100	
	Current Transformer A 150015, KA 1.2 CL 0.5/30	100	
	Current Transformer A 6015, 50HZ,	100	
	KA 1.2 CL-313		
	Main Switch N6-63, Bs 200H	100	
	Itb=63 A155 C, Ic=63		
	Main Switch N6-160.Bs 200A, Ic=160,	100	
	Ac 23 lth 160A 155C, IE C 408		
	Main Switch N12-100, Ic-160A,Ac 23,	100	
	lth 1600A 155'C		
	Main Switch N9-25,Ic 250A, lth 250A 155'C	100	
	Main Switch N11-630, Ic 620A, lth 630A 155'C	100	
	Main Switch N9-25, Ic 250A, lth 250A 155 C	100	
	Relay Floatless Switch Type 61F-GP-N	50	
	Volt 220 Volt Ac. second Volt Ac 8V, 50HZ		
	Main Switch N6-100	100	
	Timer dil 08-J3-T, 20-30S, 20-1805	150	
	Circuit Breaker PKZM 3-40, 32-40A	40	
	Circuit Breaker PKZM 3-25, 16-25	50	
	Selector Switch Bs max 440 volt, VDE 0660	50	
	lths=6A, Ac/220/380/500 volt.		
	Voltmeter Selector switch,	100	
	Ac: 11: 220-380/550V T1-2-14-EW.		
<b>02-04-00108</b>	<b>(Electrical Part)</b>		
	SUBJECT: MARLIN - GERIN - 5 Hospital		
	Incoming Switch in 400A V380 v	40	
	3 Pole		
	Incoming Switch (400 Ni4P)	40	
	Earth Leakage Module Reh 300A	40	
	Remote Control Box	300	
	Voltage Indicating Lamp	400	
	Isolating transformer 16KVA 220/ 220V	80	
	Isolating Transformer 8KVA 220/ 220V	80	
	Isolating transformer 3.2KV 220/ 220V	80	
	Isolating transformer 2KVA 220/ 220V	40	
	Incoming switch in 160A 3P	80	
	Circuit Breaker C32N15A-1P	400	
	Contacto 80A 3P	80	
	Contacto 25A 3P	80	
	Earth leakege Relay vigil ohm TRa	80	
	Earth Leakege Module 10 mA.	80	
	Earth leakege Module 10 mA.	200	
	Circuit breaker C32N=20A 2P	100	
	Circuit breaker C32N=25A 2P	100	
	Earth Leakege CBT 25A 2P	80	
	Thermal Relay	80	
	Thermal Relay	80	
	Push button	160	
	Remote control Switch 16A-1P	80	
	Remote control Dimmer (LEGRAND)	80	
	Auxillary Switch (SD+OF)	40	
	Auxillary Switch SD	20	
	Isolating Transformer 2KVA 380/ 220V	20	
	Earth leakege ID25A-2P	20	
	Circuit Brcaker C100 63A-3P	80	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Circuit Bracker C32N 32A-2P	200	
	Contactore CT40-4P	80	
	Auxiliary Relay 20A-2P	160	
	Dimmer Switch 500 Watt type 226	320	
	Complete with cover Plate		
	Double Switched sockets 2x13A+E	400	
	Intermediate 20a-switch	800	
<b>02-04-00109</b>	<b>Equipment: - Cooling towers No. 4829</b>		
	Air conditioning and heat exchange equipment		
	Manufacturer: -DESCA IBERICA S.A		
	Address: 20125 Milano Italy		
	G 10 Ka 72 Telex: - 330 436		
	Blower Qty., for Type TMC-310	40	
	Float Valve Qty., for Type TMC-310	20	
	Motor Qty., for Type TMC-310	40	
	NozzelQty., for Type TMC-310	500	
	Filling Qty., for Type TMC-310	40	
	Belt Qty., for Type TMC-310	200	
	Complete Cooling tower Qty., for Type TMC-310	20	
	Ball bearing Qty., for Type TMC-310	40	
	Discription		
	Blower Qty., for Type TMC 40	20	
	Float Valve Qty., for Type TMC 40	10	
	Motor Qty., for Type TMC 40	10	
	NozzelQty., for Type TMC 40	100	
	Filling Qty., for Type TMC 40	20	
	Belt Qty., for Type TMC 40	40	
	Complete Cooling tower Qty., for Type TMC 40	10	
	Ball bearing Qty., for Type TMC 40	20	
<b>02-04-00110</b>	<b>Equipment: - Air Dryer</b>		
	Manufacturer: - HIROSS, DE, PURAIR		
	Address: - DEPMR AIR C/MORETO S.		
	MADRID - 14- SPAIN Tel- 462. 32. 35020		
	S.Angelo D. Piove (Pd) Italy		
	Model: - DXAOOS		
	Expant S.N: - 90361 Pressure max: - 16 bar		
	Volt: - 220/240		
	50 HZ Max.2.5A F: - 12		
	Automatic condensate drainer	20	
	Condenser fan motor	20	
	Control thermostat	20	
	Compressor	20	
	Complete Air dryer	10	
	Refrigerant filter	30	
	Hot gas valve	30	
	Breathen valve ¼ SAE)	20	
	Fan impeller	20	
	Fan switch	20	
	Lu minous oW/off switch	20	
<b>02-04-00111</b>	<b>Equipment: Sewage Treatment</b>		
	Manufacturer: Bacta and FLI/GHT		
	Address : Flyght <sup>3</sup> Bacta		
	T.D <sup>3</sup> Ofecins centrales		
	01-wiek notlingham <sup>3</sup> C.Augusto 52		
	NG6 + 2AN <sup>3</sup> Tarragona		
	Telex : 37316 <sup>3</sup> Spain		
	Electric static S-System	10	
	SC 185 024		
	Supply 24 VAC Recycler		
	Trans former Polyflux	10	
	50-60 HZ		
	Pot 100 VA		
	Drim : 0-0220-380V		
	Sec : 24V and 12V		
	Level regulator ENH-10	10	
	Submersible electric pump.	20	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	2 inch 1,1 KW type C5 and set of repair kit		
	Dosing pump DMR75	20	
	and set of repair kit		
	Timer TCC OTD - 30M-24V	20	
	Lamp BA9 24V	120	
	Receculation pump	10	
<b>02-04-00112</b>	<b>Equipment: Fan coil unit.</b>		
	Manufacturer: Gould		
	Motorized valve		
	Recomanded spare Part Forit.		
	Address: Could		
	Carrftera de		
	Eytremadura KM 20,700		
	Mostoles - Madrid - Spain		
	Telex No. 22018 Aigo - e		
	Fan coil unit - A/C NVC 800	372	WATT
	Fan coil unit - A/C NVC 600-HCM-5-W	400	
	Fan coil unit - A/C NVC 400-HCM-5-W	190	
	Fan coil unit - A/C NVC 300-HCM-5-W	160	
<b>02-04-00113</b>	<b>Equipment:- Cold store unit</b>		
	Company Name:- Huarte ( 5 hospotal )		
	Model:- A) A - 12152 A gas used F-12		
	B) A - 12201 A gas used F-12		
	C) A - 502151B gas used F-502		
	Compressor150-K-43 HP(1.5)	40	
	Compressor200-L-47.5 HP(2)	40	
	PresostateRanco MOD 017-6701	40	
	Flexible joint D 3/41258 FX	50	
	Flexible joint D 5/81212 FX	40	
	Vie finder (3/8)FLCIA mod SBI-10	30	
	Filter dryer (MUFLER- BRASS)FL 083 O 3/8	60	
	Liquid solnoidvalve scem220VVE 145 IRof 3/8	40	
	Liquid solenoidvalve bobainsrefno 32940 220V H2	60	
	Themostatic expansion valve FLICATMXC 2R.12 with nozzel	60	
	Thermostatic expansion valve FLICATMXC 2R.so 2 with nozzel	40	
	Thermostatic expansion valveTMXC 2R.12 with nozzel	40	
	ThermomteterST-100H range-40+40	40	
	ThermostatRANCO mod C-30 RANGE -3,+40	60	
	Condenser fan motorVFH60EI 220V 200W RPM1350	60	
	Evaponator fanGREGAL 2D	80	
	Evaponator fan GREGAL 1.5B	60	
	Defroster clockFRI-60 220V 10A	40	
	ContactoraGUT CL101 a 220V	80	
	ContactoraGUT CL00 a 220V	80	
<b>02-04-00114</b>	<b>EQUIBMENT: MEDICAL GAS</b>		
	COMPANY NAME: L. AIR LIQUIDE		
	QUANTITY INSTALLED: 6 SYSTEM		
	<b>OXYGEN</b>		
	Press gauge D50 brass size inlet 315 barCX0004	12	
	Mechanical unit for automatic change over type (TT)AG0505	12	
	Micro-contact for HP ContactoraF0601	12	
	Metalic diaphram for VSP valveBA0517	12	
	Diaphram for Press reducer		
	(T.valve ) regulator 3-16BB0502	12	
	Filter gesket for diaphram for		
	Pressure reducer 3-16		
	Filter for filter valve for		
	Pressure reducer 3-16	24	
	Nitrous Oxide		
	Metallic diiaphram for VSP valveBA0519	24	
	Diaphram (regulator reducer 3-16)	24	
	All gas outlet valveBA0517	12	
	Complete change over for oxygen andBB0502		
	Nitrous oxide (Type PC)BZ0511	12	
<b>02-04-00115</b>	<b>EQUIBMENT: VACCUM UNIT</b>		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	MODEL: VA 60 M2H6 WITH BACTERIOLOGICAL FILTER AND VACUM TRAP NO. SER. B581		
	ROTATION: 1450 KW: 185 R.MAX BAR 800MB		
	COMPANY NAME: MILS LYON		
	QUANTITY INSTALLED: 6 SYSTEM		
	Complete sets of maintenace vacum pump VA 60	36	
	nclndinq02/08/45 01		
	Regulation ring 7292 (2)		
	Spring washer Q 62 (2)02/08/45 02	36	
	Anti-Lenkag ring 50.35.10 (2)02/08/45 03	36	
	Ball bearing 6206 2125 1 (2)02/08/45 04	60	
	Blad amp 7310 (9)02/08/45 05	36	
	Inserrred pirt E 8202/08/45 06	36	
	Filling cartridge 7536 (1)02/08/45 07	36	
	Oil filter M 2771 (1)02/08/45 08	36	
	Joint filter 6783 B (2)02/08/45 09	36	
	Joints (1)02/08/45 10	36	
	Inserted joints E8202/08/45 20	36	
	Cironit breaker coil LX1 D094802/08/45 21	24	
	Fan Blade (compresor)	36	
	SHAFT	12	
	Sution and Discharge valve	24	
	Bacteriological cartiridge B2X 9MC	24	
	Bouton ON/OFF 48V 3.3367.002/08/45 22	24	
	Electro-Signal under voltage 48V 3-50973.002/08/45 23	24	
	Electro valve coil Era 48V02/08/45 24	24	
	Electro valve coil SIRAI 48v02/08/45 25	24	
	Electronic P.C.B. to control the	48	
	Overhalling kit	24	
<b>02-04-00116</b>	<b>EQUIBMENT: FIRE ALARM SYSTEM</b>		
	COMPANY NAME: CERBERUIS- GUINARD		
	QUANTITY INSTALLED: 6 SYSTEM		
	Ionization Smoke Detector F712280228	300	
	Optical Smoke Detector R700288181	60	
	Rate of Rise Heat Detector D716332545	60	
	Ionization Smake Detector F600	60	
	Batery Unit GXAE 101225416	24	
	Retaining Sping FSF6161729	120	
	Detector DiodeN4007	120	
	Test Gas Cam REE4171890	120	
	Zone Modale GFG1-2120218698	24	
	Active nd of Line AE20222309	120	
	Alarm Signal monitoring		
	Module of SE240021107	24	
	Relay Module GXV1-3198051	24	
	Automatic relay RHN412BRHN412B	24	
	Battery Mouitoring Module GXA.1245849	12	
	Organization Module GF01270005a	24	
	Operating Module GXB1268389b	24	
	Supervisory card Module GXU125921b	12	
	Emerqerxy monitoring Module GXQ1246000b	12	
	Power Module GX6221070	12	
<b>02-04-00117</b>	<b>EQUIBMENT: PUMP</b>		
	COMPANY NAME: WILO ASCAL. A		
	QUANTITY INSTALLED: 180 UNIT		
	Type		
	NORM 100/32/18.5/4Complete pump	18	
	NORM 65/20/4/4Complete pump	18	
	Dual DP 80/250/4/4Complete pump	18	
	NORM 80/26/7.5/4Complete pump	18	
	Dual 80/250/4/4Complete pump	18	
	NORM 65/20/3/4Complete pump	18	
	NORM 125/26/15/4Complete pump	18	
	TWIN TS 50/100Complete pump	18	
	TWIN TS 65/125Complete pump	18	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Vertical Position 50 CV N 1/18 Q 10/18 HM 36/18 220/380V Complete pump	18	
	Submer Suble pump 3 inch Complete pump	24	
	NORM 100/32/18.5/4 repair kit	60	
	NORM 65/20/4/4 repair kit	60	
	Dual DP 80/250/4/4 repair kit	60	
	NORM 80/26/7.5/4 repair kit	60	
	Dual 80/250/4/4 repair kit	60	
	NORM 65/20/3/4 repair kit	60	
	NORM 125/26/15/4 repair kit	60	
	TWIN TS 50/100 repair kit	60	
	TWIN TS 65/125 repair kit	60	
	Vertical Position 50 CV N 1/18 Q 10/18 HM 36/18 220/380V repair	60	
	Submer Suble pump 3 inch repair kit	60	
<b>02-04-00118</b>	<b>EQUIPMENT: ELECTRIC PASTRY OVEN</b>		
	MODEL: 1,000x0, 900 S.No. : 313273		
	COMPANY NAME: BONNET		
	QUANTITY INSTALLED: 6		
	Heating element 3 KW each on consist 3 Elements	24	
	Switch	24	
	Thermostat 50 To 300 C	36	
<b>02-04-00119</b>	<b>MECHANICAL WORK (CONSUMABLE)</b>		
	13 GENERAL HOSPITALS (400 BEDS) SUPPLIED BY MARUBENI		
	Oil Flow Meter G020J-9	78	PCS
	Flow Meter for Feed Water B-F40B	78	PCS
	Rubber Hose for Vacuum 55C x 1.100 L	176	PCS
	Rubber Hose for Vacuum 18C x 480 L	176	PCS
	Fire Brick Cemnt 30kg.	176	KGS
	Refrigerant R-502 20Kg/Cylinder	78	PCS
	Steamtrap For Heat Exchanger BFF27-2"	104	PCS
	Steamtrap for chiller BFF27-1 1/2"	104	PCS
	Steamtrap For Boiler Steam header B-10S	104	PCS
	Steamtrap For AHU Steam line B-10S	130	PCS
	Steamtrap for Drying Tumbler FT10-10 size 1"	130	PCS
	Steamtrap For Laundry Press Machine BP-23 Size 2"	130	PCS
	Steamtrap for Flatwork Ironer SV-6 Size 3/4"	130	PCS
	<b>MECHANICAL AND SAN ITARY WORK</b>		
	Motor 3P 380V 2.2KW		
	39 PCS		
	Electric Heater for ES-220 3P 380V 5KWx2	130	PCS
	Electric Heater For ES-450 3P 380V 6KV x 6KW x 1,3P 380V	130	SET
	Valve For Level Aquge ABS	52	PCS
	Grease for Vacum	130	LIT
	Bearing For Each Type Pump	78	PCS
	Needle Valve For Auto blow system of Cooling Water.	78	PCS
	Water Flowmeter w-SF50	78	PCS
	Prwssure Reducing Unit RVU-3/4B	52	PCS
	<b>MECHANICAL AND SAN ITARY WORK</b>		
	Thermometer 0-120 C 60		
	26PCS		
	Excess Temp. Cut-Off Swich 200V 16A 90C	52	PCS
	Low-Water Cut Off Swtch 200V 5A	52	PCS
	Compressor For Air con. For WH45MV1	360	PCS
	Thermostat For Air con. For WH45MV1	248	PCS
	Drier filter For Air con. For WH45MV1	360	PCS
	Air Filter For air con. For WH45MV1	360	PCS
	Freon Gas Liquid R-22 10KG/Cylinder	248	CYL
<b>02-04-00120</b>	<b>Sanitary Work</b>		
	Sheet Packing	78	PCS
	Timing Gear ARS150	52	PCS
	Mlss Meter ML-52	26	PCS
	Washbasin Jacob TOTO L237CF	78	PCS
	Foot Valve 200MM	78	PCS
	Faucet TGK3A Valve TL340	324	PCS
	Metal Fittings for Faucet TL237 MPG	324	PCS
	Metal Fittings for Faucet TGL223 MPA	324	PCS

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Line Pump WO-P-1,50P2-52.2 JL	78	PCS
	HP-1 40P2-51.5 JL	52	PCS
	HP-2 32R2-50.75 JL	52	PCS
	HP-3 40R2-51.5 JL	52	PCS
	HP-4 32P2-50.4 JL	52	PCS
	FM Valve 100mm		
	V-Trap for ToTo basin 1 1/4 inch	52	
<b>02-04-00121</b>	<b>Electrical Work</b>		
	ACB AH-6B 660V 600A	26	PCS
	Floatless Swich 61F-G4	130	PCS
	MCB TG-225 3P125A	36	PCS
	MCB TG-100 3P100A	26	PCS
	MCB TO-60BA 2P15A	36	PCS
	MGS C-20	52	PCS
	Swich Box	26	PCS
	Voltage Detecctor	26	PCS
	Contact Cleaner Spray Type.	274	PCS
	Air Cleaner Element	124	PCS
	Incadescent Lamp For Garden Light 230V	1908	PCS
	Open phase Relay omron CVP-2-F4 AC100V 85-90V	52	PCS
	Open Phase Relay Omron CVP-2-F4 AC90V 25-80V	52	PCS
	GPT	26	PCS
	Relay NF2-24V AE-1324	52	PCS
	Thermo Meter For Water 510843	52	PCS
	Oil Pressure Gauge 510840	52	PCS
	Water Heater With Thermostat 4KW	52	PCS
	Cell Motor 1109979	52	PCS
	Governor Motor 200348	52	PCS
	Fan Belt for Engine	26	PCS
	Relay 63	52	PCS
	Relay 5A-S	52	PCS
	Relay 5A	52	PCS
	Relay 20A-2	52	PCS
	Relay 26W	52	PCS
	Chemicals		
	Daiclean B-701 OR NP05090	160000	KGS
	Daiclean F-504 OR IS1050	160000	KGS
	Kurile L-107	16000	KGS
	Kurizet S-204	16000	KGS
	Kurizet T-225	24000	KGS
	Kurizet S-112 OR AT3225	160000	KGS
	Polycrin A-491 OR NX 1104	20000	KGS
	Kurifresh L-102	20000	KGS
	Kurifresh H-102	20000	KGS
	Polycrin A-411	40000	KGS
	Halogen Biocide Concentrate OX 1200	20000	KGM
<b>02-04-00122</b>	<b>Mechanical Work</b>		
	BLDG SP NO.2 (BUILDINGS EXCEPT DOCTOR'S RESIDENCE)		
	Pressure Gauge for steam 20Kg/CM2	52	pcs
	Pressure Gauge for oil 10Kg/CM2 1/4"x60	52	pcs
	Oil Gear pump GL-13-5A	52	pcs
	Floatless Swich 61F-GPHY	52	pcs
	Manual Potention Controller ON406B2S	52	pcs
	Magdonel MC#150 JY-2	52	pcs
	Ultra-Vision C7035A	52	pcs
	Shield Wire for Photo cell	78	pcs
	Fuel Oil Meter FGBB31-00X	52	pcs
	Parts for burner	78	pcs
	V-Belt for Burner B-36	326	pcs
	Solenoid, Valve for Blow Down PS-8	26	pcs
	Solenoid, Valve for Burner GVD-1008-J	78	pcs
	Solenoid, Valve for oil Daily Tank YSP-20AJ	52	pcs
	Steam Trap BBF27 2"	78	pcs
	Interlock Switch ZE-N-2	78	pcs
	Hour Meter for Boiler 200V	78	pcs
	Salution Pump	52	pcs

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Refrigerant Pump	52	pcs
	Manometer	26	pcs
	Condencer Tube	2200	pcs
	Absorber Tube	2800	pcs
	Evaporater Tube	2600	pcs
	Drain Strainer	52	pcs
	Rubber Band for Pipe of Joint Chilled & Cooling Water	78	pcs
	Pressure Gauge 3Kq/CM2	26	pcs
	V Belt B-83	724	pcs
	Fan Motor 380V 5.5KW	78	pcs
	A-47	260	
	A-48	130	
	A-49	130	
	A-50	130	
	A-55	130	
	A-56	130	
	A-57	260	
	A-58	260	
	A-60	260	
	A-63	260	
	A-64	260	
	A-65	260	
	A-66	130	
	A-68	130	
	A-69	130	
	A-70	130	
	A-71	260	
	A-72	260	
	A-73	130	
	A-74	260	
	A-75	130	
	A-76	130	
	A-78	260	
	A-80	130	
	A-82	260	
	A-89	130	
	A-92	260	
	A-104	260	
	V-BELT 310775	130	
	V-BELT 13 X925	130	
	V-BELT B-36	260	
	B-64	130	
	B-67	130	
	B-72	260	
	B-74	260	
	B-76	130	
	B-81	130	
	B-82	260	
	B-84	130	
	B-85	130	
	B-86	130	
	B-87	130	
	B-89	130	
	B-91	130	
	B-92	130	
	B-94	130	
	B-95	130	
	B-97	130	
	B-100	130	
	B-102	130	
	B-104	130	
	B-105	130	
	B-110	130	
	B-113	130	
	B-123	260	
	B-128	130	



CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	B-144	130	
	B-146	130	
	V-BELT C-105	260	
	C-108	130	
	C-109	130	
	C-112	130	
	C-115	130	
	V-BELT SV-1060	130	
	SV-1250	130	
	SV-1400	130	
	BEARING UCP-310	600	
	UCP-306	600	
	UCP-308	600	
	UCP-206	600	
	UCP-310	600	
	UCP-207	260	
	UCP-311	260	
	UCP-209	260	
	UCP-206CE	260	
	UCP-210	260	
	UCP-205	260	
	UCP- 212	260	
	CUCP-206CE	260	
	CUCP-206CF	260	
	B-4	600	
	UC-201	260	
	-BEARING 6202 ZZ FOR MOTOR 0.2KW	520	
	-BEARING 6203 ZZ FOR MOTOR 0.4KW	520	
	-BEARING 6205 ZZ FOR MOTOR 2.21.5 KW	520	
	-BEARING 6306 ZZ FOR MOTOR 307 KW	520	
	-BEARING 6206ZZ FOR MOTOR	520	
	-BEARING 6308 ZZ FOR MOTOR 5.5 KW	520	
	-BEARING 6308 FOR MOTOR	532	
	-BEARING 6208 FOR MOTOR	520	
	-BEARING 6309 FOR MOTOR 15 KW	520	
	-BEARING 6311 FOR MOTOR 22 KW	520	
	-BEARING 6312 FOR MOTOR 30 KW	520	
	-BEARING6314 Z FOR MOTOR 37 KW	520	
	BEARING6314ZZ FOR Motor	520	
	BEARING6201	520	
	BEARING6310 Z	520	
	-BEARING6307 ZZ FOR MOTOR -11KW	520	
	BEARING6305	520	
	BEARING 6205	520	
	BEARING 6204	520	
	BEARING 6206 Z	520	
	BEARING 6202	520	
	3 Way Solenoid Valve NT-06A-100	78	pcs
	Pressure Gauge 5Kg/CM2	276	pcs
	Pressure Gauge 20G/CM2	26	pcs
	Level Meter for oil S-150.0.5-5.5x1000 L	52	pcs
	Spare Pump P-11, 2.2KW, 380V	52	pcs
	Spare Pump P-13, 1.5KW, 380V	52	pcs
	Spare Pump WO-P-1, 2.2KW, 380V	52	pcs
	Spare motor 7.5KW, 380V	52	pcs
	Spare motor 11KW, 380V	52	pcs
	Spare motor 18.5KW, 380V	52	pcs
	Spare motor 2.2KW, 380V	52	pcs
	Bearing for Motor 11KW	52	pcs
	Bearing for Motor 18.5KW	78	pcs
	Libr Solution	20000	kg
	Chemical Wash Solution for Chiller P-260	17200	Kg
	Brush steel 13,17 Nylon 16,20	78	pcs
	Packing Cover Seal	78	pcs
	Gasket For Vaccum Pump PR-180BGH	78	pcs
	Packing "Five ION TM"	274	pcs

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Sheet Packing Asbested 3MMx1,270MMx1,270MM	104	pcs
	Sheet Packing Asbested 0.5MMx1,270MMx1,270MM	104	pcs
	Grand Packing Asbested Yarn 3/8	78	pcs
	Grand Packing Asbested Yarn 1/2	78	pcs
	Grand Packing Asbested Yarn 3 MM	812	pcs
	Valve Compound coarse 650ml/Tube	274	Tube
	Valve Compound middle 650ml/Tube	274	Tube
	Valve Compound fine 650ml/Tube	274	Tube
	Graphite Paste 500g/Can	538	can
	Anticorrosive Material Spray CRC-5-56	274	can
	Adhesive Aron Alfa AA-20G/PCS	52	pcs
	Record Sheet (Roll) 83102454-001- 89mmx60	1060	pcs
	Data File tape 83102466-001	104	pcs
	Ram Test Tape 83138811-021	104	pcs
	Thermometer 0-150 C	274	pcs
	Thermometer 0-100 C	1334	pcs
	Filter for Air Trap G-7C	52	pcs
	Controler L404F 1342	52	pcs
	Auxiliary Relay MK3P	52	pcs
	Magent Switch S-A11	52	pcs
	Controller VL-550-3T	52	pcs
	Stand by Battery for C.P.U 14501855-001 12V-5.0 A	78	pcs
	Stand by Battery for D.G.P 14502471-001 12V-2.0A	78	pcs
	Vaccum Pump for Chiller RP-180BGH	78	pcs
	Wire Brush for Boiler Smoke pipe (Large)	176	pcs
	Wire Brush for boiler Stay pipe (Small)	176	pcs
	Battery for conductivity meter.	326	pcs
	Battry for PH Meter	326	pcs
	Thermostat RW-1252P-022	60	pcs
	Thermostat RW-1502P-018	124	pcs
	Pedal shaft RW-1502-044	124	pcs
	Refrigerant R-12 20kg	200	Cyl
	Refrigerant R-22 20mq	200	cyl
	Mech. Seal for Fuel oil pump GL-13-5A	104	pcs
	Spare motor 0.2 kw	130	
	Spare motor 0.5 kw	130	
	Spare motor 5.5 kw	130	
	Spare motor 15 Kw	130	
<b>02-04-00123</b>	<b>ELECTRICAL WORK</b>		
	Air Circuit breaker AH-30C	52	pcs
	Air Circuit breaker AH-16B	52	pcs
	Flourescent Lamp FL-10W	1236	pcs
	Remote Control switch Matsushita WR8503 3 Canq AC24V 1.5A	124	pcs
	Remote control Switch Matsushita WR8503 1 Gang	124	pcs
	Contact for Magnetic Switch M4-18	104	pcs
	Contact for Magnetic Switch M4-25	104	pcs
	Contact for Magnetic Switch M4-35	104	pcs
	Contact for Magnetic Switch C4-25	104	pcs
	Contact for Magnetic Switch C4-35	104	pcs
	Contact for Magnetic Switch C3-65	104	pcs
	Contact for Magnetic Switch M3-65	104	pcs
	Contact for magnetic Switch M3-80	104	pcs
	Current Transformer B-5B 1150V 5VA 100AT	52	pcs
	Current Transformer B-5B 1150V 5VA 120AT	52	pcs
	Current Transformer B-5B 1150V 5VA 150AT	52	pcs
	Ribbon OHM QRZG-IB 200W	52	pcs
	Time Delate relay ERY-2130SB	52	pcs
	Command Switch S-302	20	pcs
	Fuse GTX5A	1334	pcs
	Motor control Cercuit Breaker P225B 3 Pole	52	pcs
	Clear Hardglass GLOBS 350	78	pcs
	Clear Hardglass GLOBS 500	78	pcs
	Battery for Ex.Light (National) FK19401, for 10W	78	pcs
	Photo Cell Switch Water Proof type 3A	78	pcs
	Thermo meter for generator exhaust air	30	pcs
	SNAP ring remover for genertor.	26	can

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Pipe Plug 3/8 Straight for generator.	20	can
	Pipe plug 3/8L type for generator	20	can
	Insulation vinyl Tape 19MMx20Mx0.2T	1334	can
	Prom Card 14502154-014	26	pcs
	TTY 1/F Card 14501810-002	26	pcs
	CPU Card 14501692-001	26	pcs
	1/0 1/F Card 14501690-002	26	pcs
	Cassete 1/F Card 14502590-001	26	pcs
	RAM Card (8KW) 14502816-001	26	pcs
	RAM Card (4KW) 14502816-002	26	pcs
	Power Supply Card (RAM) 14503166-001	26	pcs
	Power Supply Card (RAM) 14503164-001	26	pcs
	Annunciator 14501676-002	26	pcs
	Annunciator 14501678-001	26	pcs
	Annunciator 14501680-004	26	pcs
	Annunciator 14501710-004	26	pcs
	Graphic Panel 14503348-001	26	pcs
	Graphic Panel 14501710-004	26	pcs
	Printer 14501660-001	26	pcs
	Printer 14501656-002	26	pcs
	Printer 14501658-001	26	pcs
	Printer 14501662-001	26	pcs
	Operation Panel 14501676-001	26	pcs
	Operation Printer 14501884-001	26	pcs
	Operation Printer 14501674-003	26	pcs
	Operation Printer 14501710-004	26	pcs
	Operation Printer 14501670-002	26	pcs
	Operation Printer 14501666-004	26	pcs
	TPS Card 14501892	26	pcs
	Exchanger XC-019A	20	pcs
	Thermostat Switch 220V 16A 30-50DEG With Temp. Sencer.	124	pcs
<b>02-04-00124</b>	<b>SANITARY WORK</b>		
	Motor For burner DG-20-380V	26	pcs
	Thermal Relay BHK9-04	26	pcs
	Air pressure switch Burner C-4052A	26	pcs
	Transformer Burner 7KV	26	pcs
	Pilot Gas Magnetic Valve	26	pcs
	Safety Break Valve	26	pcs
	Main Magnetic Valve	26	pcs
	Protect Relay	52	pcs
	Bacterial Filter Wool	78	pcs
	Jet Fire Hose With Nozzle 40A DA type 1-1/2"x15M for Hose UES-80 for Nozzle	124	set
	Oil Gauge For Blower VRS-80	78	pcs
	Control Unit Assemble	52	pcs
	Injector Nozzle CDV-PVC	78	pcs
	HRD 075D for Control Panel Pump Hose 34/50-A	28	pcs
	BSN 522 F11 for Control Panel	28	pcs
	TDY.30 F11 for control Panel 30 SEC (50HZ 230V)	28	pcs
	TDL.30 F11 for Control Panel 30 SEC (50HZ 230V)	28	pcs
	LTD 30 F11 for Control Panel 30 MIN 200V	28	pcs
	MUD 5.240 for control Panel	28	pcs
	MUD 5.231 for Control Panel	28	pcs
	Timer TU-6H AC200V 50 HZ	28	pcs
	Thermometer -40C -+ 40C	26	pcs
	Blade K-7	538	pcs
	Blade K-18	78	pcs
	Flash Valve TV150NS	274	pcs
	Round Rubber Pucking SP-5	130	pcs
	Molybdenum Paste G-Waste 100G	124	pcs
	Brass Plate 0.01MM	26	pcs
	Brass Plate 0.02MM	26	pcs
	Brass Plate 0.05MM	26	pcs
	Brass Plate 0.1MM	26	pcs
	Chemical for Extinguisher 10-LP	274	pcs
	Chemical for Extinguisher CO2 Cartridge	274	pcs

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Ball Tap 20MM	26	pcs
	Silicon Sealang KE-42WS-RTV	592	pcs
	Silicon Sealang KE-42-RTV	538	pcs
	Silicon Sealang KE-45S-RTV	1060	pcs
	Silicon Sealang KE-42	538	pcs
	Screw Glange 100A 10K (Biochemical Oxygen Demand)	78	pcs
	Componal W-Type WK-10	22	pcs
	A-Unit A-5	26	pcs
<b>02-04-00125</b>	<b>(PUMP)</b>		
	Pump SP-1 UBL-MV 3.7KW 50HZ 380V 4P	78	pcs
	Pump SP-2 UBL-MV 1.5KW 50HZ 380V 3.7A 2P	78	pcs
	Pump SP-3 UBL-MV 2.2KW 50HZ 380V 5.2A 4P	78	pcs
	Pump SP-4 UBL-MV 3.7KW 50HZ 380V 80A 2P	78	pcs
	Pump SP-5 UBL-MV 3.7KW 50HZ 380V 80A 2P	78	pcs
<b>02-04-00126</b>	<b>(SUBMERSIBLE PUMP)</b>		
	Sewage pump CPJ652Y 651J	78	pcs
	Effluent Pump CP652Y 651	52	pcs
	Deforming Pump AH 50Y 503	52	pcs
	Sludge Pump CUF652Y 653V	52	pcs
	Magnet Switch of Incinerator SRC3631-02 (4A)	78	LTR
	Magnet Switch of Incinerator FMCA-1 1A1B	26	LTR
	No Fuse Breaker 3 200V 2.5KW	26	PCS
	Temperature Fuse 250V 15A109C	538	PCS
	Flush Valve for Toilet TY-750S	52	PCS
	Flush Valve for Toilet TN-150N	52	PCS
	Flush Valve for Toilet T-60P	52	PCS
	Piston Valve For Flash Valve TH323 (TV-750S)	300	PCS
	Piston Valve For Flash Valve TH300 (TN-150N)	300	PCS
	Piston Valve For Flash Valve TH311 (T-60P)	300	PCS
	Packing TH322	304	PCS
	Packing TN322	304	PCS
	Faucet T113 AM13	304	
<b>02-04-00127</b>	<b>PIPING MATERIALS</b>		
	TEE for Galvanized Steel Pipe 15MM	260	pcs
	TEE for Galvanized Steel Pipe 20MM	260	pcs
	TEE for Galvanized Steel Pipe 25MM	260	pcs
	TEE for Galvanized Steel Pipe 32MM	260	pcs
	TEE for Galvanized Steel Pipe 40MM	260	pcs
	TEE for Galvanized Steel Pipe 50MM	260	pcs
	Elbow For Calvanized Steel Pipe 15MM	260	pcs
	Elbow For Calvanized Steel Pipe 20MM	260	pcs
	Elbow For Calvanized Steel Pipe 25MM	260	pcs
	Elbow For Calvanized Steel Pipe 32MM	260	pcs
	Elbow For Calvanized Steel Pipe 40MM	260	pcs
	Elbow For Calvanized Steel Pipe 50MM	260	pcs
	Shor nipple 15mm	260	pcs
	Shor Nipple 12MM	260	pcs
	Shor Nipple 25MM	260	pcs
	Shor Nipple 32MM	260	pcs
	Shor Nipple 40MM	260	pcs
	Shor Nipple 50MM	260	pcs
	Union coupling for Pipe 15MM	260	pcs
	Union coupling for Pipe 20MM	260	pcs
	Union coupling for Pipe 25MM	260	pcs
	Union coupling for Pipe 35MM	260	pcs
	Union coupling for Pipe 40MM	260	pcs
	Union coupling for Pipe 50MM	260	pcs
	Reducer for Pipe 20-32	272	pcs
	Reducer for Pipe 25-32	272	pcs
	Reducer for Pipe 32-40	272	pcs
	Reducer for Pipe 40-50	272	pcs
	Gate Valve 20 5K	52	pcs
	Gate Valve 25 5K	52	pcs
	Gate Valve 32 5K	52	pcs
	Stop Valve 20 10K	52	pcs
	Stop Valve 25 10K	52	pcs

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Stop Valve 32 10k	52	pcs
	Faucet T-32 AR13 PT 1/2	72	pcs
	Faucet Coupling TH219 T26-20	72	pcs
	Faucet Packing TH222	2,658	pcs
	Faucet Packing TH223	1334	pcs
	Sheet Packing Neoprene 1MM X 1000	104	pcs
	Sheet Packing Neoprene 2MM X 900	104	pcs
	Sheet Packing Neoprene 3MM X 900	104	pcs
	Sheet Packing Asbested 1MM X 900	104	pcs
	Sheet Packing Asbested 2MM X 900	104	pcs
	Sealer Helmetic 500G/CAN	124	can
	Vinyle Tape with Adhesive W-50MM	52	pcs
	Jute Tape 100W x 15M	260	pcs
	GATE Valve ½ "	104	
	GATE Valve 1½ "	104	
	Bolt annut (15 mm x 10 mm)	104	
<b>02-04-00128</b>	<b>(Flexibel tube)</b>		
	Flange Type 20A	260	pcs
	Flange Type 25A	260	pcs
	Flange Type 32A	260	pcs
	Flange Type 40A	260	pcs
	Flange Type 50A	260	pcs
	Flange Type 65A	260	pcs
	Flange Type 80A	260	pcs
	Flange Type 100A	260	pcs
	Flange Type 120A	260	pcs
	Screw Type 20A	260	pcs
	Screw Type 40A	26	pcs
	Screw Type 50A	26	pcs
<b>02-04-00129</b>	<b>OTHERS</b>		
	Temperature Fuse 90 C	274	pcs
	High Pressure Cleaner 12 Liter/Min (Mini Jeter 750) 0.75KW 200V	26	pcs
	Stopper For Floor	52	pcs
	Fuse 120C	538	pcs
	Fuse Holder 30 x 150	78	pcs
	Ceiling board White RP	2538	pcs
	Ceiling Board Blue SP-2	2274	pcs
	02 Concentration Meter Portable Type	26	pcs
	Limit Switch Ass'y For Shutter LG2	26	pcs
<b>02-04-00130</b>	<b>MECHANICAL AND SANITARY WORK</b>		
	BLDG SP NO.2 (DOCTOR'S RESIDENCE FOR EIGHT		
	Pump LP-3	78	Pcs
	Thermostat 200V 16A 30-80C	36	pcs
	Circulating Pump 380V LOV-MV HP-5	52	pcs
	Pressure Gauge 0-6KG/CM	48	pcs
	Earth leakage Breaker 3P60AF40AT 30MA	26	pcs
	Pilot Lamp (White) 200V 0.55W Neon	80	pcs
	Pilot Lamp (Green) 200V 0.55W Neon	80	pcs
	Grass Fuse 200V 3A	144	pcs
	Magnetic contactor 3P 380V 26A, Coil V.200V	26	pcs
	Air conditioner WH45LBV3A	80	pcs
	Nozle Assembly RW-1502P-024	80	pcs
	Water Valve RW-1502P-027	260	pcs
	Flow control Equipment RW-1502P-018	260	pcs
	Thermostat RW-1252-022	260	pcs
	Fan Motor RW-1502P-901	260	pcs
	Glass Filler RW-2000PTC-903	260	pcs
	Condenser Fan RW-1251P-019	260	pcs
	Compressor RD-2008E-901	260	pcs
	Liner Ring For LP-3	26	pcs
	Gland Packing for LP-3	52	pcs
	Bearing for LP-3	52	pcs
	Rubber for coupling for LP-3	78	pcs
	Mecanical Seal for HP-5	26	pcs
	Pressure Gauge 0-6LG/CM2	26	pcs
	Flexible Pipe Unit 50MM x 600MM	26	pcs

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	For Flange 50MM x 300MM	26	pcs
<b>02-04-00131</b>	<b>ELECTRICAL WORK</b>		
	Volt Meter (DAIICHI KEIKI) 0-600A	26	pcs
	AM-Meter (DAIICHI KEIKI) 0-600A	26	pcs
	Potential transformer (Minato work) 440V/Route3	26	pcs
	Current Transformer (Minato Work) 600/5A	26	pcs
	Plug Fuse 10A	160	pcs
	Plug Fuse 5A	288	pcs
	No Fuse Breaker 3P100A	26	pcs
	No Fuse Breaker 2P 30A	26	pcs
	No Fuse Breaker 1P 20A	144	pcs
	No Fuse Breaker 1P 15A	144	pcs
	No Fuse Breaker 4P 50A	26	pcs
	No Fuse Breaker 4P 20A	26	pcs
	No Fuse Breaker 4P100A	26	pcs
	No Fuse Breaker 3P 50A	26	pcs
	No Fuse Breaker 3P 20A	26	pcs
	AM-Meter 0-5A	26	pcs
	Pilot Lamp LP-102	344	pcs
	Ballast FL40 x 2 230V	264	pcs
	Ballast FL40 x 1 230V	264	pcs
	Socket For FL Lamp L-122	208	pcs
	Glabe F5	264	pcs
	Glabe F7	264	pcs
	Glabe F8	264	pcs
	Glabe F9	264	pcs
	Fuse 30A	1408	Pcs
<b>02-04-00132</b>	<b>spare parts reparting materials for bulding 13GH building</b>		
	floor vinyl tile TW140	2260	box
	floor vinyl tile TW142	2260	box
	floor vinyl tile TW111	2260	box
	Floor Vinyl Tile TW132	2260	Box
	Floor Vinyl Tile TW131	226000	sht
	Floor Vinyl Tile ANTI-Radiation XVT	2520	sht
	Floor Ceramic TILE 121-A	22600	sht
	Adhesive For PVL Base	226	Lot
	Wall Ceramic TILE N-101	252	M2
	Wall Ceramic TILE NDH-32	252	M2
	Celing Acoustic Tile 600 x 1,200 TRT	25200	Sht
	Celing Acoustic TILE 600 x 600 TRT	30400	Sht
	Rock Wool Board GEP 600 x 600 RB	22600	Sht
	Clinder Lock W/Nobe	260	pcs
	Door Closer For Wooden Door	100	pair
	Sadh Lock for ALM Window 8GH	260	pair
	Sadh Lock for ALM Window 5GH	260	pair
	Hinge for W/C	260	pcs
	Latch for W/C	260	pcs
	Hinge	520	pcs
	ARM STOPPER	520	pcs
	Gaschete	100	pcs
	Hingge	520	pcs
	Vinyle clad gypsum panal with panal clip for wall (12x2500x600)	800	pcs
	Magnets lacth	520	pcs
	Floor Viny tile TW 141	1000	box
	Floor viny tile TW 150	1000	box
	Floor viny tile TW 120	1000	box
	Floor viny tile Tw 133	1000	box
<b>02-04-00133</b>	<b>spare Parts For Sliding Door. Toilet. Handicapped</b>		
	Rail With Accessaory	288	set
	Door Hanger	208	set
	Guide Roller	208	pcs
	Door Handle	208	set
	Door Lock	208	set
<b>02-04-00134</b>	<b>(REAGENT)</b>		
	PH test paper (10-12)	15600	pcs

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	PH test paper (1-11)	520	m
	PH test paper (5-8)	10400	pcs
<b>02-04-00135</b>	<b>P- Alkalinity</b>		
	Indicator	5200	mi
	No.1 Reagent	5200	mi
<b>02-04-00136</b>	<b>M- Alkalinity</b>		
	Indicator	5200	ml
	No. 1 Reagent	18200	ml
<b>02-04-00137</b>	<b>Chloride ion indicator</b>		
	No.A Reagent	5200	ml
	No.B Reagent	7800	ml
<b>02-04-00138</b>	<b>Total harsness</b>		
	Indicator	10400	ml
	No.1 Reagent	800000	ml
	No.3 Reagent	10400	ml
	Sulfate test paper	5200	pcs
	Residual chlorine indicator	2600	ml
<b>02-04-00139</b>	<b>Phosphat Ion</b>		
	No.1 Reagent	5200	ml
	No.2 Reagent	5200	ml
	No.3 Reagent	5200	ml
<b>02-04-00140</b>	<b>Silicate 10 n</b>		
	No.2 reagent	52000	ml
	No.5 reagent	52000	ml
	No.6 reagent	52000	ml
<b>02-04-00141</b>	<b>Chlorid c-10n</b>		
	No. indicator	1560	ml
	No. 1 Tablet	7400	ml
	No.2 Tablet	81400	ml
<b>02-04-00142</b>	<b>Filter paper</b>		
	Sc- 9-CM	2600	pcs
	Sc- 11-CM	2600	pcs
<b>02-04-00143</b>	<b>HOSPITAL WATER TREATMENT SERVICE CHEMICAL</b>		
	<b>1-COOLING WATER SYSTEM</b>	100	ton
	1.1. corrosion & scale inhibitor concentrate		
	Multi- functional liquid all organic inhibitor with good dispersing & PH - free properties. Product must be non- – chromate. Zinc saltes are accepted. It must be biodegradable & compatible with the source & make-up water characteristics. Acarboxylated acrylic copolymer with medium MW of ~ 2000 with high dispersing power the proposed inhibitor must be field proven in well known referenced facilities with a track corrosion control rate of < 5 MPY Concentration of the active ingredient in product must be stated & dosage in make-up water should be < 15 PPM for NC>2. In- plant shelf life of product should be 2 years minimum.		
	1.2 biocide - liquid algaecide- bactericide	100	ton
	It must bebiodegradable & comptible with corrosion - scale control programme to be used in the system. Product must have strong dispersant ingerdient for effective slim penetration. Amixture of isothiazol ones with quaternary ammonium salts is preferred. Dosing rates of the product are to be defined. In- plant shelf life of product should be 2 years minimum .		
	1.3 halogen biocide concentrate	40	ton
	Chlorine - bromine formulation containing 55% total CL2 equivalent as minimum. it must be in tablet or granular from with abrminator & a testing kit		
	<b>2- BOILER WATER INTERNAL TREATMENT CHEMICALS</b>		
	2.1 hardness leakage conditioner	120	ton
	Product must be a combination of polymers in an alkaline media with good dispersing & antifirm ingredients. The polymers must be FDA approved for contact with foodstuffs. Product must be able to remove old deposits of CaH, MgH, silica & iron oxides effectively with time and increased dosing rates the conditioner must not have inherent hide -out phenomenal effects when used at high dosages types & concentrations of active ingredientes in the product must		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	2.2 catalysed sodium sulfite oxygen scavenger	100	ton
	Product is to be a catalyzed sodium sulfite oxygen scavenger non-toxic & FDA approved for contact with foodstuff s. in plant shelf life should be 2 years minimum		
	2.3 cyclohexa amin . conen sate corrosioin inhibitor	30	ton
	<b>3. STRONG CATION RESIN (SODIUM CYCLE)</b>	100	ton
	strong cation resin working on sodium cycle similar to PUROLITE C-100 or equivelent. Code sodium base (DIAION - SKIB)		
	<b>4. AFTER SALES SERVICES</b>		
	the following technical service should be renderd free of charge & are an intearal part of the scope of supply of the foregoiag		
	4.1 routine techical assistance		
	this is to be extended for periodos of one week on quarterly round tour basis during the envisaged 2 years chemical application		
	4.2 technical documentation		
	complet sets of technical data sheets & service manuals for the use & analysis of the delivered products		
	4.3 testing aparata		
	All necessaty testing equipment for all the specified analysis during the planned duration of the employ of the supplied product s including but not limited to corrosion coupons PAIR monitors, phototesters etc		
	4.4 testing reagents		
	all necessary chemicaes & prepared reagent required for product analytical evalution are to be supplied on Bi-annual basis for the whole planned period of the agreed programme commissioning		
	4.5 training		
	training of refinery techical personal who are directly in charge of the product application & programme monitoring for ten days at vendores production facilities		
<b>02-04-00144</b>	<b>REAGENT</b>		
	SADDAM MEDICAL CITY		
	1. iodine (I2) powder	10	kg
	2. potasium iodide (KI) powder	10	kg
	3. acetic acid ( CH3COOH)solution	20	litter
	4. strach - powder	10	kg
	5. potasium hydroxide- powder	10	kg
	6. ammonium molybdate MONH4	10	kg
	7.hydroqivion - powder	10	kg
	8. sulphoric acid H2SO4- solution	20	litter
	9. potasium carbonate powder- K2CO3	10	kg
	10. methyl orange- solution	20	litter
	11.methanol alcohol	20	litter
	12. ethanol alcohol	20	litter
	13. phenole phtaline	10	kg
	14 . sodiumthiosulfite	10	kg
	15. ethylene diaminetetra actic acid	10	kg
	16. super black powde	10	kg
<b>02-04-00145</b>	<b>REAGENT</b>		
	Site:saddam Medical city		
	PH test paper (10-12)	15600	pcs
	PH test paper (1-11)	520	m
	PH test paper (5-8)	10400	pcs
<b>02-04-00146</b>	<b>P- Alkalinity</b>		
	Indicator	5200	ml
	No.1 Reagent	5200	ml
<b>02-04-00147</b>	<b>M- Alkalinity</b>		
	Indicator	5200	ml
	No. 1 Reagent	18200	ml
<b>02-04-00148</b>	<b>Chloride ion indicator</b>		
	No.A Reagent	5200	ml
	No.B Reagent	7800	ml
<b>02-04-00149</b>	<b>TOTAL HARSNESS</b>		
	Indicator	10400	ml
	No.1 Reagent	800000	ml
	No.3 Reagent	10400	ml



CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Sulfate test paper	5200	pcs
	Residual chlorine indicator	2600	ml
<b>02-04-00150</b>	<b>Phosphat Ion</b>		
	No.1 Reagent	5200	ml
	No.2 Reagent	5200	ml
	No.3 Reagent	5200	ml
<b>02-04-00151</b>	<b>Silicate 10 n</b>		
	No.2 reagent	52000	ml
	No.5 reagent	52000	ml
	No.6 reagent	52000	ml
<b>02-04-00152</b>	<b>Chlorid c-10n</b>		
	No. indicator	1560	ml
	No. 1 Tablet	7400	ml
	No.2 Tablet	81400	ml
<b>02-04-00153</b>	<b>Filter paper</b>		
	Sc- 9-CM	2600	pcs
	Sc- 11-CM	2600	pcs
	<b>Equipment :- medical gas</b>		
<b>02-04-00154</b>	<b>Oxvaen</b>		
	Pigtail connecting tube and packing	200	
	1 st stage pressure reducing valve diaphragm and seat.	52	set
	Second stage pressure reducing valve diaphragm and seat.	52	set
	Filter	2600	
	Change over device pressure gauge	78	
	Elastic cord for overhead Outlet.	520	
	Warning panel indicator bulb	130	
	Warning panel indicator buzzer	78	
	Pressure control	52	
	Central oxygen distribution board	26	
<b>02-04-00155</b>	<b>Nitrous Oxide</b>		
	Pigtail connecting tube	130	
	1 st stage pressure reducing valve diaphragm and seat.	78	
	Second stage pressure reducing valve diaphragm and seat.	78	
	Strainer	78	
	Central Nitrus distributia board	26	
<b>02-04-00156</b>	<b>Airline</b>		
	Repairing Kit for compressor airline	78	
	Relay for compressor	26	
	Solenoid valve	26	
	Filter element	104	
	Pacterial filter element	104	
	V- belt B-82	52	
	Pitot Lamp Buld for control panel	104	
	Complete compressa with sparepont	4	
<b>02-04-00157</b>	<b>Vaccum Line</b>		
	solenoid valve for water	52	
	Vaccum pump and motor complete	52	
	Water ring pump	26	
	Repairing Kit for Vaccum (Pump+Motor)	78	
	Control Panel.	26	
	Pilot Lamp bulb for control Panel	104	
<b>02-04-00158</b>	<b>Equipment :- battery</b>		
	KOH solution	3000	
	Catalyst plug (75 dia, L111)	260	
	Battery dry charged cell 600AH Nickle cadmuim QFW 600E Floating Voltage 1.35v/Cell	260	
	Thyristor 10P55G (5-10)	78	
	Battery 200 AH	130	
	Electrolyte polycon	26	
	Change over switch DM20 AC. 600v	78	
	Battery (AMH-50E)	520	
	Catalyst plug (RIA Type)	1040	
	Gate control device (5-8) (GRTA-31,15A)	52	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Battery (QKC-80)	260	
	Fuse CR-2K 250 75A	78	
	Fuse AB-2N – 30A	78	
	Fuse P-413.1.3A	78	
	Thyristor 50 P4 5G	78	
	Silicon dropper 10M40	78	
	Relay MY2	26	
	Timer Relay H3Y-4	26	
	Silicon diode Qc-113 HI (5-11)	26	
	Lamp 18V - 0.11A	1400	
	Printed board AED-6A 5-7	26	
	Printed board D2-100 5-9		
	Lioh Solution	13 650 liter	liter
<b>02-04-00159</b>	<b>Equipment :- transformer</b>		
	Gasket set	26	
	Bnchholz relay(2.8-34L/sec)	26	
	Dehyd rating breather SilicaGel (1.0 L)	104	
	Control board No. Load tap changer	78	
	Tripping coil (E2-4)	26	
	MHT Tripping Coil	26	
	Charging motor	26	
	Coil for latch release	26	
	High voltage bassing assembly 125kv, 300A	78	
	Oil level gauge 250mm	52	
	Bursting plate phenol resin	52	
	Humidity absorber BS71 1970	52	
<b>02-04-00160</b>	<b>Equipment :- Lifts</b>		
	Link Fuse breaker 5A	780	
	Link Fuse breaker 10A	780	
	Carbon brash for door motor	260	
	Door motor with gear	104	
	Oil seal for traction machine	104	
	oil seal for lipe No.7 (22-101)	104	
	Floresent lamp.	2600	
	Door control card SD-A6	78	
	Door lock switch H1224710 + H1224720	520	
	Micro switch	78	
	Circular lamp.	2600	
	Lamp 26V, 1.8 w (22-45)	2600	
	Guide shows metal for car.	78	
	Silicon rectifier	78	
	Trainle finger	1300	
	Transformer	104	
	Carbon H1778447, H1778405 (22-50) (22-51)	2600	
	Relay Ms-110W, MS-048W	260	
	Timer Gs-W. Ts.W	140	
	Resistor	104	
	Photocell	104	
	Lamp 28V, SW	2600	
	Button for call	2600	
	Door Couid shoe (22-2)	260	
	SB switch for call button H1805202	260	
	Contactors (22-60)	52	
	BM switch for floor button (22-72)	780	
	Button	520	
	Button (Arrow) (22-75)	520	
	Floor relay(22-77)	78	
	Thyristor	78	
	Set of ball bearing and repairkit for motor for each type Lift.	52	
	Signal lamp 18V, 2W	260	
	Chain for pully weight steel (left, 4.5)	104	
	Rubber cushion	52	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Safety shoe	104	
	Acrlv cover day light	260	
	Spring rod	78	
	Steel 1 tap for govenor for litt (tap selector)	1000	
	Switch board for control type F form DB and floor control for lift No.2	260	
	Positioner switch	52	
	Oil all types needed	140	
	P.C.B H 1725611	78	
	P.C.B H 1725611, H172511	52	
	TimerCR H 1751070	78	
	Figer H 177807, H1708109, H1708107	260	
	moving finger for contactorMAN-50ALIKE ABWE , 20A,40A	780	
	free fuse breaker m.a.b.5a	52	
	free fuse breaker FOR H1402980	52	
	Emerqenv light	260	
	Fan motor V = 100 type FH-23	130	
	200W 3MF MP code		
	Bmswitch for open button H 1808957	78	
	Bmswitch for close button H 1808958	52	
	Brak lining H1002001		
	Oil seal H1602603	104	
	Contactora DF-MB	104	
	Floor Relay H3510021	130	
	Timer H3510031	130	
	Glow lamp H1404502	260	
	Glow lamp H1404503	260	
	Traction sheave 3708704	78	
	Ball bearing H1600103	130	
	Disc brake for motor control	130	
<b>02-04-00161</b>	<b>Equipment :- Kitchen Walk in Freezing unit and cooling unit (K-1) (K-4)</b>		
	Compressor	104	
	Motor fancomplete for evaporator	104	
	Motor fancomplete for condenser	104	
	Thermestat	104	
	Timer	104	
	Solenoid valve	104	
	Magnetic switch	104	
	Power relay	104	
	Transformer	104	
	Drain pan heater	52	
	Drain hose set.	52	
<b>02-04-00162</b>	<b>IC cube machine (K-68)</b>		
	Defrost thermostat	52	
	Compressor	52	
	Motor pump	26	
	Fan and motor	26	
	Filter drier	26	
<b>02-04-00163</b>	<b>Reach in refrigerator</b>		
	Compressar	52	
	Door packing	52	
	Thermestat	52	
<b>02-04-00164</b>	<b>Hot cup board (K-69)</b>		
	Solenoid valve for water	52	
	Lamp	52	
	Snap	52	
<b>02-04-00165</b>	<b>Electric heater</b>		
	Heater element	104	
	Infinite swich	104	
<b>02-04-00166</b>	<b>Food wamer</b>		
	Thermostat (6-K-53)	104	
	Thermostat (6-K-54)	130	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Heater (K-53), (K-54)	130	
<b>02-04-00167</b>	<b>Meat Saw</b>		
	Motor	52	
	Change blade	104	
	Bearing	104	
<b>02-04-00168</b>	<b>Potato Peeling machine</b>		
	V-belt (A-18)	52	
	Grand stone	52	
	Switch	52	
	Peeling drum	26	
<b>02-04-00169</b>	<b>Tilting braising pan (K-36)</b>		
	Power – Pile generator	52	
	Thermostat	52	
	Pilot gas unit	52	
<b>02-04-00170</b>	<b>Dish washer (K-64)</b>		
	start switch	52	
	Stop switch	52	
	Bearing and mechanical seal	26	set
	Thermostat	52	
	Complete motor pump set.	26	set
	Pilot lamp	130	
<b>02-04-00171</b>	<b>Fryer (K-26)</b>		
	Thermostat	130	
	Powerpile controller	130	
	Power pile Generator	130	
<b>02-04-00172</b>	<b>Foodwarmer</b>		
	Heater	130	
	Thermostat	130	
<b>02-04-00173</b>	<b>Tea urn (K-35)</b>		
	Faucet	52	
	Gauge glass	52	
	Gauge packing	104	
<b>02-04-00174</b>	<b>Convection oven (K-46)</b>		
	Fuse	140	
	Discharge switch	52	
	Power pile generator	78	
	Door switch	52	
	Lamp.	104	
	Thermocouple	104	
	Solenoidvalve for gas	104	
<b>02-04-00175</b>	<b>Mixer (K-22)</b>		
	Complete Motor	26	
<b>02-04-00176</b>	<b>Equipment :- Laundry Washing MC</b>		
	400 Bedded General Hospital		
	V-Belt B-64	182	
	V-Belt B-67	182	
	V-Belt A-65	182	
	Thermometer OoC 120oC	52	
	Motor complet	52	
	Micro switch	26	
	Magnetic switch	52	
	Laundry timer	52	
	Rever sing timer	52	
	Water level quage	26	
	Thermal relay	26	
	Limit switch	26	
	Motor couples	52	
	Drain valve O 100 and O 120	52	
	Transformar 380/220	104	
	Fuse 3A	140	
	Disc break set (upper and lower)	52	
	Hand Level unit	26	
<b>02-04-00177</b>	<b>Drying tumbler</b>		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	V-Belt B-60	130	
	V-Belt B-105	130	
	Motor 1.5 KW 380V	52	
	Motor 0.75KW 390V	52	
	V-Belt A-49	58	
	Magnetic switch 3631	52	
	Magnetic switch 3931	52	
	Reversing timer	52	
	Drying timer	52	
	Bearing for motor	52	
	Radiator unit (complete coil)	52	
<b>02-04-00178</b>	<b>Flatwork ironer</b>		
	V-Belt A-64	104	
	V-Belt A-32	104	
	Flange bearing	52	set
	Timing belt.	52	
	Motor	26	
	Flat belt for roller	52	
	Padding	52	
	Steam hose	52	
	Guide tape.	52	
	Fuse	130	
<b>02-04-00179</b>	<b>Equipment :- Loundrv extractor</b>		
	V-Belt.	104	
	Bearing	52	set
	Disc brake pad	52	
	Complete motor	26	
<b>02-04-00180</b>	<b>Uniform press</b>		
	Topcover:- Tcover Mushroom 52-5-2	26	
	Topcover:- Tcover rectarqular 52-5-3	26	
	Steam hose	140	
	Fuse 3A	140	
	Timer	78	
<b>02-04-00181</b>	<b>Equipment:- Boiler 400 Bedded General</b>		
	Electrical conductivity meter	78	
	PH meter	1626	
	Packing for gauge glass	130	
	Packing for burner	78	
	Nercury switch (Two Point type)	130	
	Mercury switch (Three Point type)	130	
	Spark Plug	78	
	Sight glass	130	
	Transformer 380-110V	78	
	Pressure limit switch	52	
	Flame eye (Photocell)	78	
	Bearing for draft fan	78	set
	Solenoid valve for L.P.G	52	
	Modulator motor	78	
	Motor for draft fan	52	
	Timer	78	
	Magnetic contactor	78	
	Bearing for burner motor	78	set
	Amplifier for protect relay	26	
	Burner motor complete	26	
	Lqniton transformer	52	
	Pressure controller	52	
	Change switch	78	
	Brush (Scraper)	104	
	Gasket (1501,Y-2) (8-27)	78	
	Punch for gasket sheet packing	26	set
	Asbestos belt.	78	
	Fuses	260	
	Sleeve packing for gauge lock	78	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Valve for level gauge	52	
	Strainer 3/4	26	
	Protect relay	104	
	Burner Grease	260	cans
	Packing for manhole	78	
	Packing for burner	78	
	Indication lamp.	260	
	Ignition rod.	78	
	Dosing pump	26	
	Air pressure switch	26	
	Water level switch control	52	
	Safety valve	144	
	Heat exchanger (First stage) complete	78	
	Supporting tube	520	
	Water level gauge glass with fixed base	104	
	Magnetic switch SRCa 3931-0	104	
	Magnetic switch 5Rca 3931-05	104	
	Magnetic switch 5R C6 3931-0	104	
	Fuse B1A010D-18 300v 10A	260	
	Fuse B1A010D-18 600v 10A	260	
	Circuit Breaker 20A	260	
	Circuit Breaker 60A	110	
	Circuit Breaker 225A	78	
	Contactors 80 A 3ph	260	
	Contactors 20A 3ph	260	
	Overload relay 20-35Amp	130	
<b>02-04-00182</b>	<b>Equipment:- Chiller 400 Bedded General Hospital</b>		
	Pressure regulator	78	
	Diaphragm valve	104	
	Temperature adjuster VR	52	
	Octyl Alcohol inhibitors	10000	liters
	Diaphragm for vacuum pump	78	
	Vane for vacuum pump.	52	
	Valve for vacuum pump	26	
	Vane spring for vacuum pump	26	
	Vane rod for vacuum pump.	26	
	Vacuum motor	78	
	Timer (0-30) min	78	
	IC printed board	26	
	Indication lamp.	260	
	Manometer hose	104	
	Solenoid valve	52	
	Sight glass (Sp-C-S)	52	
	O-Ring for tagiri valve	260	liters
	Chemical feeder pump	52	
	relay	52	
	Transformer TR1, TR2	52	
	Temperature sensor	150	
	Timer 100/200AC	52	
	Drain control valve	78	
	Magnetic switch	52	
	Control switch	52	
	Fuses	260	
	Gasket for generator	260	
	Gasket for evaporator and condenser	260	
	Float of steam trap	130	
	Diaphragm for pressure reducing valve steam	130	
	Victric Packing for steam line	52	
	Control motor AC/24V	26	
	V-Belt (A-32)	78	
	On-Off switch for operation panel	52	
	Safety valve SA-F	26	
	Twin Timer	78	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Packing for evaporater and generator	260	
	Inhibitor for chiller (LIBR)	2000	liters
	packing for evaporater and generator	260	
	Turin timer TDV-2A(a.c)- 200v	78	
	M-9-5-D control switch 265H3-INS-C1070Q	78	
	M-9-5-E control switch265H4-INS - C1120.MIQ	78	
	M-9-5-F control switch 26RL -CNS-C134Q	78	
	M-9-3-E relay k-6x6 -1522-0424 3A-3B 1Y	78	
	M-9-3-FrelayD-6x6 -1522-0424 3A-3B 86X	78	
	M-9-5-C control switch265H2-INS - C1070Q	78	
	Timer H2A AC-200 OMERON	78	
	Drain straine	78	
	Steam control valve	78	
	Solenoid valve ¾ inch 380v	130	
	Circuit Braker 225 A 3ph	130	
	Overload 1-3.7 Amp	130	
<b>02-04-00183</b>	<b>Equipment:- C.P.U System Control process unit.</b>		
	Key board for operator terminal	52	
	Display board for operator terminal	52	
	Programmed casset I/F 140259C-001	78	
	Casset for operatind system	78	
	Casset for data file	78	
	Battery 12V, 50AH	130	
	M-computer 14501691-002	26	
	Channel 7-14501 687-003	26	
	Channel 8-14501687-002	26	
	Cheannel 9-14501687-003	26	
	TPS-14501892-001	26	
	Channel 10-14501687-003	26	
	TPS-1401892-003	26	
	Recorder	26	
	Basc file tape	26	
	Fuses	52	
<b>02-04-00184</b>	<b>D.G.P Data Gathering panel</b>		
	Control I Board	52	
	Power supply board	52	
	Seven point start/Stop board	52	
	Temperature senser	52	
	Digital	26	
	Transmission line interface	26	
	Fuse	140	
	Noise filter	52	
	Chart and ribbon for printer	260	
	Battery DGP 12V, 2.5A	260	
<b>02-04-00185</b>	<b>Equipment:- Telephone System</b>		
	Wire spring relay WJ-100	104	
	Wire spring relay WJ-105	104	
	Wire spring relay WJ-203	104	
	Wire spring relay WJ-926	260	
	Wire spring relay WK-1	130	
	Wire spring relay WK-2	130	
	Wire spring relay WK-3	130	
	Wire spring relay WK-75	260	
	Wire spring relay WK-76	260	
	Wire spring relay WK-20	130	
	Wire spring relay WK-96	260	
	Wire spring relay WK-49	130	
	Wire spring relay WK-70	130	
	Wire spring relay WK-118	130	
	Wire spring relay XWK-66	260	
	Wire spring relay WG-103	260	
	Wire spring relay XWG-22	130	
	Wire spring relay WG-47	130	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Wire spring relay WG-147	130	
	No.38 fuse wire (2.0-A)	78	
	No.38 fuse wire (3-A)	78	
	No.38 fuse wire (0.5-A)	130	
	No.38 fuse wire (1.33-A)	130	
	Fuse AB2N 30A (1050)	78	
	Fuse CR2K 250V.75-A (1049)	78	
	Fuse M120 (2-A)	78	
	Fuse M105 (0.5-A)	4	
	Fuse M113 (1.33-A)	52	
	Fuse M130 (3-A)	52	
	Recifier SR-4	52	
	Varistor V2	52	
	Lamp 2-YAW	2600	
	Reed Relay RDF-1	78	
	Reed Relay RDF-42	78	
	Reed Relay RDF-44	78	
	Wire Spring relay WG-121	52	
	Wire Spring relay WA-7	52	
	Push-button for console A250B AC250H	78	
	Reciever and transmitter for telephone set	100	set
	Wall Jack	260	
	Dial	1300	
	Battery QKC80	260	
	Transmitter for Tel set	260	
	Telephane jet 601 A	130	
	Operater control unit	20	
<b>02-04-00186</b>	<b>Equipment:- sewage treatment plant</b>		
	400 BED GENERAL HOSPITAL		
	Repair Kit set complet for		
	SP-1	78	set
	SP-2	78	set
	SP-3	78	set
	Sp-4	78	set
	Sp-5	78	set
	Sp-7	78	set
	Sewage Pump	78	set
	Effluent pump	78	set
	Deforming pump	78	set
	Sludge pump	78	set
<b>02-04-00187</b>	<b>Complete motor and pump for</b>		
	Sewage pump	78	
	Effluent pump	78	
	Deforming pump	26	
	Sludge pump	26	
	SP-7	78	
	Blower bearing	52	set
	Cyclo drive motor and set repair kit for it	26	
	Aeration blower	26	
	Chlorine reducing valve	52	
	Rehev valve	26	
	Air valve	52	
	Flow cell	26	
	V - belt C-80 for Blower	118	
	Oil seal seffor blower	52	set
	Ammonia tiquar (500 CC)	130	
	3Diaphram	52	
	Gas chlorinator unit	26	
	chlor powder	1400	
	Cheek valve 100A	180	
	Cheek valve 80A	52	
	Cheek valve 65	180	
	Diffuser	1400	



CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Mercury senser for level controller	260	
	Earth leakage circuit breaker for centrol panel	52	
	Level controller tell	130	
	Rechet Relay	52	
	Keep relay	52	
	Auxiliary relay	52	
	Magnetic switch for control panel	52	
	Fuse	52	
	Timer Tu- 6H	130	
	Timer Ltd -30	130	
<b>02-04-00188</b>	<b>Equipment Softener</b>		
	Packing and O-Ring for rotary valve	78	
	Strainer	104	
	Rotary Valve	52	
	Gauge Pipe for flowmeter	26	
	Ion exchange resin	40000	liter
<b>02-04-00189</b>	<b>Equipment:- L.P.G</b>		
	Flexible tube	52	
	Pressure regulator	52	
	Heater	52	
	Inhibitor	52	
	Secondry and primary safety valve	52	
	Heat exchanger	52	
	Hot water reservoir compleate	52	
	Level switch	52	
	Main thermostat	52	
	Pressure gauge	52	
<b>02-04-00190</b>	<b>Equipment:- Oil tank</b>		
	Float switch alarm 50A high and Low	52	
	Floatless switch complete	52	
<b>02-04-00191</b>	<b>Equipment:- Heat exchanger ST1 and ST2 Storage Tank</b>		
	Copper coil steam for ST1	52	
	Copper coil steam for ST2	52	
	Pressure reduce valve for ST1	52	
	Pressure reduce valve for ST2	52	
<b>02-04-00192</b>	<b>Equipment:- Switch and Socket</b>		
	Switch Dimmer F15A	130	
	Switch Dimmer 1L 400W	130	
	Switch Dimmer 1L 800W	130	
	Switch 1 gang sparkless	260	
	Switch 2 gang sparkless	260	
	Socket 13A water proof	130	
	Socket 13A splash proof	130	
	Socket 15A	130	
	Socket 30A	130	
	Socket 30A sparkless splash proof	130	
	Plug 13A	260	
	Switch photocell water proof type	130	
<b>02-04-00193</b>	<b>Equipment:- Lighting Fixture</b>		
	Opal cover W-350	5200	
	Opal Cover W-450	1300	
	Prismatic cover W-350	5200	
	Prismatic cover 640 x 640	5200	
	Clear hard glass 350 O with fitting for type T-S (B)	260	
	Clear hard glass 500 O with fitting for type T-8	260	
	Opal glass globe IA ,1B	2600	
	Opal glass globe IE	2600	
	Opal glass globe IF	1300	
	Opal glass globe IJ	1300	
	Opal glass globe IY	1300	
	Opal glass globe IX	1300	
	Lamp soket B-22D	1300	
	Lamp soket L-22	1300	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Ballast FLR - 40Wx2	2600	
	Ballast FL - 20W	2600	
	Ballast HF - 400	1300	
	Ballast HF - 250	1300	
	Ballast HF - 80	1300	
	Halogen Lamp 500W	780	
	Halogen Lamp 100W	780	
	Mercury Lamp 400W	1300	
	Mercury Lamp 250W	1300	
	Mercury lamp 80W	1300	
	Germicidal Lamp - GL-15W (6-38)	260	
	Floursent Lamp FLR - 40W (Dimmer)	1040	
	Floursent Lamp FLR - 40W (23-1)	52000	
	Floursent Lamp FL - 20W (23-4)	26000	
	Floursent Lamp FL - 10W	260	
	Incandescent Lamp 10W (23-5)	1300	
	Incandescent Lamp IR-200W (23-6)	520	
	Incandescent Lamp IR-60W	1300	
	Incandescent Lamp 100W	2600	
<b>02-04-00194</b>	<b>Shadowless operationlight</b>		
	Dry battery 1200MAH	260	
	Printed board	52	
	Krypton bulb 24V, 40W	104	
	Light intensity regulating knob	104	
	Fuse 10A	130	
	Reflect or lamp B-22	260	
	Lighting Fixture surface mounted J41	1300	
	Relay E-21-12	260	
	Socket - E-21-13	260	
	Fuse Gtx SA- E-21-15	260	
<b>02-04-00195</b>	<b>Equipment:- AHU</b>		
	Belt for all AHU	13	2 sets
	Bearing set for each motor and fan	13	2 sets
	Motor complete	13	1 set
	Gasket for access door	27	13 set
	Solenoid valve	52	
	Temperature gauge (5-5A)	52	
	Manometer (5-6)	140	
	Pully for motor and fan	26	set
	Effcy filter NBS 35%		
	610 x 610 x 200D	4	set each
	Effcy filter NBS 35% 305x610x200d	4	set each
	Effcy filter NBS 80% 340x635x295D	4	set each
	Effcy filter NBS 80% 635x635x295D	4	set each
	Effcy filter NBS 95% 635x635x295D	4	set each
	Effcy filter NBS 95 340x635x295D	4	set each
	Any other consuable parts in AHU		
	HEPA Filter CELLS. DOP 99.97% 305x610x150		
	ASTRCCEL,HEPA,FILTER	4	set each
<b>02-04-00196</b>	<b>Equipment:- Fan coil unit</b>		
	Motor for each type	78	
	Two speed control switch for each type	52	
	Air filter	52	
<b>02-04-00197</b>	<b>Equipment:- Exhaust fan</b>		
	Recommended consumable spare part and complete exhaust		
	Complete exhaust Fan model Exhu 40-Fv-238kt	520	
<b>02-04-00198</b>	<b>Equipment:- Air washer unit</b>		
	Nozzles for each AWU	780	
	Gasket for each AWU	78	set
	Modulator motor for temp regulator	78	
	Temp senser for C/C and H/C	78	
	Radiator for C/C	26	
	Repairing kit for motor	78	set

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Check valve 10K – 65	200	
	V- Belt	130	
	And any other recomended consumable part		
<b>02-04-00199</b>	<b>Equipment:- Cooling tower</b>		
	Fan Bearing and motor bearing		
	Motor complete	78	
	Vibration Isolating (10-3)	140	
	Filling A and B poly vinyl chloride	52	set
	Float Valve	140	
	Pully L and S	140	set
	V- Belt B-83		
	Cooling water temperature control	26	
	Fan BEARING 62088ZZ	520	
	Fan BEARING 630zz	520	
	Fan BEARING 6211 RSS	520	
<b>02-04-00200</b>	<b>Equipment: Automatic control system</b>		
	Insertype thermostat	260	
	Insertype thermostate 2 position	206	
	Room humidistat (2 position)	26	
	Pneumatic room thermostat	26	
	Pneumatic insersion type temp controll	52	
	Pneumatic insersion type temp controll	104	
	3 Way control valve	52	
	Pnematic operator with positioner	26	
	3way control valve	52	
	Pneumatic operator with pasition	26	
	3 Way control valve	26	
	Electric operator	26	
	Valve Linkage	26	
	Electric pneumatic relay	104	
	Solenoid valve	44	
	Pneumatic reversing relay	254	
	Temperature senser for chilld water	52	
	Pressure reducing valve	104	
	Pressure diffi rential gauge	78	
	Pressure gauge 5kg/Cm2 11-P-1-3-6	78	
	Pressure gauge 20kg/Cm2 11-P-10	78	
	Presure reducing switch GA50-2K M-7-5B	78	
	Pressure senser P761 A1011S	78	
	Fuse DPT power BUSMAIL GMFO 8A /fuse holder F1-05A	260	
	Fuse AHN (Power Bossma 1L (F1-0.5A)	260	
	Fuse ANN(Power Bussma 1L ) (F2-2A)	260	
	Fuse GDR (Power 9F2-3A)	260	
	Fuse TPS (power bussma 1L) F1=1A/Fuse holder	260	
	Fuse CRT power 10A	260	
	FILTER FOR AIRGRADG62	130	
<b>02-04-00201</b>	<b>Air Compressor</b>		
	Over all repairing set which consist Bearing , belt, all con sumohle part	52	set
	Air trap	78	
	Contactors with over load	78	
	Fuse	130	
	Relay	52	
	Flexible joint.	52	
	Carbon ring and gasket	52	
	Pressure cauge 5/10 Du1/4 60m/m x15kg /c,2	130	
<b>02-04-00202</b>	<b>equipment : pump and motor</b>		
	set of repair kit consisting for the following pump		
	Bearing set		
	mechanical seal or grand packing		
	oil seal and ring		
	p-1	78	
	p-2	78	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	p-3	52	
	p-4	52	
	p-5	52	
	p-6	78	
	p-7	78	
	p-8	52	
	p-9	52	
	p-10	104	
	p-11	52	
	p-12	78	
	p-13	52	
	p-14	52	
	p-15	52	
	p-16	52	
	p-17	52	
	LP-1	52	
	LP-2	78	
	HP-1	52	
	HP-2	52	
	HP-3	52	
	HP-4	52	
	OGP-1	26	
	OGP-2	26	
	OGP-3	26	
	WOP-1	26	
	FP-1	52	
	Complete pump and motor P-10	78	
	Complete pump and motor P-12	52	
	Complete pump and motor P-14	26	
	Complete pump and motor P-13	26	
	complete pump and motor for chmical feed pump for boiler	26	
<b>02-04-00203</b>	<b>Equipment: Motor Control panel</b>		
	Megnetic contactor M35TH28A	78	
	Megnetic contactor C-20	104	
	Megnetic contactor C-65	104	
	Megnetic contactor M-20-TH10A	260	
	Megnetic contactor M-35-TH22A	78	
	Megnetic contactor M-65-TH22A	78	
	Megnetic contactor M-80	78	
	Auxiliary relay MY 22	260	
	Socket for relay PYF-08H	260	
	Floatless level switch 61F-GP	52	
	Floatless level switch 61F-G2	52	
	Floatless level switch 61F-G3	52	
	Floatless level switch 61F-G4	52	
	Selector switch RCA470-PA01	104	
	ELB GR50 2P30A	26	
	ELB GR50 2P20A	26	
	ELB GR50 2P15A	26	
<b>02-04-00204</b>	<b>Equipment:- distribution board</b>		
	Magnetic contuctor C4-35	78	
	Timer	104	
	Transformer C5-50T	104	
	Earth Fault relay LMA-5S	260	
<b>02-04-00205</b>	<b>Equipmnet:- Nurse call system</b>		
	Lamp E-128V	130	
	Switch PW-2023K	52	
	Switch PS-236	52	
	Switch MBS-01-4-E	52	
	Switch JEC-K-2H	52	
	Switch VAQ-4W	52	
	Switch RS-014C	52	
	Microphone ESM-10P	130	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Speaker 50-32	130	
	Printed board 5u-8	26	
	Printed board Pu-561	26	
	Printed board Pu-565	26	
	Printed board Pu-564	26	
	Printed board Pu-568	26	
	Printed board Pu-560	26	
	Printed board Pu-559	26	
	Printed board Pu-563	26	
	Curl cord C-401A	26	
	Switch PW-2022K	26	
	Switch PW-2025K	26	
	Reciever R-60B	26	
	Battery for PC-621	52	
	Pateint hand set IBA-411F	104	
<b>02-04-00206</b>	<b>Equipment :- Generator</b>		
	Gasket Kit complete	52	set
	Tachometer drive	52	
	Turbocharger	52	
	Water pump	26	
	Hydrolic governor	26	
	Fuel strainer	520	
	Fuel filter set	1040	
	Oil filter set	1040	
	Repairing Kit for water pump	52	
	Repairing Kit for turbocharger	52	
	Repairing Kit for oil pump	52	
	Gage for riplm	52	
	Cage for pressure	52	
	Gage for temperature	52	
	Stop valve for oil tank (E4-30)	52	
	Element air filter	52	
	Timer H3M, DC 100V 4-19	78	
	speed relay unit DET-1 4-21	26	
	Auxiliary relay LY-3	520	
	Enclosed fuse (4-36)	104	
	Printed board AED-6A (4-39)	26	
	Printed board Grte 1 (4-40)	26	
	Thyristor (4-41)	26	
	Printed board (4-47)	26	
	Repairing kit for injector	78	
	Repairing kit for Cylinder	78	
	Repairing kit for engine	78	
	Printed board (4-48)	26	
	AVR unit	26	
	Fuel pump-repairing set.	52	
	Silicon rectifiea	12	
	Ball bearing No. 6324.C.UE	130	
	Ball bearing P/N 9421926	130	
	Ball Breaing P/N 9424929	130	
	Cartialge P/N 25010495 E-4-7	78	
	Retay 26W	52	
	Excitiation diodes set	130	
	Gover nor control devia	78	
<b>02-04-00207</b>	<b>Equipment :- clock System</b>		
	Fuse 0.5A,2A,5A	260	
	Slave clock Sc-460	78	
	Relay AM-1 (17-5)	140	
	Slave clock Sc-301	260	
	Slave clock Sc-304	78	
	Slave clock SC0341	52	
	Nickle cadmuim battery	52	set
	Board	26	set

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Master clock unit sieko	20	
	Quantiz relay	260	
<b>02-04-00208</b>	<b>Equipment :- Fire alarm System</b>		
	Duct smoke detector NID-D3	78	
	Protection cover for Manual station mA-6	78	
	Battery for the svstem	78	set
	Bulb for control panel 2JW	260	
	Bulb for operation indicator	260	
	Fixed temperation (explosion type) 27217-S	78	
	Volmeta TRM -65-D240	52	
	Ionization smoke detector	260	
	Protection cover for manual station MA-06	52	
	Jet fire hose with nozzle (10-15meter)	520	
<b>02-04-00209</b>	<b>Equipment:- Central T.V Airoul System</b>		
	amplifier VE-45ER 35DP	52	
	4-Way splitter D-774FL	52	
	2-Way splitter D-772FL	52	
	6-Way spliter D-776FL	52	
	Outlet DMC-7-REJ	260	
<b>02-04-00210</b>	<b>Equipment : CCTV</b>		
	Mainturance Kit for shadow less cenema G7/P	26	
	Mainturance Kit for sipe cenema KY2000BE	26	
	Mainturance Kit for Video CR-6060ET secow	26	
	Mainturance Kit for Video HI-NEEDCR-Kit	26	
<b>02-04-00211</b>	<b>Equipment: - High tensions SwitchGear.</b>		
	PT fuse 12kv-1A	260	
	Condenser trip device-capacity 300M I, rated charging voltage 280/380 DC	78	
	Over voltage grand relay type SC form XC1	26	
	Ziner diod ZNR 20k, 3914N	52	
	Motor for VCB/AC 220v (1-2)	52	
	Closing and opening coil (1-3) DC 200V 2.5A	78	
	Fuse EFB-5 20A (1-5)	140	
	Indication lamp 18v, 2W (1-6)	140	
	VCB valve (12kv.600A,25KA)	78	
	Silicon rectifier device Rsc 10	52	
	Z.C.T	26	
	AC Magnetic contactor K5ON-EP 220v, 80A	52	
	PT tRANSFORMER 11Kv / 220v 20 VA	78	
<b>02-04-00212</b>	<b>Equipment :- Paqing system (Pocket Bell system)</b>		
	Micro Fork Freq.HZ 562.5	78	
	Micro Fork Freq.HZ 577.5	78	
	Micro Fork Freq.HZ 592.5	78	
	Micro Fork Freq.HZ 607.5	78	
	Micro Fork Freq.HZ 622.5	78	
	Micro Fork Freq.HZ 637.5	78	
	Micro Fork Freq.HZ 667.5	78	
	Micro Fork Freq.HZ 682.5	78	
	Micro Fork Freq.HZ 692.5	78	
	Micro Fork Freq.HZ 712.5	78	
	Micro Fork Freq.HZ 727.5	78	
	Micro Fork Freq.HZ 742.5	78	
	Micro Fork Freq.HZ 757.5	78	
	Micro Fork Freq.HZ 772.5	78	
	Micro Fork Freq.HZ 787.5	78	
	Micro Fork Freq.HZ 802.5	78	
	Micro Fork Freq.HZ 817.5	78	
	Micro Fork Freq.HZ 832.5	78	
	Micro Fork Freq.HZ 847.5	78	
	Micro Fork Freq.HZ 852.5	78	
	C.P.U Board	52	
	Transfor charger (SPT-121,220)	52	
	Reciever Battery (PC-621) 1.5v 300mA Nickel cadmuim	5200	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Ilmination diode for reciever 5cp, 711	1300	
	Lamp indicator 18v	780	
	Switch for reciever PC-621	260	
	Power supply board 20v D.C	26	
	Power supply board 5v D.C	26	
	Reciever PC-621	260	
	Power transistor C1865	104	
	Capacitor 100MF 400v	104	
	Filter	140	
<b>02-04-00213</b>	<b>Equipment :- Incinerator</b>		
	Frame rod burner (51-3)	26	
	Thermostat	26	
	Spark rod burner	26	
	spray nozzle including pipe	52	set
	Thermo couple	52	
<b>02-04-00214</b>	<b>Equipment :- General Intercom System</b>		
	Printed board XC-016DM	52	set
	Intercom station	78	set
	Coard for intercom station	260	
<b>02-04-00215</b>	<b>Equipment :- Main L.T Switch Gear Panel</b>		
	For A.C.B Part AH-30C		
	Fixed Arcing contact	78	
	Moving Arcing contact	78	
	Triping coil	52	
	MHT Triping coil	52	
	Charging motor	26	
	Coil for latch release AH-16B	52	
	AH-16B	52	
	Fixed Arcing contact	78	
	Moving Arcing Contact	78	
	Magnetic contactor (SC-3.65A)	52	
	Reactive power control relay (ARC-F)	52	
	Control Switch	52	
	Neumatic timer type AT55 DC 100v	130	
	MCCB 3p 100/100A	130	
	MCCB 3p 100/75A	130	
	MCCB 3p 100/50A	130	
	MCCB 3p 100/30A	130	
	MCCB 3p 100/20A	130	
	MCCB 3p 100/15A	130	
	Indication lamp 18v,2w	260	
<b>02-04-00216</b>	<b>Equipment : Doctor Residence</b>		
	Contactora for boiler	104	
	Compressor for all type air conditioning	78	set
	Thermostat for all type air conditioning	260	
	Over load for all type air conditioning	140	
	Fan for condenser for all type air conditioning	140	
	Fan for evaporator for all type air conditioning	140	
	Motor fan complete for all type air conditioning	140	
	Selector switch for all type air conditioning	140	
	Capacitor for all type of air conditioning	140	
<b>02-04-00217</b>	<b>Equipment Deep freezer</b>		
	Compressor	10	
	model : RSN4-0100-CAV , copeland		
	R502 , V 220 , PH : 1		
	Compressor	12	
	model : 1553 89J13 CAJ2446L		
	R502 , V 220 , 50HZ , 4.3 A , tecumseh		
	Compressor	4	
	model : 8340 S/N 50198		
	compressor 1/2 HP	4	
	model : JFP1-0050-JAV		
	B/M 220 N6-535 copland		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	R500		
	R500 (Frion)	40	kg
	Timer	6	
	Robertshaw controls co.		
	motor 3 W ,220 V , 50 HZ		
	SW. 1-4 1/3 HP 120/240 VAC		
	SW. 1-2 15A Res. 120VAC		
	Relay	6	
	184-20302-101		
	18A , 277 VAC , Coil 208 /240 V		
	50HZ		
<b>02-04-00218</b>	<b>EQUIPMENT: MOTOR CONTROL CENTER FOR OIL &amp; WATER TREATMENT PUMPS</b>		
	COMPANY\MANUFACTURER: SIEMENS - West Germany		
	QUANTITY: 12		
	SITE: SADDAM MEDICAL CITY\ SERVICE BUILDING		
	CONTACTOR SIZE 4.3 POLE , AC3 37KW , 380VAC 220V3TB4814-OAMO	24	
	CONTACTOR SIZE 3,3 POLE , AC3 22KW , 380VAC 220V3TB4614-OAMO	24	
	CONTACTOR SIZE 3,3 POLE , AC3 22KW , 380VAC 220V3TB4617-OAMO	24	
	CONTACTOR SIZE 2,3 POLE , AC3 15KW , 380VAC 220V3TB4417-OAMO	24	
	CONTACTOR SIZE 1,3 POLE , AC3 7.5KW , 380VAC 220V3TB4217-OAMO	24	
	CONTACTOR SIZE 0,3 POLE , AC3 4KW , 380VAC 220V3TB4617-OAMO	24	
	THERMAL DELAYED OVERLOAD RELAY 135 TO 160A3UA6200-3L	24	
	THERMAL DELAYED OVERLOAD RELAY 63 TO 90A3UA6200-2W	24	
	THERMAL DELAYED RELAY 40 TO 57A3UA5800-2T	24	
	THERMAL DELAYED OVERLOAD RELAY 32 TO 50A3UA5800-2F	24	
	THERMAL DELAYED OVERLOAD RELAY 20 TO 32A3UA5800-2D	24	
	THERMAL DELAYED OVERLOAD RELAY 16 TO 25A3UA5200-2C	24	
	THERMAL DELAYED OVERLOAD RELAY 8 TO 12.5A3UA5000-1K	24	
	UNDER VOLTAGE RELAY 220V,380V,50HZAA9943.11	24	
	UNDER VOLTAGE RELAY 220 V, 50HZ A1936.00	24	
	STAR-DELTA TIME RELAY 2-20 SEC7PU6040-7NN20	24	
	TIME DELAY RELAY 0.15-30 MIN 220V , 50HZMK7614-32	24	
	CONTACTS WITH MOWNTING PARTS FOR CONTACTOR SIZE 2-TYPE 3TB443TY6440-OA	24	set
	CONTACTS WITH MOWNTING PARTS FOR CONTACTOR SIZE 3 - TYPE 3TB463TY6460-OA	24	set
	CONTACTS WITH MOWNTING PARTS FOR CONTACTOR SIZE 4 - TYPE 3TB473TY6470-OA	24	set
	CONTACTS WITH MOWNTING PARTS FOR CONTACTOR SIZE 4 - TYPE 3TB483TY6480-OA	24	set
<b>02-04-00219</b>	<b>EQUIPMENT: MOTOR CONTROL CENTER FOR CHILLERS PUMPS</b>		
	COMPANY\MANUFACTURER: SIEMENS - West Germany		
	QUANTITY: 20		
	SITE: SADDAM MEDICAL CITY\ SERVICE BUILDING		
	CONTRACTOR SIZE 12, 3-POLE AC3 200KW, 380 AC 220V3TB5614-OAMO	48	
	CONTRACTOR SIZE 10, 3-POLE AC3 132KW, 380 AC 220V3TB5414-OAMO	48	
	CONTRACTOR SIZE 8, 3-POLE AC3 90KW, 380 AC 220V3TB5214-OAMO	48	
	THERMAL DELAYED OVERLOAD RELAY 250 TO 400A3UA6600-3E	24	



CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	THERMAL DELAYED OVERLOAD RELAY		
	200 TO 320A3UA6600-3D	24	
	UNDER VOLATAGE RELAY 220, 380VAA9943.11	120	
	STAR-DELTA RELAY 2-20 SEC7PU6040-7NN20	120	
	INDICATOR W, MOVING COIL MECH-		
	OTO750A , 1AM01136-E3420-Z	80	
	INDICATOR W, MOVING COIL MECH-		
	OTO500A , 1AM01136-E3390-Z	80	
	LAMPHOLDER 22 AND 30MM W, TRANSF+		
	BA95+LAMP.3SB1400-5C	800	
	EARTH-LEAKAGE PROTECTION SYSTEM-MT3UL2202-2A	40	
	SWITCH DISCONNECTOR 1000A3KE4530-OBA	40	
	SWITCH DISCONNECTOR 630A3KE4430-OBA	40	
	SINGLE-THROW-KNIFE SWITCH		
	2000A 3 POLE3KV6311-OA	40	
	CONTACTS WITH MOUNTING PARTS FOR		
	CONTACTOR SIZE 6 TYPE 3TB503TY6500-OA	40	set
	CONTACTS WITH MOUNTING PARTS FOR		
	CONTACTOR SIZE 8 TYPE 3TB523TY6520-OA	40	set
	CONTACTS WITH MOUNTING PARTS FOR		
	CONTACTOR SIZE 10 TYPE 3TB543TY6540-OA	40	set
	CONTACTS WITH MOUNTING PARTS FOR		
	CONTACTOR SIZE 12 TYPE 3TB563TY650-OA	40	set
	LINKS FOR CONNECTION TO CONNECTOR	0	
	TYPE 3TB523UX1221	40	
	LINKS FOR CONNECTION TO CONNECTOR		
	TYPE 3TB563UX1211	40	
	LOW-VOLTAGE HRC SWITCH GEAR FUSE3ND1260	240	
<b>02-04-00220</b>	<b>EQUIPMENT: MOTOR CONTROL CENTER FOR</b>		
	<b>COOLING TOWER</b>		
	<b>COMPANY/MANUFACTURER: SIENENS, WEST</b>		
	<b>QUANTITY: 5</b>		
	<b>SITE: SADDAM MEDICAL CITY \SERVICE BUILDING</b>		
	CONTRACTOR SIZE 10 ,3BOLE AC33TB5414-OAMO	10	
	130KW 380V AC 220V		
	CONTRACTOR SIZE 8 ,3BOLE AC33TB5214-OAMO	10	
	90KW 380V AC 220V		
	CONTRACTOR SIZE 6 ,3BOLE AC33TB5014-OAMO	10	
	55KW 380V AC 220V		
	THERMAL DELAYED OVERLOAD RELAY 135-160A3UA6200-3L	10	
	THERMAL DELAYED OVERLOAD RELAY 200 TO 320A3UA6600-3D	10	
	EARTH-LEAKAGE PROTECTION SYSTEM-MT4UL2202-2A	10	
	UNDER VOLATAGE RELAY 220, 380V,50HZAA9943-11	10	
	UNDER VOLATAGE RELAY 220, 50HZA936-00	10	
	CONTACTOR SIZE 12, 3 POLE, AC3 200KW , 380V AC	10	
	220V3TB5614-OAMO		
<b>02-04-00221</b>	<b>EQUIPMENT: MOTOR CONTROL CENTER FOR</b>		
	<b>COOLING TOWER</b>		
	<b>COMPANY/MANUFACTURER: SIENENS, WEST</b>		
	<b>QUANTITY: 5</b>		
	<b>SITE: SADDAM MEDICAL CITY \SERVICE BUILDING</b>		
	POWER POLE ASSEMBLY FOR TYPE MG-22 STARTER8660-PJ-22	24	
	REGULATOR MODULE8660-B2	30	
	OVERLOAD RELAY MODULE TYPE MJ STARTER8660-B3C	30	
	CURRENT LIMIT MODULE 8660-B4A	30	
	CONTROL MODULE (LOCATION 5)8660-B5	30	
	CONTROL MODULE (LOCATION 6)8660-B6	30	
	SR1 CONTROL RELAY8501RS-4,120VAC	30	
	SR2 CONTROL RELAY8501RS-14,120VAC	30	
	SR3 CONTROL RELAY8501RSD-14,24VAC	30	
	SHORTED SCR SWITCH26499-32700	30	
	FAN26016-30610	90	
	CONTROL CIRCUIT FUSE (TB4)52419-10091	60	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
<b>02-04-00222</b>	EQUIPMENT: MEDIEM VOLTAGE SWITCH GEARS		
	COMPANY/MANUFACTURER: SIEMENS - West Germany		
	QUANTITY: 4		
	SITE: SADDAM MEDICAL CITY \SERVICE BUILDING		
	DRAW-AUT-CIRCUIT BREAKER, AC1250, DC1500A, A-700A-1250A, SHUNTTRIP AC 50HZ, 220V3WG4356-2G441	8	
	DRAW-AUT-CIRCUIT BREAKER, AC1000, DC1250A, A-520-1000A, SHUNTTRIP DC24V3WW3356-2GT44	8	
	DRAW-AUT-CIRCUIT BREAKER, AC630, DC800A, A-350A-630A, SHUNTTRIP AC 50HZ, 220A3WE1356-26541	8	
	DRAW-AUT-CIRCUIT BREAKER, AC1000, DC1250A, A-520A-1000A, SHUNTTRIP AC 50HZ, 220V3WE1356-2GT41	8	
	N-EARTH LINAKAGE C.B, 25A, 4 POLE,55Z3420	80	
	220V, 380V		
	N-EARTH LINAKAGE C.B, 40, 4 POLE,35Z3440	100	
	220V, 380V		
	N-EARTH LINAKAGE C.B, 63, 4 POLE,55Z3460	100	
	220V, 380V		
	REMOVABLE KNOB35X8061-OXA	40	
	DRAW-AUT-CIRCUIT BREAKER, 3POLE, AC1900A,DC2400A MOTOR OPERATING MECH AC50HZ, 220V, AS1100-2000A3WE6381-3GS44	8	
	CIRCUIT BREAKER 60A 3 POLE3VS8100-1EC00	32	
	CIRCUIT BREAKER 100A 3 POLE3VS8100-IEH00	32	
	CIRCUIT BREAKER 100A 3 POLE3VS8200-IEM00	32	
	CIRCUIT BREAKER 300A 3 POLE3VS8300-IEW00	32	
	CONTRACTOR SIZE 2, 3 POLE, AC3 15KW, 380V3TB4417-OBYY	32	
	CONTRACTOR SIZE 3, TYPE REVERSER, AC3 22KW, 380V, 220V AC3TD4610-OCMO	32	
<b>02-04-00223</b>	EQUIPMENT: MEDIEM VOLTAGE SWITCH GEAR		
	COMPANY/MANUFACTURER: TERASAKI ELECTRIC CO., LTD. -JAPAN		
	QUANTITY: 4		
	SITE:SADDAM MEDICAL CITY \SERVICE BUILDING		
	AIR CIRCUIT BREAKER-IEC 4000AAH-40C,0119-10	8	
	AIR CIRCUIT BREAKER-IEC 5000AAH-50C,0216B-5	8	
	AIR CIRCUIT BREAKER-IEC 4000AAH-40C,1110-14	8	
	AIR CIRCUIT BREAKER-IEC 5000AAH-50C,0216B-6	8	
AIR CIRCUIT BREAKER-IEC 4000AAH-40C,0119-9	8		
AIR CIRCUIT BREAKER-IEC 3200AAH-30C	8		
<b>02-04-00224</b>	EQUIPMENT: BOILER		
	MODEL: A\TTP\6448-49-50-51		
	COMPANY/MANUFACTURER: NEI INTERNATIONAL COMBUSTION LTD. COCHRAN UNIT - SCOTLAND		
	SITE: SADDAM MEDICAL CITY \SERVICE BUILDING		
	DRIVE BELT	32	
	MAIN SHAFT ROLLER BEARING	32	
	MAIN SHAFT BALL BEARING	32	
	P.A. SWIRL VANES	16	
	P.A. PRESSURE SWITCH	16	
	THERMOSTAT	16	
	OIL START THERMOSTAT	16	
	OIL VALAVE SOLINOID	32	
	SOLINOID COIL	32	
	OIL METER REGISTER ASSY	16	
	OIL METER REGISTER HOUSING	16	
	Y-FILTER ELEMENT	16	
	PHOTO CELL AMPLIFIER	32	
	SQUENCE CAM TIMER D63\9 220V	16	
	BM CONTACTOR	32	
	BM CONTACTOR OVERLOAD	32	
FD MOTOR CONTACTOR	48		
FD MOTOR OVERLOAD	32		
CHANCE OVER TIMER	32		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	MOD. PRESSURE CONTROLLER	16	
	LIMIT PRESSURE CONTROLLER	16	
	IGNITION ELECTRODE ZGA 150E	32	
	ELECTRODE INSULATORS	32	
	IGNITION H.T. LEAD	16	
	IGNITION TRANSFORMER	16	
	IGNITION H.T. CUP	32	
	PHOTO CELL	32	
	SERVO MOTOR COMPLETE	16	
	CAM FOLLOWER ASSEMBLY	16	
	CAM STRIPS (SET)	16	
	SPHERICAL ROD END BEARING	16	
	LF\HF MICRO SWITCHES	32	
	FLAME BAFFLE 60-100	48	
	DOOR MICRO SWITCHES	16	
	FD AIR PRESSURE SWITCH	16	
	SOLINOID VALVE HERION L77 230V 50HZ	16	
	COMPRSSION SPRING M580	16	
	SPARES SWITCH PACK (INSERT) H1800	16	
	FLOAT ROAD ASSEMBLY H3 22\MW	16	
	FLOAT H315	16	
	0.75" DIA. X 16" LONG GLASSES	32	
	0.75" DIA. X CONE PACHINGS	32	
	NECK BUSH	32	
	PHOS. BRONZE BALL	16	
	MODLIATING VALVE TYPE 80311	8	
	SEQUENCE VALVE TYPE 80974	24	
	BRONZE PARALLEL SLIDE VALVE FIG.M2442	8	
	SOLINOID VALVE NORMALLY OPEN	16	
	SOLINOID VALVE NORMALLY CLOSE	16	
	FD MOTOR 380-V 18.5 KW	8	
	BURNER MOTOR 380-V 5.5 KW	8	
	BALANCE RELAY	48	
	MAGNETIC SWITCH FOR M.V.C	48	
	OIL ATOMISER SKV-60	8	
	BRUSHES FOR PLANE TUBES	200	
	BRUSHES FOR STAY TUBES	100	
	SETS NEW BOILIER TUBES (COMPRISING 4 SETS OF 2ND PASS PLANE TUBES & 4 SETS OF 3RD PASS PLANE TUBES)	8	
	SETS OF BOILER STAY TUBES	8	
	TUBE MASTER BOILER CLEANING PISTOL	4	
	TUBE MASTER VACUUNM UNIT WITH TWIN BY-PASS AIR COOLED POWER HEAD	4	
	TUBE MASTER PRIMARY SOOT COLLECTION INTERCEPTOR	4	
	NOZZLES - STANDARD	40	
	PAPER SOOTSACKS (PER PACK OF 50)	20	
	SIGHT GLASS FOR OBS. PORT GG008	32	
	JOINTS FOR ABOVE (REAR)	32	
	JOINTS FOR ABOVE (FRONT)	32	
	CAST STEEL SAFETY VALVE FIG. 9622	8	
	FD FAN C\W WITH TAPER BUSH	8	
	FD FAN CCW WITH TAPER BUSH	8	
<b>02-04-00225</b>	EQUIPMENT: SPARE PARTS FOR LIFT		
	MODEL: TYPE WARD LEONARD DYNATOR 1965		
	NO. 5001579		
	COMPANY/MANUFACTURER: SHINDLER - SWITZERLAND		
	QUANTITY: 8		
	SITE: SADDAM MEDICAL CITY \ HOSPITAL		
	MAGNET COILS FOR OSM6F 59b102	36	
	ZEIT- RZH 46E 96	24	
	CONTRACT ARMS COMP FOR RU\RJ23 25E 112	40	
	UPPER CONTACT HOLDERS COMPL. FOR RG12 23E 118	72	
	CAMES 59192	60	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	CAMES 59211	20	
	POWER UNIT UNS01 24F400	36	
	PHOTO SWITCH UPK01 COMPL. 24F452	40	
	RELAY- AMPLIFIRE FOR UPV02 24F456	16	
	PUSH BOTTON WITH ELEMENTS 31M157	100	
	PUSH BOTTON WHITE WITH ARROWS 31M701	48	
	AUTOMATIC DOOR MOTOR QKS6 41S10	16	
	PULLEYS FOR V BELTS QKS6 41S354	16	
	V-BELTS 41S138	100	
	STOP BRACKETS 42S140	16	
	CAM 42S137	48	
	BALL BEARINTS 42S131	32	
	DRIVE WHEEL FOR QK36 DOORS 42S170	16	
	MICRO SWITCHES 47S140	200	
	BALL BEARINGS 49S107	200	
	CONTACT BRIDGES 50S106	400	
	CONTACT FOR CM 10V112	32	
	CAMES 59E 194	48	
	TACO DINAMO GWNG52	48	
<b>02-04-00226</b>	EQUIPMENT: SPAREPARTS FOR LIFT		
	MODEL: TYPE WARD LEONARD DYNATOR 1965		
	NO. 5001579		
	COMPANY/MANUFACTURER: SHINDLER - SWITZERLAND		
	QUANTITY: 8		
	SITE: SADDAM MEDICAL CITY \ HOSPITAL		
	ROLLER GID 512949	24	
	C.W.T. GID 651723	24	
	TRANSMITTING CAM L 250712	20	
	TRANSMITTING CAM R 250711	20	
	ROPE FOR C.W.T. W02736	200	
	RECTIFER 672662	40	
	CONTACTOR MRG 62 (80 VOLT) 290968	40	
	SAFETY RELAY 590511	16	
	RELAY R2A3 556815	40	
	RELAY R1A4 556816	40	
	RELAY ROA5 556814	40	
	RELAY R3A2 556817	40	
	RELAY R4A1 556818	40	
	PRINT SWD 590219	16	
	PRINT RED 590201	16	
	PRINT BELL 590194	16	
	CONTACTOR MGS 176098	40	
	TYPE MANILLA INDICATOR LAMP 345438	200	
	TYPE PANAMA INDICATOR LAMP 544117	200	
	DSA DIODES 671168	100	
	MAGNET BAND BRAKE CPL F. 80 V 41S301	100	
<b>02-04-00227</b>	EQUIPMENT: SPAREPARTS FOR LIFT		
	MODEL: TYPE WARD LEONARD DYNATOR 1965		
	NO. 5001579		
	COMPANY/MANUFACTURER: SHINDLER - SWITZERLAND		
	QUANTITY: 8		
	SITE: SADDAM MEDICAL CITY \ HOSPITAL		
	RECTIFIER 15A 300V 2D 14E 117	20	
	PRINT GR4.U RECTIFIER 66F241	12	
	PRINT THY2.UD THYRISTOR UNIT 66F253	60	
	PRINT UZ1503.4 VOLTAGE STABLIZER 66F255	12	
	PRINT REI 4.UB 66F243	20	
	PRINT REU 5.UB 66F244	20	
	PRINT ZU 4.UD 66F260	20	
	PRINT TR 6.U 66F254	20	
	PRINT SWZK 10.UB 66F251	20	
	PRINT SWWI1 2.4B 66F247	20	
	PRINT KSW 2.UB 66F259	20	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	CONTACTOR MG5 40V 3E 102	40	
	POWER SUPPLY UNIT NG 2215F 26F100	20	
	POWER SUPPLY UNIT NG 403F 26F106	20	
	POWER SUPPLY UNIT NG 8003-H 26F111	20	
	VEVZ 600P PRINT 66F188	40	
	PHASE PROTECTIVE RELAY 380V 18E 112	40	
	PRINT VW 2.T PRESEL TRAVEL 55 66F235	30	
	PRINT VW 2.T PRESEL TRAVEL 66 66F236	30	
	PRINT VW 2.T PRESEL TRAVEL 77 66F237	30	
	PRINT VW 2.T PRESEL TRAVEL 88 66F238	30	
	PRINT VW WEGORABE CODE X2X2 66F231	30	
	PRINT NE 1500 T.B 66F225	16	
<b>02-04-00228</b>	EQUIPMENT: LIFT		
	MODEL: TRANSTRONIC 5014033		
	COMPANY\MANUFACTURER: SCHINDER		
	QUANTITY: 8		
	SITE: SADDAM MEDICAL CITY\ SURGICAL HOSPITAL		
	CAR DIVERTING PULLY	4	
	POWER SUPPLY NG 2215F	8	
	CONTACTOR MG4 40V	20	
	STEEL ROPE FOR LOAD COMPENSTOR	800	m
	MAGNET BAND CPL F 80 41S301	20	
	MOTOR GENERATOR SET	2	
<b>02-04-00229</b>	EQUIPMENT: COOLING TOWER \ GEAR		
	MODEL: 1712		
	COMPANY\MANUFACTURER: AMARILLO GEAR COMPANY		
	QUANTITY: 5		
	SITE: SADDAM MEDICAL CITY \		
	UPPER BEARING (OUTPUT SHAFT) 600-1712	10	
	LOWER BEARING (OUTPUT SHAFT) 601-1712	10	
	UPPER BEARING (INTER M. SHAFT) 604-1712	10	
	LOWER BEARING (INTER M. SHAFT) 605-1712	14	
	OUTER BEARING (HORIZ. SHAFT) 602-1712	10	
	INNER BEARING (HORIZ. SHAFT) 603-1712	10	
	ANTI REVERSE KIT FOR GEAR BOX 1712	10	
	HELICAL GEAR SET 200-1712	10	
	SPIRAL BEREL GEAR SET RATIO 31-1	10	
	HORIZ SEAL SET 802-1712	10	
	VERTICAL SEAL SET 815-1712	10	
	HORIZANTAL SHAFT 500-1712	4	
	DRIVE SHAFT ASSEMBLY STAINLESS STEEL MODEL A5-40	10	
	DRIVE SHAFT ASSEMBLY STAINLESS STEEL MODEL A7-40	10	
<b>02-04-00230</b>	EQUIPMENT: COOLING TOWER \ FAN		
	MODEL: AP		
	COMPANY\MANUFACTURER: HUDSON PRODUCTS CORPORATION		
	QUANTITY: 5		
	SITE: SADDAM MEDICAL CITY \		
	HUB 58095 T-22-B 35103\3.5 BOR	18	
	HUB SPOOL	6	
	P-1074 BUSHING	6	
	BLADE CLAMP	10	
	M-847 SEAL DISC MODEL T-30B BLADE	90	
<b>02-04-00231</b>	EQUIPMENT: COOLING TOWER \ VIBRATION SWITCH		
	MODEL: 366		
	COMPANY\MANUFACTURER: VIBRASWITCH MALFUNCTION COMPS		
	QUANTITY:		
	SITE: SADDAM MEDICAL CITY \ HOSPITAL		
	VIBRASWITCH	10	
<b>02-04-00232</b>	EQUIPMENT: PUMP STATION		
	MODEL: AS FOLLOWS		
	COMPANY\MANUFACTURER: PUMPEX AB		
	QUANTITY: 6		
	SITE : SADDAM MEDICAL CITY \ SITE WORK		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	SEWAGE PUMP COMPLETE , 4KWKP102-421	6	
	SEWAGE PUMP COMPLETE , 15KWKP152-428	24	
	SEWAGE PUMP COMPLETE , 7.5KWKP151-425	8	
	SUBMERSIBLE PUMP COMPLETE ,1.25KWP-700W	2	
	SUBMERSIBLE PUMP COMPLETE ,1.71KWP-700N	8	
<b>02-04-00233</b>	EQUIPMENT: WATER PUMP		
	MODEL: 65WP		
	COMPANY\MANUFACTURER: WORTHINGTON SIMPSON LTD.		
	QUANTITY: 3		
	SITE: SADDAM MEDICAL CITY \ SURGICAL HOSPITAL		
	SITE PORTABLE WATER PUMP COMPLETE \55KW 65WP315	6	
<b>02-04-00234</b>	EQUIPMENT: BATTERY FOR GENERATORS AND FORKLIFTS		
	BATTERY 135AMP	52	
	BATTERY 90AMP	6	
	BATTERY 60AMP	14	
<b>02-04-00235</b>	EQUIPMENT: FIRE ALARM SYSTEM		
	MODEL: ALPHA, DELTA 1000 - W1003		
	COMPANY/ MANUFACTURER: HONEYWELL		
	QUANTITY: 3		
	SITE:SADDAM MEDICAL CITY / SERVIC BUILDING		
	PCB-ANNUNCIATOR MODULE COMMAND 14501716-001	6	
	PCB-ANNUNCIATOR MODULE COMMAND 14501716-002	6	
	POWER SUPPLY NETWORK 14502186-001	6	
	POWER SUPPLY NETWORK 14502186-002	6	
	TRANSFORMER 14501831-001	6	
	TRANSFORMER 14501831-002	6	
	PRINTED WIRING BOARD ANNUNCIATOR MODULE CONTROL 14501680-001	6	
	PCB -DC INTERFACE 14501710-001	12	
	PCB- DC INTERFACE 14501710-002	12	
	PCB - TONE INTERFACE 14501710-001	12	
	PCB- TONE INTERFACE 14501710-002	12	
	PRINTED WIRING BOARD ANNUNCIATOR MODULE POWER 14501676-002	6	
	PRINTED WIRING BOARD ANNUNCIATOR MODULE DISPALY. 14501678-002	6	
<b>02-04-00236</b>	EQUIPMENT: FIRE ALARM SYSTEM		
	MODEL: DELTA 1000 - FS20A- DATA GATHERIN		
	COMPANY/ MANUFACTURER: HONEYWELL		
	QUANTITY: 3		
	SITE:SADDAM MEDICAL CITY / SERVIC BUILDING		
	CONTROL LOGIC MODULE (L) 14503202	12	
	TRANSMISSION LINE INTERFACE BOARD	12	
	FIRE &SECURITY MODULE (N)14503210	12	
	HIGH SECURITY MODULE (M) 14503204	12	
	INTERCOM MODULE ( R)	12	
	SIGNALING MODULE (B) 14502500	12	
	ACCESSORY PELY MODULE (D) 14503208	12	
	STAND BY BATTERY MODULE (E)	200	
	CODER MODULE (F) 14502536	12	
	1.9K , EOLR 14501600- 001	200	
	1.58K , EOLR (SECURITY ) 14501600- 003	200	
	910 OHMS , SIRIES LIMITED 14501600-004	200	
	1000 OHMS , EOLR 14501600-006	200	
	DIODE ASSEMBLY , SECURITY 145036004-001	200	
<b>02-04-00237</b>	EQUIPMENT: FIRE FIGHTING HALON SYSTEM		
	COMPANY/ MANUFACTURER: FIREKIL INTERNATIONAL LIMITED		
	SITE:SADDAM MEDICAL CITY / SERVIC BUILDING		
	PNEUMATIC ACTUATOR AE 98004	10	
	MANUAL PUSHBUTTON ACTUATOR AE 98005	10	
	FLAME PROOF SOLINOID ACTUATOR AE 98006	10	
	LOW PRESSURE INDICATION SWITCH TG117	10	
	RADIAL DISCHARGE NOZZLES AE80902	60	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	RADIAL DISCHARGE NOZZLES AE8091	60	
	RADIAL DICHARGE NOZZLES AE80900	60	
	SYSTEM PRESSURE GAUGE 1-12-0154	2	
	PRESSURE GAUGE 1-12-015H	2	
	INSTALLATION TOOL BL-19JLY	2	
	LOW PRESSURE ACTUATOR AE 98003	2	
<b>02-04-00238</b>	EQUIPMENT: FIRE ALARM SYSTEM		
	COMPANY/ MANUFACTURER: HONEYWELL		
	QUANTITY:		
	SITE:SADDAM MEDICAL CITY / SERVIC BUILDING		
	IONIZATION SMOKE DETECTOR TC 100C	600	
	PHOTO ELECTRIC SMOKE DETECTOR TC 803B	400	
	IONIZATION DEECTOR TC 100D	200	
	MANUAL FIRE ALARM STATION S454A-C	200	
	MANUAL FIRE ALARM STATION S465A-C	200	
	ALARM BELL SC806C	200	
	ALARM BELL SC806D	200	
	TC100C TEST TOOL (TOLED FACILITY/NO. CCT3847) Cct3847	24	
<b>02-04-00239</b>	EQUIPMENT: SPECIAL GENERATING- SET CONTROL (SS) FOR DIESEL GENERTOR AUTOMATIC BOARD		
	COMPANY/ MANUFACTURER: AD. STRUVER (GmbH & CO.)		
	QUANTITY: 2		
	SITE: SADDAM MEDICAL CITY / SERVIC BUILDING		
	MODE OF OPERATION UNIT HBN OIC /026S102.042-01102	20	
	GENERATOR MAINS UNIT HGN OIC /026S102.043-01102	20	
	MAINS SUPERVISION UNIT		
	( UNDER VOLTAGE ) 6S102.089-01	20	
	STARTING UNIT HS0 OLD/02 65102.103-01-02	20	
	STOP UNIT H50 OLD /0265102.047 -01102	20	
	DOUBLE FAULT INDICATOR UNIT HFFZ OIA/026S102.063-01102	200	
	DIODE GATES HD OIA /0365102.057-01-03	40	
	DIODE GATES HDK OIA/0265102.057 - 01-03	40	
	RAPID EXCITATION UNIT HSE OIC /0265102.050-01102	20	
	STORAGE MOD . HSR OIA/02 65102-059 -02	20	
	ACKNOWLEDGEMENT UNIT65102 / 01.01-02	20	
	(WITH FLASHING VOLTAGE GENERATOR ) HOP OLD		
	WARNING &STOPPING DEVICE5.03-20-.00E/W	20	
	HE3FZ1A/02		
	SYNCHRONIZING DEVICE HSY 3A/015.11-12.00E/W	20	
	SYNCHRONIZING DEVICE HSY 4A/015.11-13.00E/W	20	
	FREQUENCY CONTROL DEVICE HFR 2A/015.11-14.00 E/W	20	
	ACTIVE LOAD SHARING WLAZ 5.12-03.00 E/W	20	
	UNDER VOLTAGA CONTROLLER HNU OA/015.03-12.00 E/W	20	
	REVERSE POWER CONTROLLER , WALCHER - RW 14 1A	20	
<b>02-04-00240</b>	EQUIPMENT: DIESEL GENERATOR / EXCITATION UNIT		
	COMPANY/ MANUFACTURER: SIEMENS		
	QUANTITY: 2		
	SITE: SADDAM MEDICAL CITY / SERVIC BUILDING		
	CURRENT TRANSFORMER UJ180/75	12	
	CAPACITOR 50 HZ 3X10 UF 1325832-A4106-K009	12	
	YEACTOR 1, 375KVA, 382V 50 HZ 1.2A D203	4	
	RESISTOR 5 OHM 6,7A 3PY6001-4F	12	
	RESISTOR 1500 OHM 30 W P 20	4	
	RESISTOR JE 4,7 OHM P20- P20	4	
	TRANSFORMER 600 / 24V 7,2VA		
	50 HZ 4AM47 (EJ66/22)	8	
	TRANSFORMER 5/1A 15VA 50 HZ 2AM47 (EJ66/22)	8	
	TRANSFORMER 1.405KVA 50HZ D20B	4	
	RECTIFIER 87V 16 , 2.A SS16 DO4EKCDB	4	
	CONTROLLER DODULE SPRESYIS 6GA2 490 - 0A	4	
<b>02-04-00241</b>	EQUIPMENT: DIESEL GENERTOR		
	COMPANY/ MANUFACTURER: SIEMENS AG KHD		
	SITE:SADDAM MEDICAL CITY / SERVIC BUILDING		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	RADIATOR COOL UNIT 15 KW , 380V , 50HZ GEA, 320 , 107 , 3601	16	
	ENGINE HEATER 12,1KW , 380V , 50 HZ JKL 7301, 12,802, 0232, E1 , 1	4	
	COOLING WATER PUMP 11KW , 380V , 50HZ EDUR, NUB 700G , 165L	4	
	PRE LUBRICATION PUMP 1.9KW , 380V , 50HZ JKL41, 380, 3L , L , VWG- MZ , 14	4	
	PRESSURE MONITOR FOR LUBE OIL 307DC10 .4A 126, 2990KZ8742-32	4	
	LEVEL MONITOR FOR LUBE OIL PAN 40VD/1A 204, 7993KZ 099-48	4	
	PRESSURE MONITOR FOR LUBE OIL 30VAC10 , 1A126 2989 KZ 8742-32	4	
	TEMPERATURE SENSOR FOR LUBE OIL 126 2492 KZ 8942- 15	4	
	ELECTROMAGNET `` EMERGENCY STOP `` 24VDC , 48W 212 7648 ECE178- 17	4	
	STARTING , SOLENOID VALVE 3/2 WAY VALVE 24VDC , 0 ,83A 2076684 KZ 0199- 35	4	
	MOTOR SPEED CONTROL 220V , 0.08A 2127465 EZ 0178- 27	4	
	ELECTROMAGNET `` STOP `` 24VDC, 0.25A 2127456 EZ 0178 - 27	4	
	TACHO- GENERATOR 1173290 KZ 8942-25	4	
	SPEED INDICATOR 1263232 KZ 8742- 25	4	
	START AIR COMPRESSOR 4KW, 380V 50 HZ SAUER U.SOHN W193L - 100	8	
	PRESSURE SWITCH SIEMENS 6KCZ	8	
	MAGETIC VALVE JUNCUMATIC V201- F	8	
	PRESSURE FAILURE SIEMNS 6KCZ	8	
<b>02-04-00242</b>	EQUIPMENT: OPEN CENTRIFUGAL CHILLER		
	MODEL: COMPRESSOR MODEL NO: 17FA561T		
	SERIAL NO: 500629		
	ECONOMIZER: MODELNO: 17FA375 -219		
	SERIAL NO: 900669		
	ELLIOTT TURBINE: TYPY: 2CYRPQ-D		
	SERIAL NO: B10		
	COMPANY\ MANUFACTURER: CARRIER.		
	QUANTITY: 3		
	SITE:SADDAM MEDICAL CITY\ LOCATION SERVICE BULLDINQ		
	COMPRESSOR ASSY 500629	2	
	EONOMIZER ASSY 900669	2	
	ELLIOTT TURBINE ASSY B10	6	
	H-COUBLING ASSY	12	
	PUMP DOWN UNIT 890	6	
	SPEED TACHONETER 0-10000 RPN	12	
<b>02-04-00243</b>	EQUIPMENT: STEAM BOILER		
	MODEL: A-TTP -6448-6449-6450-6451		
	COMPANY\ MANUFACTURER: COCHRAN-NEI-SCOTLAND TELEX: 778183 (COCRAN G)		
	QUANTITY: 4		
	SITE:SADDAM MEDICAL CITY/ LOCATION/ SERVICE BUILDING		
	FIRE TUBE O.D=2.5 INCHLENGTH:-6M THICKNESS =3.6 M.M	4000	
	FIRE TUBE O.D=2.5 INCHLENGTH:-6M THICKNESS =6.3 M.M	1200	
<b>02-04-00244</b>	EQUIPMENT: ABSORPTION CHILLER		
	MODEL: 16 JE 707-28 SERIAL NO: 28C 20065		
	COMPANY\ MANUFACTURER: CARRIER, JAPAN DD:- MAR -1982		
	QUANTITY: 6		
	SITE:SADDAM MEDICAL CITY LOCATION: SERVICE BUILDING		
	EVAPORATOR TUBES	2	set
	CONDENSER TUBES	2	set
	GENERATOR TUBES	2	set
	ABSORBIR TUBES	2	set
	HFAT EXCHANGER	4	
	HERMTIC SOLUTION PUMP	36	
	EVAPORATOR ELEMINATOR	2	



CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	CONDENSER ELEMATOR	2	
	GENERATOR ELEMATOR	2	
	ABSORBER ELEMATOR	2	
	EVAPORATOR SPRAY NOZZLES	2	set
	ABSORPER SPRAY NOZZLES	2	set
	DIAPHRAGM VALVE 1/2 INCH	40	
	DIAPHRAGM VALVE 1 INCH	20	
	LITHUME BROMIDE SOLUTION	6000	lt
	INHIBITOR (LICRO4 )	20	lt
	OCTYL ALCOHL	100	lt
	RETUBING TOOLS FOR ALL KIND OF CHILLER TUBES	4	set
	HIGH VACCUME PUMP	4	
	CONTROL STEAM VALUE	4	
	STEAM TRAPS	10	
	CONDENSATE SIGHT GLASS	12	
	CONTROL PANNEL	2	
	COMPLETE SET OF GASKET & SEALING STRIPS	20	
	TUBE CLEANING TOOLS (WATER & AIR)	4	set
<b>02-04-00245</b>	EQUIPMENT: - SUBMERSIBLE DRINAGE PUMP		
	MODEL: AS BELOW		
	COMPANY\ MANUFACTURER: EUROPEAN		
	QUANTITY: AS BELOW		
	SITE: SADDAM MEDICAL CITY LOCATION: GENERAL HOSPITALS		
	ELECTRIC SUBMERSIBLE DRAINAGE PUMP WITH DOUBLE CASING AND WATER COOLED MOTOR	240	
	1.5 INCH PLIN SPIGOT		
	8 M HEAD , 100 L / MIN FLOW		
	240V , 1PH , 50 HZ		
	AS ABOVE BUT :		
	2 INCH PLAIN SPIGOT	40	
	15M HEAD , 400 L / MIN FLOW		
	380V , 3PH ,50HZ		
	AS ABOVE BUT:	80	
	3 INCH PLIN SPIGOT		
	15 M HEAD , 700 L / MIN FLOW		
	SUBMERIBLE PUMP SUITABLE FOR CONTINUOUS OPRATION , SINGLE CHANNEL IMPELLER , SLOTTED FLANGE OUTLET ( 6 INCH )	40	
	5.5 KW , 380V , 3PH , 50HZ ,		
	HEAD 12 M, FLOW 1250LT. / MIN.		
<b>02-04-00246</b>	EQUIPMENT: - ALKALINE BATTERIES FOR GENERATING SETS		
	COMPANY\ MANUFACTURER: EUROPEAN		
	QUANTITY: AS BELOW		
	SITE:SADDAM MEDICAL CITY AND GENERAL HOSPITALS		
	NICKEL - CADMIUM BATTERY BLOCK , 24 VDC , 280 AMP.HR, SHIPPED DRY , WITH SUITABLE	160	
	ELECTROLYTE SAPARATED. SUITABLE FOR GENERATOR STARTER.		
	AS ABOVE BUT :	80	
	110 VDC , 100 AMP - HR		
	SUITABLE FOR ELECTRICAL SWITCHGEARS		
<b>02-04-00247</b>	EQUIPMENT: - HOSPITAL LIFTS COMPLETE		
	COMPANY\ MANUFACTURER: EUROPEAN SUPPLIRES		
	QUANTITY: AS BELOW		
	SITE: SADDAM MEDICAL CITY, GENERAL HOSPITALS		
	HOSPITAL , STANDARD , 24 - PASSENGERS PATIENT BED , SIDE OPEN DOORS , 21 FLOORS , STAINLESS STEEL DOORS , WITH ALL PARTS NEED TO REPLACE EXISTED LIFTS ( ERECTION AND OPERATION ) FOR MEDICAL CITY	2	pcs
	AS ABOVE BUT BED LIFT 4- FLOORS FOR SADDAM GENERAL HOSPITAL.	2	pcs
	AS ABOVE BUT 6 - PASSENGERS 4- FLOORS FOR SADDAM GENERAL HOSPITALS	4	pcs
	AS ABOVE BUT 6- PASSENGERS 7- FLOORS CENTER OPEN DOORS FOR CENTRAL CHILD HOSPITALS	6	pcs

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	AS ABOVE BUT BED LIFT , 7- FLOORS FOR CENTRAL CHILD HOSPITALS	4	pcs
	AS ABOVE BUT 13 - PASSENGER		
	12 - FLOOR. MOH	2	pcs
	CARGO LIFTS 2 FLOORS LOOD 4000 KG. SIDE OPENING DOORS. FOR BASRAH DRUG STORES.	2	pcs
<b>02-04-00248</b>	Equipment: AIR HANDLING UNITS		
	MODEL: EUROPEAN		
	MANUFACTURER: EUROPEAN		
	QUANTITY: AS BELOW		
	SITE:SADDAM MEDICAL CITY /		
	V-BELT 92B	80	
	V-BELT 96B	160	
	V-BELT 120B	80	
	V-BELT 128B	80	
	V-BELT 144B	80	
	V-BELT 163B	40	
	V-BELT 39B	40	
	V-BELT 136B	80	
	V-BELT 89B	40	
	V-BELT 173B	40	
	V-BELT 49B	20	
	V-BELT 158B	20	
	V-BELT 78B	40	
	V-BELT 112B	40	
	V-BELT 45B	20	
	V-BELT 85B	40	
	V-BELT 130B	40	
	V-BELT 180C	40	
	V-BELT 166C	40	
	V-BELT 158C	40	
	V-BELT 925*9.5	40	
	V-BELT 1200*13	40	
	V-BELT 1500*17	40	
	V-BELT 1150*17	40	
	V-BELT 1525*13	40	
	V-BELT 1250*17	40	
	V-BELT 1450*17	40	
	V-BELT 1350*17	40	
	V-BELT 2400*17	80	
	V-BELT 1500 SPZ	40	
	V-BELT 1600 SPZ	40	
	V-BELT 900 SPZ	40	
	V-BELT 1600 SPA	40	
	V-BELT 1700 SPA	40	
	V-BELT 1800 SPA	40	
	V-BELT 1200 *9.5	40	
	V-BELT 1800*17	40	
	V-BELT 2430*17	40	
	V-BELT 2280*17	40	
	V-BELT 2400*17	40	
	V-BELT 1600*17	40	
<b>02-04-00249</b>	EQUIPMENT: MEDICAL AIR COMPRESSOR		
	MODEL: V200A		
	MANUFACTURER: COMPAIR INDUSTRIAL LIMITED		
	QUANTITY: 3		
	SITE:SADDAM MEDICAL CITY / SURGICAL HOSPITAL		
	MOTOR / COMPRESSOR UNIT COMPLETE	2	
<b>02-04-00250</b>	EQUIPMENT: duplex Base Exchange softening plant for boiler feed make up		
	MODEL: SS 3300 MDH		
	COMPANY NAME: CLEAR WATER -ENGLAND		
	QUANTITY INSTALLED: 2		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	SITE:SADDAM MEDICAL CITY		
	1/8 INCH SOLINOID VALVE ASSEMBLY MANIUAL OVERRIDE	48	
	4 INCH DIAPHRAM VALVE REPAIR KIT	32	
	3 INCH DIAPHRAM VALVE REPAIR KIT	16	
	2 INCH DIAPHRAM VALVE REPAIR KIT	64	
	1 INCH DIAPHRAM VALVE REPAIR KIT	16	
	PROGRAMED REGENERATION CONTROL BOARD	8	
	CONTROL RELAYS	40	
	POWER PACK KVA TRANSFORMER 380V 50 HZ TO 220 V -24V	12	
	POWER PACK DC -220V AC-12V DC	8	
	PANEL INDECATOR SIGNAL LUMPS	100	
	MAIN LINE WATER FLOW METER	8	
	ION EXCHANGE RESIN -TYPE STRONG CATHION	20	
<b>02-04-00251</b>	EQUIPMENT: SOFTENING PLANT BULK SALT		
	MODEL: 18A		
	COMPANY NAME: RESINFORM -LTD		
	QUANTITY INSTALLED: 1		
	SITE:SADDAM MEDICAL CITY		
	BACK-WASHER FOR WATER INLET VALVE	12	
	GASGET FOR 4 INCH SALT FEED PIPE	8	
	FILTER SOCK ASSEMBLY	24	
<b>02-04-00252</b>	EQUIPMENT: SOFTENING PLANT- MANUAL SALT LOADING OF SATURATOR		
	MODEL: 18 A		
	COMPANY NAME: RESINFORM -LTD		
	QUANTITY INSTALLED: 1		
	SITE:SADDAM MEDICAL CITY		
	SCREW & BEARING	8	
	SEALING MATERIAL	60	
	V-BELT	12	
	BUSH N- TAPER LOCK	8	
	CHAIN	4	
	STROKET	4	
	OIL SEALS	24	
	COMPLETE TELEMATIC CONTACTOR TYPE D093 B	8	
	COMPLETE TELEMATIC CONTACTOR TYPE D163 B	8	
	OVER LOAD UNIT	4	
	INDICATOR LUMPS	40	
<b>02-04-00253</b>	EQUIPMENT: CHEMICAL DOSING PUMP		
	COMPANY NAME: RFC DOSING & CONTROL LIMITED \ UNITED KINGDOM		
	QUANTITY INSTALLED:		
	SITE:SADDAM MEDICAL CITY		
	DUPLEX HAED DOSING PUMP TYPE FEDOS TK-10S COMPLETE WITH SUCTION VALVE & DISCHARGE VALVE ASSEMBLY	4	
	DOSING PUMP TYPE FEDOS ZTK-10 COMPLETE WIEH SUCTION VALVE & DISCHAREG VALE ASSEMBLY	16	
	DOSING PUMP TYPE MINIDOSE TM8K FOR INHIBITOR DOSING COMPLETE	4	
	DOSING PUMP TYPE MINIDOSE TM8K FOR BIOCID 1\2 DOSING COPLETE	8	
	DOSING PUMP TYPE MINIDOSE TM24K FOR ACID DOSING COMPLETE	4	
	DOSING PUMP TYPE MINIDOSE TM24K FOR CAUSTIC DOSING COMPLETE	4	
	CONDUCTIVITY METER TYPE LTH	4	
	PH-METER TYPE LTH	4	
	PROBE TYPE LTH	4	
	DOSING PUMP TYPE MINI DOSE TMK8K COMPLETE	4	
	DOSING PROGRAMER TYPE BCA	24	
	RESIN CATION	100	
<b>02-04-00254</b>	Equipment: Boiler		
	Model: Nos. A/TTP/6448-49-50-51		
	Company name: Thompson Cochran		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Quantity installed: 4		
	Site:SADDAM Medical City		
	Burner motor 380-V 5.5 KW	4	
	FD fan motor 380-V 18.5 KW	4	
	Photozell - SAK W8	32	
	Photozell Amplifier	16	
	Servo motor	16	
	Sequence cam timer	16	
	Ignition electrode	16	
	Electrode insulators	16	
	Balance relay	32	
	Burner sky - 60	4	
	Ignition transformer	4	
	Modulation valve	8	
	Float magnetic switch	32	
	Tube brushes for plane tubes	80	
	Tube brushes for stay tubes	40	
<b>02-04-00255</b>	Equipment: Pumps		
	Model: ERP- 80, 3" NT		
	Company name: WORTHINGTON SIMPSON LTD.		
	Quantity installed: 6		
	Site:SADDAM Medical City		
	Boiler feed pump ERP- 80 Q= 150 m3/hr , H= 200m	4	
	Emergency boiler feed pump 3" NT 6 stage	8	
<b>02-04-00256</b>	Equipment: ABSORPTION CHILLER		
	Model: 16 JE 707- 28, 28C20065		
	Company name: CARRIER AIRCONDITIONING COMPANY		
	Quantity installed: 6		
	Site:SADDAM Medical City		
	Solution pump	12	
	Refrigerant pump	4	
<b>02-04-00257</b>	Spare Parts for Mitsubishi Pager		
	Model Lo42vk J And Lo47 VHJ Engine 4G 54		
	MD 101316 Engine assay-Short	20	
	MD 997063 Gasket Kit Engine Overall	60	
	MD 997022 Gasket Kit Upper	40	
	MD 997110 Liquid Gasket	40	
	MD 020718 Packing , Semi Circular	60	
	MD 026520 Head Assay, Cylinder	20	
	MD 026514 Seat,Valve inlet	80	
	MD 024546 Seat, Valve exhaust	80	
	MD 020561 Guide, Valve exhaust	80	
	MD 020551 Guide, Valve inlet	80	
	MD 072821 Packing , Circular	40	
	MD 026654 Gasket, Cylinder Head	160	
	MD 026815 Bearing Set Crankshaft STD	60	
	MD 02816 Bearing Set Crankshaft 0.25	40	
	MD 026817 Bearing Set Crankshaft 0.50	40	
	MD 069947 Oil Seal	40	
	MD 020347 Case,Timing Chain	40	
	MD 026921 Piston Wl Pin STD	80	
	MD 026932 Piston Wl Pin 0.50	80	
	MD 026933 Piston Wl Pin 0.75	80	
	MD 026934 Piston Wl Pin 1.00	80	
	MD 020855 Rod Assay , Connecting	20	
	MD 107813 Ring Set, Piston STD	120	
	MD 107815 Ring Set, Piston 0.50	120	
	MD 107816 Ring Set, Piston 0.75	120	
	MD 107817 Ring Set , Piston 1.00	80	
	MD 027474 Crankshaft	20	
	MD 024812 Gear Ring	40	
	MD 026786 Flywheel	20	
	MD 002613 Bearing Flywheel Ball	60	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	MD 026430 Bearing Set Connecting Rod STD	60	
	MD 026431 Bearing Set Connecting Rod 0.25	60	
	MD 026432 Bearing Set Connecting Rod 0.50	60	
	MD 021247 Gear,Distributor	40	
	MD 021246 Sprocket, Camshaft	60	
	MD 021230 Chain,timing	80	
	MD 021232 Guide,Chain Loose SID	60	
	MD 021213 Sleeve, Complete( Chain tensioned)	40	
	MD 020843 Sprocket, Crankshaft	60	
	MD 021231 Guide,Chain Tension Side	20	
	MD 023226 Arm, Rocker	80	
	MD 023151 Camshaft	60	
	MD 083851 Valve,Exhaust	40	
	MD 083849 Valve Inlet	40	
	MD 000508 Seal , Valve Stem	20	
	MD 092660 Gauge unit ,Oil Pressure	30	
	MB 436331 Insulator,Engine Support Front	20	
	MB260670 Insulator,Engine Support Rear	40	
	MB260677 Insulator,Transter Support	20	
	MD031805 Filter Oil	60	
	MD025550 Pump Assy,Oil	40	
	MD025553 Rotor Assy,Oil Pump	20	
	MD021181 Sprocket,Oil Pump	20	
	MD021180 Sprocket,Oil Pump(Crankshaft)	20	
	MD025509 Chain,Oil Pump	60	
	MB248533 Tank,Fuel	10	
	MB408477 Gauge and Pipe Assy,Ful	20	
	MB129591 Strainer,Fuel	20	
	MD027080 Pump Assay, Fuel	60	
	MD023389 Insulator, Fuel Pump	40	
	MD092689 Crabbier Hour Assay	40	
	MB181201 Cable, Throttle	20	
	MB181331 Cable,Choke	40	
	MB221723 Hose,Radiator Lower	20	
	MB221722 Hose,Radiator Upper	20	
	MB221785 Shruod,Rad.Upper	40	
	MB221787 Shruod,Rad.Lower	40	
	MB008170 Tank Assy,Condenser	20	
	MD997203 Pump,Water	60	
	MD011149 Fan,Cooling	40	
	MD027458 V-Belt	120	
	MD603071 Elment,Air Cleaner	40	
	MD104576 Clutch,Fan	60	
	MD014607 Manifold,Exhaust	20	
	MD252453 Pipe ,Exhaust, Front	40	
	MD100431 Starter Assay	60	
	MD607997 Switch Assy,Solenoid	40	
	MD611372 Clutch, Overrunning	40	
	MD611365 Armature Set	40	
	MD607892 Bearing,Front	20	
	MD607903 Bearing Rear	20	
	MD607554 Brush,Starter	120	
	MD607556 Brush,Starter	120	
	MD611366 Yoke Assay	60	
	MD611364 Bracket Assay	40	
	MD109166 Alternator Assay	80	
	MD611343 Bearing,Front	60	
	MD611150 Bearing, Rear	60	
	MD611256 Rectifier Assay	60	
	MD11432 I.C Regulator	60	
	MD611516 Rotor Assay	40	
	MD611035 Brush, Alternator	60	
	MD602949 Cap Assay Distributor	40	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	MD607394 Support Assy (Point)	20	
	MD602758 Rotor Assy Distributor	40	
	MD109182 Cable Set,Spark Plug	20	
	MD026710 Cable Set, High Tension	20	
	MS851182 Plug,Spark	2000	
	MD003820 Coil Assy,Ignition	40	
	MD611517 Stator Assy,Alternator	40	
	MD603208 Resistor Assy	20	
	MD101250 Relay Wldiode	20	
	MD723861 Disc, Clutch	60	
	MD724736 Cover Assy , Clutch	40	
	MD719469 Bearing,Clutch Release	80	
	MD712383 Cylinder Assy, Clutch Release	80	
	MD997786 Repair Kit Clutch Release Cylinder	40	
	MB012098 Cylinder Assy, Clutch Master	40	
	MB012161 Cylinder Kit, Clutch Master	40	
	MD724273 Manual Transmission Sub.Assy(KM145-9)	20	
	MD997757 Gasket Kit ,Transfer	40	
	MD725129 Retainer,Bearing Front	40	
	MB012251 Hose. Clutch	80	
	MD725078 Pinion Assy .Main Drive	80	
	MD722888 Gear Assy.3rd Speed	40	
	MD703774 Gear Assy.2nd Speed	40	
	MD716103 Gear Assy.1st Speed	40	
	MD703980 Gear Assy.Overtop	40	
	MD717609 Gear Counter Shaft, Cluster	20	
	MD715769 Gear Counter Shaft, Reverse	20	
	MD703763 Gear Counter Shaft, Overtop	20	
	MD715770 Gear Reverse Idler	20	
	MD718407 Hub & Sleeve, Synchronizer	20	
	MD701465 Ring Synchronizer	20	
	MD717527 Ring Synchronizer	20	
	MD717528 Ring Synchronizer	20	
	MD715576 Bearing ,Input Shaft	40	
	MD716917 Bearing ,Main Shaft	40	
	MD717159 Counter Shaft, Cluster	40	
	MD703798 Counter Shaft, Cluster	40	
	MD701577 Bush,Control Lever	20	
	MD703555 Fronk,Shaft 3rd, 4th	40	
	MD718064 Fronk,Shaft 1ST, 2nd	20	
	MD703865 Fronk,Shaft Rev,Overtop	20	
	MD705466 Gear, Speedometer Driven	30	
	MD721242 Transfer, Sub Assy	20	
	MD704164 Oil Seal,Input Shaft	20	
	MD724726 Gear, Input	20	
	MD724729 Gear, Sub TIF	20	
	MD704120 Bearing, Ball TIF	40	
	MD154224 Shaft Assy , Propeller Front	20	
	MB000393 Joint, Universal Front	20	
	MB505060 Shaft Assy, Propeller Rear	20	
	MB000267 spider Kit, Rear Prop Shaft	20	
	MB526271 Joint & Shaft Kit RH	20	
	MB526270 Joint & Shaft Kit LH	20	
	MB526273 Repair Kit LH (Inner)	20	
	MB526147 Joint Kit RH (Inner)	20	
	MB393917 Shaft Assy (Inner)	20	
	MB Bearing .Inner Shaft	20	
	MB527404 Gear Set,Diff, Front Axle	20	
	MB185456 Gear Set,Final Drive , Front Axle	20	
	MB393001 Case Diffi, Front Axle	20	
	MB092348 Bearing, Dive. Side ,Front Axle	20	
	MB393883 Oil Seal ,Front Axle	20	
	MB526395 Oil Seal, Front Wheel	20	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	MB092749 Bearing, Front Wheel(Inner Outer)	40	
	MB366466 Disc , Brake Front	200	
	MB393852 Shaft Assy. Rear Axle	20	
	MB092432 Bearing, Rear Wheel	40	
	MB092288 Oil Seal, Rear Wheel	20	
	MB527310 Gear Set Dive, Rear Axle	40	
	MB 527247 Gear Set Final Drive , Rear Axle	40	
	MB 393471 Bearing , Drive Pinion Front Rear Axle	20	
	MB 393470 Rear Bearing , Drive Pinion Axle	20	
	MB 160949 Seal Bearing , Drive Pinion Axle	20	
	MB 393583 Case, Dive. Rear Axle	20	
	MB 7250 Shaft Kit, Dive Rear Axle	20	
	MB 527403 Shaft Kit, Dive Front Axle	20	
	MB 534245 Drum, Rear Brake	20	
	MB 241155 Arm Kit , Upper Left Hand	20	
	MB 241156 Arm Kit , Upper Right Hand	20	
	MB 109643 Bush, Pivot Upper	20	
	MB 176309 Ball Joint Kit Upper	20	
	MB 109647 Army. Lower Left Hand	20	
	ARM ASSY LOWER RH MB109648	20	
	BUSHING LOWERARM (A) MB109662	20	
	BUSHING LOWERARM (B) MB109684	20	
	SHAFT LOWER ARM MB109661	20	
	BALL JOINT KIT LOWER MB176308	20	
	KNUCKLE ASSY.LH MB430847	20	
	KNUCKLE ASSY.RH MB430848	20	
	OIL SEAL,STEERING KNUCKLE MB160850	20	
	BEARING ,NEEDLE STEERING KNUCKLE MB160670	20	
	ABSORBER,FRT SHOCK MB303366	20	
	ABSORBER REAR SHOCK MB242815	20	
	TORISON BAR LH MB349929	20	
	TORISON BAR RH MB349930	20	
	HANGER,STABILIZER MB109712	20	
	SPRING ,REAR MB339052	20	
	BUSHING RUBBER REARSPRING MB111071	40	
	BUSHING RUBBER REARSPRING MT362394	40	
	BUSHING RUBBER REARSPRING MB111203	40	
	PISTON BRAKE CALIPER MB082335	40	
	REPAIR KIT,PAD MB407216	40	
	REPAIR KIT WHEEL CYLINDER REAR MB277480	40	
	BOOSTER KIT BRAKE MB277480	40	
	VALVE BLEND PROPORATION BRAKE MB316477	40	
	WHELL ASSY STEERING MB701788	40	
	SHAFT STEERING INTERMEDIATE MB412330	40	
	SHAFT ,STEERING LOWER MB437283	40	
	GEAR ASSY ,P/S MB350781	40	
	SEAL KIT ,P/S GEAR MB350847	40	
	COVER ASSY ,SIDE P/S GEAR MB350845	40	
	ARM KIT ,PITMAN MB241973	20	
	ARM KIT IDLER MB241830	20	
	END KIT TIEROD INNER MB241206	20	
	END KIT TIEROD OUTER MB241171	20	
	PUMP P/S MB351969	20	
	SEAL KIT P/S PUMP MB351156	20	
	CARTRIDGE KIT P/S PUMP MB351156	20	
	V-BELT P/S MB166411	40	
	CAP RESERVOIR P/S MB288989	40	
	HOSE ASSY PRESSURE P/S MB501301	80	
	BUMPER ASSY ,FRT MB369621	80	
	SIDE BUMPER FRT LH MB369581	80	
	SIDE BUMPER FRT RH MB369582	40	
	FACE ASSY BUMPER REAR MB 403850	40	
	SIDE BUMPER REAR LH MB403553	40	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	SIDE BUMPER REAR RH MB369554	20	
	BEZEL KIT LH MB377401	20	
	BEZEL KIT RH MB377402	20	
	PANEL HOOD MB408462	20	
	CABLE,HOODLATCH MB021373	40	
	SUPPORT H/L MB408588	40	
	GLASS,W/S MB198745	40	
	WEATHER STRIP W/S GLASS MB198776	40	
	PILLAR ASSY ,FRT LH MB274891	40	
	PILLAR ASSY ,FRT RH MB274894	40	
	SWITCH,IGNITION MB184367	40	
	REGULATOR FRT DOOR WDOLH MB257901	40	
	LATCH FRT DOOR LH MB365307	20	
	LATCH FRT DOOR RH MB365308	40	
	MIRROR ASSY DOOR LH MB198219	80	
	MIRROR ASSY DOOR RH MB198220	80	
	PLATE BACK STEP MB274672	20	
	REINF (A)BACK STEP MB247670	20	
	SEALED BEAM MS 820130	20	
	LENS ASSY FRT COMB LH MB285909	20	
	LENS ASSY FRT COMB RH MB285910	20	
	BULB,LAMP FRT COMB MB084721	80	
	BULB,LAMP FRT COMB +REARCOMB MF820332	80	
	BULB,LAMP ROOM MF820512	80	
	BULB,LAMP LICENCE PLATE MF820062	80	
	LENS ASSY REARCOMB LH MB286913	80	
	LENS ASSY REARCOMB RH MB286914	80	
	BULB LAMP REAR COMB MB820038	80	
	BLADE ASSY W/S MB184023	80	
	GAUGE OIL PRESSURE MB521131	80	
	GAUGE VOLT MB521129	40	
	SPEEDOMETER MB281077	40	
	TACHOMETER MB281080	20	
	GAUGE ASSYFUEL &TEMP MB281084	20	
	DIGITAL CLOCK MB521100	20	
	CABLE SPEEDOMETER MB249239	20	
	SWITCH COLUMN(T/SIG+HL+WIPER) MB434922	40	
	FLASHER UNIT MB541186	40	
	RELAY INTERMITENT WIPER MB196422	40	
	RELAY LIGHT CONTROL MB046436	40	
	RELAYHEATER AC MB084670	40	
	RESISTOR HEATER MB272517	60	
	MOTORBLOWER HEATER MB298018	60	
	CONDENSER A/C MB239454	60	
	RELAYA/C MB261260	40	
	SWITCH A/C(ON-OFF) MB199890	40	
	SWITCH TEMP A/C MB188771	40	
	SOLENOID VALVE A/C MB272125	40	
	COMPRESSOR ASSY A/C MB332577	40	
	CLUTCH MAGNETIC A/C MB332578	40	
	BELT A/C MB239498	40	
	HOSE A/C MB380522	40	
	HOSE A/C MB239462	40	
	RELAY POWER MB332525	40	
	SEAL,COMPRESSOR SHAFT MB438304	40	
	THERMOSTAT A/C MB239484	20	
	SWITCH PRESSURE A/C MB239485	20	
	PULLEY ASSY TENSION A/C MB239493	20	
	RECIEVER MB199882	20	
	VALVEEXPANSION MB298891	20	
<b>02-04-00258</b>	Equipment : Meat cold store 5 Ton		
	company name : BRSTGOLD		
	Compressor R5 O2	10	



CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
<b>02-04-00259</b>	Equipment : Meat cold store 3 Ton		
	company name : BRSTGOLD		
	Filter wire	20	
	-Fan motor	20	
	- Expansion valve 5 ton E+ Passion	4	
	- Solenoid valve 5 ton	4	
	Main Timer	6	
	High low presser	8	
<b>02-04-00260</b>	Equipment : Meat cold store 2 Ton		
	ISPAIN		
	FAN condenser	12	
<b>02-04-00261</b>	Equipment : Meat cold store		
	company name : Carl Wise ( Germany)		
	Compressor	12	
	Inter FAN	12	
	Outer FAN	6	
	condenser net work	6	
	Timer	12	
	High low pressure	12	
	- Solenoid valve	12	
<b>02-04-00262</b>	Equipment : Meat cold store		
	company name : Via (Germany)		
	low pressure	24	
	High pressure	24	
	Evaporator Heater	30	
	Different Fuses	100	
	thermostat	24	
	Alarm part	6	
	- solenoid valve	24	
	Outer FAN	24	
	inner FAN	24	
	Evaporator network	12	
<b>02-04-00263</b>	Equipment : Vegetable Cold store		
	Compton name : Omega ( Canada)		
	Compressor	12	
	Inter FAN	12	
	Outer FAN	12	
	High - low pressure	6	
	THERMOSTAT	6	
	Timer	6	
	Starter	12	
	condenser network	6	
<b>02-04-00264</b>	Equipment : Blood refrigerator		
	company name : FREGORY( Italy)		
	Compressor	40	
	Outer fan motor	40	
	Inter fan motor	40	
	THERMOSTAT	40	
<b>02-04-00265</b>	Equipment : Blood refrigerator		
	Company name : FOSTER		
	High - low pressure	20	
	Inter FAN	30	
	Compressor	40	
	solid-state relay	8	
<b>02-04-00266</b>	Equipment : Plasma Deep freezer		
	USA		
	Compressor R22	18	
	Compressor R5 O3	18	
	Relay	18	
	Timer	18	
	pressure bracer	18	
	- solenoid valve R22	18	
	- solenoid valve R5 O3	18	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
<b>02-04-00267</b>	Equipment : Corps refrigerator		
	company name : THALHAIMER		
	THERMOSTAT	18	
	Expansion valve	20	
	- solenoid valve	20	
	Motor for Evaporator FAN	20	
	Motor for Condenser Fan	20	
	worker Timer	20	
<b>02-04-00268</b>	Equipment : corps refrigerator		
	company name : DDR (Germany)		
	Outer fan motor	20	
	Inter fan motor	40	
	starter 25 amp	30	
	High - low pressure	20	
	- solenoid valve	20	
<b>02-04-00269</b>	Equipment : corps refrigerator		
	TREEDING		
	condenser net work	8	
	- filter dryer 1/2	20	
	- fan motor	24	
	circle breaker	30	
	Sight glass	8	
	Compressor	16	
	- solenoid valve	20	
	THERMOSTAT	12	
	Expansion valve	8	
<b>02-04-00270</b>	Equipment : Vaccine & medicine refrigerator		
	PMT		
	Evaporator fan motor	30	
	condenser Motor	30	
	Expansion valve	12	
	THERMOSTAT	12	
	worker Timer	16	
	- high - low pressure	16	
	Starter	40	
<b>02-04-00271</b>	Equipment : medicine cold stor		
	Timer	4	
	outer fan	12	
	inner fan	12	
<b>02-04-00272</b>	Equipment : Vaccine cold store		
	company name: SMETCO		
	compressor	8	
	Timer	8	
<b>02-04-00273</b>	Equipment : Vaccine & medicine refrigerator		
	SIMETCO COMPANY		
	High low pressure'	30	
	Starter'	40	
	Expansion valve'	20	
	THERMOSTAT'	12	
	- condenser fan motor	20	
	Evaporator fan	20	
	- solenoid valve	12	
	Main ' worker Timer'	30	
<b>02-04-00274</b>	Equipment : kerosene refrigerator		
	company name: UNICEF		
	V240 KE		
	Flame	20	
	Glass	100	
	Heater	100	
<b>02-04-00275</b>	Equipment : Refrigerator ( 4 doors)		
	TENICONTROL COMPANY		
	- compressor 1/3 HP	12	
	- compressor 1/5 HP	200	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	- compressor 1/6 HP	150	
	THERMOSTAT'	300	
	over load with ' Relay'	120	
	condenser network'	100	
	ferine gas R12	30	
	silver welding wire	40	
	-filter dryer	100	
	Lamp	60	
<b>02-04-00276</b>	Equipment : Freezer		
	- compressor 1/3 HP	50	
	- compressor 1/4 HP	30	
	Condenser Fan	20	
	THERMOSTAT'	120	
	over load with ' Relay'	20	
	ferine R12	10	bottle
	- motor 1/2 HP	60	
	- motor 1/3 HP	60	
	- motor 1/5 HP	60	
	- motor 1/4 HP	60	
	motor fan TOSHIBA	80	
	Motor NATIONAL	90	
	motor fan JEPSON	30	
	motor fan GENERAL	40	
	motor fan METSUBISHI	50	
	Lamp	80	
	-motor 1/6 HP	80	
<b>02-04-00277</b>	Equipment : Air condition 2 ton	0	
	Compressor	1200	
	motor fan (Mitsubishi)	200	
	motor fan (TOSHIBA)	200	
	motor fan (GENERAL)	100	
	motor fan (JEPSON)	200	
	motor fan( golfer)	50	
	Switch off	600	
	THERMOSTAT'	820	
	- ferine 22 ( 13.5 kg / bottle)	280	
	- ferine 12 (13.5 kg / bottle)	260	
	-ferine 5 O2 ( 13.5 kg / bottle)	120	
	compressor (GENERAL )	30	
<b>02-04-00278</b>	Equipment : Air cooler		
	Motor	50	
	Water pump	50	
<b>02-04-00279</b>	Equipment : air condition 2.25		
	Compressor	30	
<b>02-04-00280</b>	Equipment : Water cooler		
	- compressor 1/4 HP	50	
	- compressor 1/3 HP	40	
	THERMOSTAT'	50	
	worker Switch	40	
	condenser network'	40	
	- fan motor	50	
	- ferine 12	30	
<b>02-04-00281</b>	Equipment : kitchen equipment		
	power pile generator for tilting braising pan	6	pcs
	motor 2.5 ton	12	pcs
<b>02-04-00282</b>	Equipment : Mince machine		
	Mince Knife	12	
	Mince Motor	12	
<b>02-04-00283</b>	Equipment : Meat saw		
	Motor	12	
	saw cutter	12	
<b>02-04-00284</b>	Equipment : Washing machine		
	company name : ELECTROLIX		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	timer	8	
	Motor	8	
<b>02-04-00285</b>	Equipment : laundry		
	V- belt A- 65 laundry washer	16	pcs
	V- belt B- 64 laundry washer	8	pcs
	V- belt B-67 laundry washer	16	pcs
	V- belt A- 75 laundry extractor	28	pcs
	V- belt dryer tumbler	8	pcs
	V- belt B - 105 dryer tumbler	8	pcs
	V- belt B-60 dryer tumbler	8	pcs
<b>02-04-00286</b>	Equipment : Washing machine 50 kg		
	company name : dboelerat ( sewed)		
	ballbearing set	18	
	THERMOSTAT'	18	
	Drain	30	
	- starter 20 amp	200	
	program	30	
	Timer'	18	
	balance Switch	18	
	Solenoid	48	
	worker Switch	100	
	- motor 5.5 Kw	6	
	- motor 1.1 Kw	6	
	- set blabbering FIE 503	6	
	card	12	
	set Blabbering FI403	6	
<b>02-04-00287</b>	Equipment : washing machine for surgical instrument		
	Germany company G7735		
	card	24	
<b>02-04-00288</b>	Equipment : children clothes dryer		
	drying Motor	12	
<b>02-04-00289</b>	Equipment : children clothes press		
	press Motor	12	
<b>02-04-00290</b>	Equipment : drying tumbler		
	company name : ELECTROLIX	40	
	Drying heater	10	
	main motor	8	
	heating sensor		
<b>02-04-00291</b>	Equipment : drying tumbler		
	UNY- dish company		
	Heater type TT746	400	
<b>02-04-00292</b>	Equipment : steam dryer		
	SWEED		
	- Steam trap	20	
	Motor	6	
	reverses timer	6	
	Radiator		
<b>02-04-00293</b>	Equipment : boilers		
	Contactora 40 A 220 V	12	pcs
	Condensing water pump 18.5 Kw rpm -1500	6	pcs
	hot water pump 3 Kw rpm = 1450	6	pcs
	centrifugal type U97128 220V 15 A	6	pcs
	Soave flex	6	pcs
	side glass temperature circular 30 cm	6	
<b>02-04-00294</b>	Equipment : boiler		
	CAM INDUSTRIES ING 18250 68TH AVENLE SOUTH KENT WASHING TON 98030		
	heater 75 Kw long 50 cm	12	
<b>02-04-00295</b>	Equipment : Steam boiler		
	SWEED		
	Main control	100	
	Oil pump	50	
	High tension TRANSFORMER	40	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Lighter cell	100	
	water Motor	10	
	Thermometer	20	
<b>02-04-00296</b>	Equipment : Incinerator		
	HOFAL COMPANY - SWISS		
	- high pressure transformer	40	
	- relay 220 v	60	
	- solenoid valve	60	
	Lighter cell	50	
	Oil pump	30	
	- high pressure transformer cable	1000	
	electron	60	
	Nozzle '	60	
<b>02-04-00297</b>	Equipment : Incinerator		
	Company name: HOFAN		
	electric control circuit	4	
	Flame	8	
<b>02-04-00298</b>	Equipment : Air handling unit		
	ISPAIN		
	Valve	180	
	- belt SPA 1500 LW	180	
	- belt SPA 1202 LW	150	
	- belt SPB 2300 LW	180	
	- belt SPB 2120 LW	90	
	- belt SPZ 1262 LW	60	
	- belt SPZ 1482 LW	90	
	belt SPZ 1600 LW	120	
	- belt SPZ 1337 LW	90	
	- belt SPZ 1862 LW	90	
	- belt SPZ 1532 LW	60	
	- belt SPZ 1557 LW	60	
	- belt SPZ 1562 LW	90	
	- belt SPZ 1800 LW	120	
	- belt SPZ 1087 LW	90	
	- belt SPZ 1060 LW	90	
	- belt SPZ 1000 LW	90	
	- belt SPZ 750 LW	90	
	- belt SPZ 1400 LW	60	
	Filter paper	1200	
	-supporter 45mm	54	
	- diagram DL 11011	900	
	Filter	1200	
<b>02-04-00299</b>	Centrifugal chiller		
	Model :CVGA 150 KW 1989 - France - company/TRANE		
	Oil pump	2	
	Contactator 300A rattail at AC3 , 380 V , telemecanique	6	
	Over Load 250A Telemecanique	2	
	Rebuilt set for compressor contains all bearings and gaskets (250 TON,150KW,3Q,50HZ,380V,R12 WATER COOL)	2	
	Circuit break 16A 2poles Marlingreen	12	
	Isolator 500A Marlingreen	2	
	Fuse 400A	12	
	Guide vanes actuator	2	
	Modulator on suction line	2	
	Circuit breaker 3poles 5A	4	
	Oil heater	8	
	Chilled water temp sensor	8	
	Cooling water temp sensor	8	
	Operating card (electronic)	4	
	Full information collage	4	
	Flow switch	8	
	Vacuum	2	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	pump down unit capacity :1.5 ton , R12 , R22 , R502	2	
<b>02-04-00300</b>	Chiller ReciprocatingComp. 75TON FOR EACH R22 (3Q,50HZ,380V)		
	Company/ TRANE - France- model, 1989,- 300 ton , air cooled 4-compress		
	Contacteur AC3 380 V 90 KW telemecanique	12	
	Contacteur AC3 380 V 55 KW telemecanique	12	
	Contracteur AC3 380 V 22 KW telemecanique	6	
	Operating Card(electronic)	4	
	Pressure Switch(high)	8	
	Pressure Switch(low)	8	
	Pressure Switch(Oil)	8	
	Pressure Switch(high)	8	
	Pressure Switch(Low)	8	
	Pressure Switch(oil)	8	
	Solenoid valve for unloaded	24	
	Solenoid valve on liquid line	8	
	Chilled Water Sensor (thermostat)	4	
	Flow Switch size (1 inch)	8	
	Expansion Valve	8	
	Service valve for compress on suction	8	
	Service valve for compress on distingue	8	
	Service valve on liquid line	8	
	Filter drier	8	
	Step controller type BT2	2	
	Fan Thermostat	6	
	Over Load 105-75A	8	
	Over load 50-38A	6	
	Fuse 250A	30	
	Filter drier	28	
<b>02-04-00301</b>	<b>Steam Boiler</b>		
	Company /. Wanson, Belgium- Model , 1982 -,Type 450- 5-		
	Ignition Transformer 2x5000 V/220 V	6	
	Solinoid valve for gas 0.1	6	
	Solinoid valve for Propane for ignition	6	
	Photo cell	6	
	Servomotor 24 V(modulator)	6	
	Sight glass for water level	12	
	Pressure gauge for steam 0-25 bar	6	
	High pressure switch	12	
	Differential pressure switch	6	
	Float switch	6	
	Gas oil pump 60 bar discharge 1"-1"1/4	6	
	Water pump 5-stages	12	
	Low level alarm electrode	6	
	Thermometer for exhaust gases	12	
	Steam Safety valve	6	
	Pressure gauge for oil lobar	12	
	Ignition electrode	6	
	Complete mechanism for modulation	6	
	Contacteur 80 A at AC3 rated Telemechanger	12	
	Overload 36 A -25A	12	
	Contacteur 20 Arrayed at AC3 Telemechager	12	
	Overload 5A-10A	8	
	Transformer 220V-380V 500VA	6	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Transformer 220V-24V 100VA	6	
	Tinier30S	12	
	Relay10A telemechanique 220V Coil	40	
	Block timer 30S	12	
	Circuit breaker 100A	6	
	Fusible link 25A TRIPLE	20	
<b>02-04-00302</b>	Boiler Comp. Hanson , BelegiumModel , 1982, type 450 , 5		
	Fusible link 1 A	24	
	Fusible link 5 A triple	10	
	Fusible link 15 A triple	40	
	Program timer	12	
	Phase fair	6	
	Alkaline battery alkyl type UHP 150 , France	80	
<b>02-04-00303</b>	Heat exchanger		
	Steam trap 2"	6	
	Pressure guage 15 bar (for water )	20	
	Thermometer 100 C.	20	
<b>02-04-00304</b>	U.P.S Power supply		
	Francemodel 1985		
	Alkaline battery type KPMP aft (1.2 v)	340	
	Alkaline battery type aft 115 SLP1 (1.2 v)	164	
<b>02-04-00305</b>	Air hand untitled , VSV170 REP.V		
	Air filter size 50cm x 62cm x 4.7cm	480	
	Contacteur 30 A rated at AC3	40	
	Over load 13-18 A	40	
	Over load 5-10 A	40	
	Alkaline battery SAFT , SLP8	72	
<b>02-04-00306</b>	Lift SORETEX/ THYSSEN , France model , 50711 , 50712 ,		
	Electronic card no. 16	8	
	Electronic card no. 18	8	
	Electronic card no. 20	8	
	Electronic card no. 24	8	
	Transformer kit for control the field of generator	8	
	Filter record	8	
	Contacted collie with mechanical interlock 40 A	16	
	Contacteur 25A , 4 poles with auxiliary 4 poles no. all	16	
	Black timer 30S	20	
	Black timer 180S	10	
	Contacteur continuos current 80A telemecanique	20	
	Contacteur continuos current 50A telemecanique	20	
	Overload 23-32 A telemecanique	10	
	Overload 0.1-1A	10	
	Overload for generator	10	
	Motor field relay	8	
	Variable resistance VR2	8	
	Resistance 1K , RW 13 x 70	20	
	Resistance 8.2K , RW 13 x 70	16	
	Resistance 10K , RW 13 x 70	20	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Resistance 4K7 , RWA 13 x 70	10	
	Circuit breaker 15A multi 9 marlin Gerona	20	
	Phase filler	8	
	Bridge rectifier	40	
	Transformer saber 220-380-18-28-56-10-12-198-280-500VA	20	
	Door Contactor AC3 8A 4KW 380V 4poles No double with	20	
	Timer Cyrillic Bas12	20	
	Overload 0.63-1A	20	
	Relay 56V 12pin sorter	200	
	Relay 56V 16pin sorter	100	
	Relay 56V 24pin sorter	100	
	Relay 56V 8pin sorter	100	
	Relay for selector double coil 56V 24pin sorter	100	
	Overload relay with reset	20	
	Generator-motor set Enoch type F180 LRGY24,7KW 285V	2	
	Brushes for generator type Enoch F180 LRGY brushes for	40	
	Hoist Motor type FA 180 LB Enoch 285V 86A 1200RPM	2	
	Berate coil	2	
	Banns for break	20	
	Oil for great box type(shell Macao oil220) or (BP Energy-GR-	400	liter
	Upper & down limit switch	30	
	Traveler cable 12 line	2000	m
	Call switch	200	
	Double contacts with mechanical interlock 30A	20	
	Circuit breaker 70A multi marlin green	20	
	Earth leakage circuit breaker two poles 15A multi marlin	20	
	Door motor Enoch type KA90 2DMK 220V single page 1.3A	10	
	Pilot lamp 60V	400	
	Pilot lamp 12V	400	
	Photo cell	20	
	Rollers for door	40	
	Door lock	20	
	Contact for door	40	
	Micro switch for speed of door motor	50	
	Compressor, tecumschJAH2510 J 1-5KW,3ph,200V	20	
	Motor fanVENTILATING FANPF-25A TBO34P2 mnhto	40	
	Motor fan FW25 N6L- 2T200V 50/60 H2	40	
	Compressor , tecumschJAH 2460A1-5KW-R12-200V-50/6Hz	20	
<b>02-04-00307</b>	Flood lighting fitting complete with integral gear ,sufficient	200	
<b>02-04-00308</b>	General purpose road lighting , white glass - fibber reinforced	200	
	Flexile mounting capability on post - top and side entry		
<b>02-04-00309</b>	Emergency lighting , of indoor and semi - out door	200	
	and ceiling mounting , arrow pinto gram ,		
	3-hour working on main fails .using 8-15		
	watt lamp .		
<b>02-04-00310</b>	Photo cell sensing light for automate switching .	30	
<b>02-04-00311</b>	Sodium lamp 150W	200	
<b>02-04-00312</b>	Sodium lamp 250W	400	



CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
<b>02-04-00313</b>	Sodium lamp 460W	200	
<b>02-04-00314</b>	Mercury lamp 125W	200	
<b>02-04-00315</b>	Mercury lamp 250W	400	
<b>02-04-00316</b>	Mercury lamp 400W	200	
<b>02-04-00317</b>	Fluorescent lamp tube 36-40W 1200mm, Capable 13mm, O	400	
<b>02-04-00318</b>	Fluorescent lamp 156-60W 1500mm	1000	
	Capable 13mm, O = 28mm.		
<b>02-04-00319</b>	Control gear for 125, 150, 200, 250, 400,Watt merry and	400	
<b>02-04-00320</b>	Equipment: Fuses for Motor controls		
	Company /manufacturer: Simmons /West Germany		
	Or Equivalent		
	Site:saddam Medical city /All Hospitals		
	Low voltage Hrs switchgearfuse 50Amp 3ND8 020	400	
	Low voltage Hrs switchgearfuse 63A 3ND8 022	1000	
	Low voltage Hrs switchgearfuse 80A 3ND8 024	1000	
	Low voltage Hrs switchgearfuse 100A 3ND8 030	1000	
	Low voltage Hrs switchgearfuse 125A 3ND8 032	400	
	Low voltage Hrs switchgearfuse 160A 3ND8 036	200	
	Low voltage Hrs switchgearfuse 200A 3ND1 140	100	
	Molded plastic L.V.HRC fuse link		
	Size 00,500VAC , 6Amp 3NA4 801	1200	
	As Above but, 10Amp 3NA4 803	900	
	AS Above but ,16Amp 3NA4 805	900	
	AS Above but 20Amp 3NA4 807	600	
	AS Above but 25Amp 3NA4 810	600	
	AS Above but 35Amp 3NA4 814	500	
	AS Above but 50Amp 3NA4 820	300	
	AS Above but 63Amp 3NA4 822	1200	
	AS Above but 80Amp 3NA4 824	600	
	AS Above but 100Amp 3NA4 830	600	
	AS Above but 125Amp 3NA4 832	300	
	Low vol. Age Hrs fuse link		
	Size 00,500VAC, 6Amp 3NA1 011	300	
	As Above but, 10Amp 3NA1 012	300	
	As Above but, 16Amp 3NA1 013	300	
	As Above but, 20Amp 3NA1 014	300	
	As Above but, 25amp 3NA1 015	300	
	As Above but, 32Amp 3NA1 001	300	
	As Above but,,35Amp 3NA1 003	300	
	As Above but, 40Amp 3NA1 002	300	
	As Above but, 50Amp 3NA1 017	300	
	As Above but, 63Amp 3NA1 018	300	
	As Above but 80Amp 3NA1 020	300	
	As Above but 100Amp 3NA1 021	300	
	As Above but 125Amp 3NA1 022	300	
<b>02-04-00321</b>	Equipment: Clock system		
	Model : Simplex		
	Company /Manufacturer: simplex time recorder co.		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	(Gardner, Mass., 01441 USA)		
	Quantity: 7		
	Site :saddam Medical city/		
	Master clock complete 2350	14	
	Solid state signal generator complete 2850	28	
	Transmission Module 556-845	20	
	Impulse module 556-850	20	
	Front panel BD 556-781B	20	
	CPU BD 562-003D	20	
	Powder supply 556-707E	20	
	Rechargeable Battery , 12V, 18AH	40	
	Precision oscillator 556-422A	20	
	Rectifier	20	
	Capacitor	20	
	Transformer	20	
	Amplifier BD 556-818	50	
	Oscillator control BD 556	28	
	Synch BD 562-0443	28	
<b>02-04-00322</b>	Equipment:bearing for pumps , motors and fans		
	Model: Different		
	Company/manufacturer: European		
	Site:saddam Medical city/		
	Ball Bearing 6202 zz	80	
	Ball Bearing 6203zz	120	
	Ball Bearing 6204zz	80	
	Ball Bearing 6205zz	160	
	Ball Bearing 6206zz	240	
	Ball Bearing 6207zz	280	
	Ball Bearing 6208zz	400	
	Ball Bearing 6209zz	100	
	Ball Bearing 6212	374	
	Ball Bearing 6213	50	
	Roller Bearing NU213	50	
	Ball Berating 6215	50	
	Roller bearing NU215	50	
	Ball Bearing 6218	50	
<b>02-04-00323</b>	Equipment: Pumps, Motors And fans		
	Site:saddam Medical city/		
	Roller Bearing N218	50	
	Ball Bearing 6305zz	50	
	Ball Bearing 6308zz	50	
	Ball Bearing 6309zz	350	
	Ball Bearing 6311	124	
	Ball Bearing 6312	124	
	Ball Bearing 6313	26	
	Ball Bearing 6315	300	
	Ball Bearing 6316	50	
	Ball Bearing 6317	50	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Ball Bearing 6318	250	
	Roller Bearing NU319	250	
	Ball Bearing 6406	50	
	Ball Bearing RMS11	50	
<b>02-04-00324</b>	Equipment: Pumps, Motors and fans		
	Site: saddam Medical city/		
	Backset Bearing 2306 kc3	250	
	Backset Bearing 2307 kc3	250	
	Backset Bearing 2308 kc3	250	
	Ball Bearing 2309	50	
	Ball Bearing 2313	124	
	Bush H306	250	
	Bush H307	250	
	Bush H308	250	
	Ball Bearing 3308	50	
	Ball Bearing 3213 k	124	
	Ball Bearing 7312 B	124	
	Ball Bearing 7313	50	
	Ball Bearing 7618	100	
<b>02-04-00325</b>	EQUIPMENT: Pumps, Motors and fans		
	Company /Manufacturer:		
	Quantity:		
	Site:saddam Medical city/		
	Roller Bearing UC310	250	
	Double Ball Bearing 22309	50	
	Ball bearing 478206	50	
	Ball bearing 6304zz	250	
	Backset Bearing 25mm	100	
	Backset Bearing 50mm	100	
<b>02-04-00326</b>	Equipment: Lighting system Interior and External LIST-12		
	Company: MANUFACTURER: THORNOR EQUIVELANT		
	Site:saddam Medicalcity /		
	Fluorescent type :		
	6'75/85W T12 cool white 4300k tubas	5000	
	2' 13W T5 cool white 4300k Tubes	5000	
	12' 8W T5 cool white 4300k tubes	5000	
	9' 6W T5 cool white 4300k Tubes	5000	
	4' 40w T12 cool White 4300k Tubes	20000	
	40W TB cool White 4300K 'U' Tubes	2500	
<b>02-04-00327</b>	Equipment: Lighting system interior and external		
	Company /Manufacturer: Thorn or Equivalent Philips		
	Site:saddam Medical city/		
	MBF/U Mercury type :		
	400W e40 MBF/U lamp	2500	
	250W E40 MBF /U lamp	10000	
	125W E27 MBF/U lamp	1300	
	80W E27 MBF/U lamp	1300	
	Par Reflector type :		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	220V 100W E27 Clear par 38 spot	1300	
	220V 100W E27 Clear par 38 flood	1300	
	220V 150W E27 Clear par 38 spot	1300	
	220V 150W PC E27 Clear par 38 Flood	1300	
	Tungsten type :		
	220V 40W clear Glass lamp	1300	
<b>02-04-00328</b>	Equipment: Lighting system interior and external List-12		
	Company /Manufacturer: thorn or Equivalent Philips		
	Site:saddam Medical city/		
	Fluorescent type :		
	6' 75/85W T12 cool white 4300k Tubes	5000	
	2' 13W t5 cool white 4300k tubes	5000	
	12' 8W cool white 4300k Tubes	5000	
	9' 6W T5 cool white 4300k Tubes	5000	
	4' 40W T12 cool white 4300k Tubes	20000	
	40W T8 cool white 4300K 'U' Tubes	2500	
<b>02-04-00329</b>	Equipment: Lighting system interior and external		
	Company /Manufacturer: Thorn or Equivalent Phillips		
	Site: saddam Medical city /		
	MBF /U mercury type:		
	400W E40 MBF/U lamp	2500	
	250W E40 MBF/U lamp	10000	
	125W E27 MBF /U lamp	1300	
	80W E27 MBF/U lamp	1300	
	PAR reflector type :		
	2220v 100W E27 Clear par 38 spot	1300	
	220V 100W E27 Clear par 38 flood	1300	
	220V 150W E27 Clear par 38spot	1300	
	220V 150 E27 Clear par 38 flood	1300	
	Tungsten type:		
	220V 40W BC clear Glass lamp	1300	
<b>02-04-00330</b>	Equipment: Pumps Motors and Fans		
	Company/Manufacturer:		
	Site:saddam Medical city/		
	Roller Bearing N218	50	
	Ball Bearing 6305 zz	50	
	Ball Bearing 6308zz	50	
	Ball Bearing 6309 zz	350	
	Ball Bearing 6311	124	
	Ball Bearing 6312	124	
	Ball Bearing 6313	24	
	Ball Bearing 6315	290	
	Ball Bearing 6316	50	
	Ball Bearing 6317	40	
	Ball Bearing 6318	200	
	Roller Bearing NU319	200	
	Ball Bearing 6406	40	
	Ball Bearing RMS11	40	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
<b>02-04-00331</b>	Equipment: Pumps, Motors and fans		
	Company/Manufacturer:		
	Site:saddam Medical city/		
	Bracket Bearing 2306 kc3	200	
	Bracket Bearing 2307 kc3	200	
	Bracket Bearing 2308 kc3	200	
	Ball Bearing 2309	40	
	Ball Bearing 2313 k	100	
	Bush H306	200	
	Bush H307	200	
	Bush H308	200	
	Ball Bearing 3308	40	
	Ball Bearing 3311	40	
	Ball Bearing 3213k	100	
	Ball Bearing 7312 B	100	
	Ball Bearing 7313	40	
	Ball Bearing 7618	80	
<b>02-04-00332</b>	Equipment::Pumps, Motors and fans		
	Company/Manufacturer:		
	Site:saddam Medical: Medical city/		
	Roller Bearing UC310	200	
	Double Ball Bearing 22309	40	
	Ball Bearing 478206	40	
	Ball Bearing 6304zz	200	
	Bracket Bearing 25mm	80	
	Bracket Bearing 50mm	80	
<b>02-04-00333</b>	Equipment: High voltage switch Gear		
	Company/Manufacturer: Simmons-West Germany		
	Quantity: 14		
	Site:saddam Medical City/service Building		
	Vacuum circuit Breaker 12kv , 25 630A 3AF1741-4EH40-	12	
	Vacuum circuit Breaker 12kv, 25kA 630A 3AF1741-4EH40-	12	
	Operating Machine –Eke Motor Drive 110v DC	24	
	Tripping Relay Set 110V DC 7VH1604	40	
	Theorem-Delay oversold Relay , 3-Pole 3UC3860-1C	12	
	Alarm Relay 7PG2460-3EBO	40	
	Glow Lamp 220, Clear BA 95 35x1701	200	
	Inland-Lamp BA95, 110-130V 2.5W 35x 1731	200	
<b>02-04-00334</b>	Equipment: Suction pump		
	Model: Engl. universal		
	Company /manufacturer: Amada		
	Site:saddam Medical city /surgical Hospital –Amasser		
	O-Ring 8,1*1,6 (Packing-Unit 100 PCs) 477000	16	
	Spring ring 4,3/8* 0.5 360403	16	
	Spring Ring 8,1/12,7*2 340806	16	
	Tube *14 81411	10	1.5 M
	Cylinder Compel Universal 45 99110411	10	
	Gearing Motor 220V/50Hz 86405011	10	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	PCV Tube 5*10 81211	10	1.5 M
	Vacuum Connection T 38109811	30	
	Vacuum connection L 38117911	30	
	Spring Ring 5,1/8,8*1,6 340510	30	
	Valve 47601411	30	
	Reinsertion spring 42602011	30	
	Rubber seal 47120811	30	
	Unit Universal 451 Ap220V/50Hz 99110217	6	
	Ball Bearing 823011	60	
	Plain Washer 5,3/15*1,6 31056	60	
<b>02-04-00335</b>	Equipment: Generator		
	Detroit Diesel 149 MPC		
	Model: 9163-7305 –16Vfan –IO-Flywheel, Turbocharger En		
	Spare patriots for Engine series: 16E-7060, 6060,		
	Cylinder head 1.2	12	
	Crank shaft 1.3	6	
	Vibration damper and up complete 1.300B	6	
	Crank shaft pulley 1.300C	24	
	Flywheel 1.400A	6	
	Connecting rod and piston complete 1.6	12	
	Camshaft 1.7	6	
	Idler gear 1.7222	36	
	Camshaft gear 1.72	24	
	Blower drive gear 1.743	24	
	Crank shot timing gear 1.3142	24	
	Camshaft drive flange 1.7007	24	
	Camshaft intermediate bearing 1.704	24	
	Camshaft gear bearing 1.7204	24	
	Idler gear bearing 1.7225	24	
	Blower drive gear pushing 1.7431	24	
	Engine Complete	4	
	Alternator complete	4	
<b>02-04-00336</b>	Equipment: Generator		
	Cummins		
	Egging No. 33106983		
	Con No.: D283011 DX 02-00		
	Model: KTL 3067 G2		
	Date of M.F>G 30/6/82		
	Big-End Bearing 0. 5mm	32	set
	Big-End Bearing 0.75mm	32	set
	Big-End Bearing 1.0 mm	32	set
	Big-End Bearing STD	32	set
	Big-End Bearing 0.25mm	32	set
	Small –End Brush	32	
	Piston Assembly std	32	
	Cylinder liner STD	32	
	Overhaul gasket set	4	set
	Crank shaft	2	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Cam shaft	4	set
	Cam shaft Bush	34	
	Connecting rod	32	
	Water pump	2	
	Repair kit water pump	4	set
	Fuel pump 0343-840-D418189A	2	
	Electric governor (Actuator) AGD-130E-4 CEO 3019635	4	
	Electric governor (control unit) C4 643C-23 serial. No.	4	
	Complete starter Motor	4	
	Chugging dynamo	2	
	Cylinder head	2	set
	Exhaust valve		Complete
	Intake valve		Complete
<b>02-04-00337</b>	Equipment: Generator		
	Petbow Brushless Alternator		
	Serial No. AG 7010CA/22		
	Frame: 788		
	Rating cot: B55000		
	Date: 2-83		
	KVA: (1016.25)(Volt, 380 Amp 1544 P.F 0.8 Hz50		
	A.V.R	4	
	Rotating Rectifier	4	set
	Voltage suppressor	6	
<b>02-04-00338</b>	equipment : generator		
	pelbow control system		
	volt 380 , amp 1600 , Hz 50-60		
	serial no. NMSP 1644		
	PC board CE 5069	4	
	accessory for wattmeter KWTC	4	
	unit APC	2	
	PX board smo 32/3 CE4918	4	
	PC board smo 32/3 CE4873	4	
	motorized ciremunit breaker TYPET	2	
	automatic stand by parallel operation control unit AMP	2	
<b>02-04-00339</b>	Equipment: Generator		
	(pet bow) 1016KVA		
	SERIAL NO: NMSP 1644		
	CONTRAL SYSTEM : 380 V, 1600A, (50-60)HZ		
	Automatic control panel	4	
	TYPE :TNO 8-1600 AMP with main and alternator Circuit		
<b>02-04-00340</b>	Equipment: Generator		
	Hitzinger		
	(630,250,100,50) kV		
	Coupling for 100KVA(B1040) F2 size 75	6	
	Coupling for 100kvA(B1308) CF-D276-60-11-107	30	
	Coupling for 250kvA(B1307) CF-D276-60-14-93	60	
	Coupling 630KVA(B1041) SV9HE 18"-400th-GG	2	
	Coupling for 50KVA(B563)	8	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
<b>02-04-00341</b>	Equipment: Chiller 100T		
	Company Name: Digger-Japan		
	Compressor model 8HC752LB-YE 3phase 50 Hz 380V R22	4	
<b>02-04-00342</b>	Equipment: generator		
	Company Name: Dotes-Germany		
	Circuit breaker Huh/1250A	4	
	Battery charge 24V-10A	6	
<b>02-04-00343</b>	Equipment : Generator		
	Company Name Hitzinger-Scan		
	ENGINE Type DS 1441 Variant A20T	6	
<b>02-04-00344</b>	Equipment: Plasma refrigerator		
	So-low Environ-Mental Equipment 10310 Spartan		
	DRIVE Cincinnati		
	OH10 15215		
	Model No.PR120-12 SER. No.8990223		
	Compressor 2Ton	8	
	Solid-state Relay	8	
	Ferine R503	50	KG
<b>02-04-00345</b>	Equipment: Food refrigerator		
	Company Name: Via –Germany		
	Compressor DWM Copeland type DL SGB/401/EWI/000 Far.	8	
	Ferine R502	300	kg
<b>02-04-00346</b>	Equipment: Boiler		
	CAM. INDUSTRES ING 18250 68 Th AVENUE sooth KENT		
	HEATER 75 KW (L.50cm)	12	
<b>02-04-00347</b>	Equipment : Chiller		
	Company Name: YORK DIV OF BORG		
	WARNER CORP YORK PA17405		
	Compressor model JS 63N	4	
	Seer No. 6101407		
	Volt 4801415 R22 Hz 50 RLA 102 LRA 495		
	Vtol. RANGE 414-506 342-440		
<b>02-04-00348</b>	Equipment: Motor with gearbox		
	Company Name: SABEEM Italy		
	ZIEHL-ABGG NR. 6917019 type Su 180c2-6124 u/min	4	
	Steal Rob (Diameter 13mm)	2000	m
	Steal Rob (Diameter 11mm)	2000	m
<b>02-04-00349</b>	Equipment: Air-condition 2 ton		
	Company: National, Toshiba, and General		
	Compressor	1110	
	Thermostat	940	
	Switch	460	
	Fan motor	660	
	Serbs	550	
	Fan	390	
<b>02-04-00350</b>	Equipment: Refrigerator		
	Company name: Phillips		
	Compressor	110	



CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Thermostat	20	
<b>02-04-00351</b>	Equipment: Freeze		
	Company: Phillips		
	Compressor	20	
	Thermostat	60	
	Ferine R11	1600	kg
	Ferine R12	660	KG
	Ferine R22	478	kg
	Ferine R502	4	bottle
<b>02-04-00352</b>	BOILER		
	burner complete	44	
<b>02-04-00353</b>	Equipment: seplitunit 2 ton		
	Company: national –heaths		
	Compressor	90	
	Fan motor	40	
	Condenser	30	
	Switch and regulator	62	
	Heater	30	
<b>02-04-00354</b>	Equipment:: water cooler y3		
	Compressor	10	
	Condenser	10	
	Thermostat	10	
<b>02-04-00355</b>	Equipment: Air-condition 1 ton		
	Company: national,		
	Toshiba, Hitachi		
	Compressor	30	
	Fan coil	10	
	Thermostat	10	
<b>02-04-00356</b>	Equipment: generator 1012 kV		
	Company: dotes –Germany		
	Motorrtype: slab 16 m 816		
	Seal 3470281	6	
	Drive shaft 3375119	6	
	Drive disc 4004088	6	
<b>02-04-00357</b>	Equipment: generator 100 kV		
	Company: swan-		
	Motorrtype: Volvo t1070g		
	Equipment generator 250 kV		
	Company: sap		
	motor type: vow Lao 12fg		
	Cylinder head	2	
	Injection pump	2	
<b>02-04-00358</b>	Equipment: generator 570 kV		
	company : dotes - Germany –deal –108836 –5-0198		
	Commix electronic u 90 377. 3413	2	
	Battery regulator charger 376. 0195	2	
<b>02-04-00359</b>	Equipment: electrocute lift		
	D-c –26 passenger		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Type: 2sp 2bp 2w2k2qa 3sl pg.		
	Company: bologna –lately –7447 –7449		
	Generator Tachometric seer .: 2670	2	
	Type : 335 / kola		
	V/H : 0.06		
	N max : 6000		
	A max : 0.25		
	Regulator	10	card
	Motor generator : N 382656 KW 17.38	2	
	Armature : V 362		
	A 48		
	V 376		
	A 100		
	Comotater : Eccitaz V 47162	2	
	A 8.1 / 1.01		
	Centric V 215/1.07		
	A 5.3/1.06		
<b>02-04-00360</b>	Equipment: Pump Hegira I13		
	Electric motor 3kw 380 V/50 Hz	6	
	SealingJoint	12	
	Shaft sealing	12	
<b>02-04-00361</b>	Equipment Softening plant BA-9 CH		
	Timer	4	
	Automatic switch over valve	4	
	Way solenoid valves 3/8" 32	6	
	Way solenoid valves 1/4" 311	6	
	Water meter ND80 W.W.K	2	
	Floater valves ND 3/4"	4	
	Yanking valves ND 3/4"	4	
	Ball non return valve ND 1	6	
	Diaphragm	12	
<b>02-04-00362</b>	Precut filter, Strataflow 10		
	Pressure gauge 0-6 bar	6	
	Valves	6	
	Precut support	4	
	Ball Valves ND 50	4	
	Ball valves ND 32	4	
	Ball valves ND 25	4	
	Ball Valves ND	4	
	Stereo valves	6	
	Recalculation pump grundfos	2	
	Non return valves	4	
	Backwash valves	6	
	Thermos regulator Tec 112	4	
<b>02-04-00363</b>	Autistic		
	Thermos regulator Tec 11	6	
	Flow –meter 0-6300 l/h	2	
	Set of regeneration valves	4	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Set of Manuel valves 676 ND 25/ND 22	2	
	Diaphragm pressure gauge 0-10 bar	6	
	Flow- meter HDL 0-200 kg /h	2	
	Set of Manuel valves ND 15 –32	2	
	Float switch Morbid	4	
<b>02-04-00364</b>	Dosing systems		
	Dosing pump M 6-10 (Raw water)	2	
	Dosing pump M 6 –10	2	
	Float switch Morbid	6	
	Dosing pump M 6-10 (Osmophos	2	
	Dosing pump PM 6- 10 (Cooling tower )	2	
	Water meter WW –KAE	2	
	Dosing pump M 6 –10 TL	2	
	Timer 9400 (Weekly )	6	
<b>02-04-00365</b>	M High assure tubes Divorces		
	Sets of valves 676 ND 15- 50	4	
	Valves SISTO ND 80	10	
	Valves serrate	4	
	PG 11	6	
	Non return valves ND 40	4	
	Blow down valves 501	6	
	Kg Grease for valves	20	
	Sol. Valve	2	
	Precut filter	10	
<b>02-04-00366</b>	OSMOSTIL 100 / 3 D		
	Reverse osmosis key BG – 0840- 15S	8	
	High pressure pump CEHY 3104	2	
	Flow control valve , Clayton	2	
	Filter cartridge 5 /um	80	
<b>02-04-00367</b>	OSMOCLEANER CR- 2		
	Pump HYGL IANA 1/3	2	
	Pressure gauge 0-10 bar	8	
	CF 4 Filter	6	
	Float switches Jo sap 4	4	
	Mauna valves ND 15 ,ND 40	6	
	Ball VA lees ND 15	6	
	Flux- pump 407 K	2	
<b>02-04-00368</b>	Water storage tank		
	Float switch Morbid	8	
	Float switch Joel SSP 4	2	
	Pump HYGIANA 1/3	2	
	Non – return valves ND 32	4	
	Manual-valves ND 25	4	
	Manual-vales ND 32	4	
	Manual – valves ND 50	4	
	Ball valves ND 15	4	
	Diaphragm pressure gauge 0 10 bar	6	
	Thermometer 0 60 C	6	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
<b>02-04-00369</b>	Equipment: corps Refrigerator		
	Japan		
	Compressor	4	
	Trans former	2	
	Fan condenser	4	
	Fan evaporator	8	
	Magnetic uzlve	2	
	Filter gas	4	
<b>02-04-00370</b>	Equipment: Generator 1000 KVA Germany		
	Automatic working card	4	
	Charger Transformer 220 / 24V	4	
	Rectifier	4	
	Connector 220V	8	
	Connector 24V	8	
	Filter gas	8	
	Oil Filter	8	
	Automatic works	2	
	Electric card for charger	4	
<b>02-04-00371</b>	Equipment: Generate 250 KVA Denmark		
	Rely 220V	10	
	Rely 24V	10	
	Charger 220 / 24V	4	
	Gas filter	8	
	Oil filter	8	
	Relay 12V	8	
<b>02-04-00372</b>	Equipment: Washing machine 50 K g Sewed		
	Motor 3ph	4	
	Blabbering	6	
<b>02-04-00373</b>	Equipment: Drying Tumbler 50 Kg		
	Motor 3ph	4	
<b>02-04-00374</b>	Equipment: Blood Bank refrigerator		
	Company: Electoral		
	Compressor	8	
	Thermostat	8	
<b>02-04-00375</b>	Equipment: Window unit 2 Ton		
	Compressor	100	
	Motor fan Condenser	150	
	Automatic	150	
<b>02-04-00376</b>	Equipment: Refrigerator		
	Compressor 1/5	400	
	Compressor 1/3	320	
	Compressor ¼	340	
<b>02-04-00377</b>	Equipment: Water cooler		
	Compress 1 ½ Ton	24	
<b>02-04-00378</b>	Equipment: Generator		
	Duets Engine No.: 5862959		
	Engine Type: 34x Ba16M816		
	Your Inquiry Dated 14.07. 1998		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Comida/MSG NR. 4812/6		
	Validity Till 31.10.1998		
	Wellendichtring Rot shaft Lip SE (015) 1221 0682 EY0172-	136	
	Ablasshahn Drain cock 3.706KG(015) 0112 0690 Du8833-02	68	
	Zylinderrohr cylinder liner 5 116, 320 Kg(015) 0400 1561	1088	
	Sechshantschraube Hexagon Bolt 7,344 kg(015) 0111 2322	1224	
	Sechskantschraube Hexagon Bolt 0,340 kg(015) 0111 3207	68	
	Sperrkantring spring lock wash 3,400 kg (004) 0117 7981	6800	
	Sechskantschraube hexagon bolt 5,746 kg(015) 0111 2333	884	
	Rillenkugellager Ball bearing 12,580 kg (015) 0110 9051	136	
	Sicherungsring circle 0,816 kg (004) 0110 7844 Fu8822-74	136	
	Dehnchraube wasted bolt 2,448 kg (015) 0116 6837 EF8920-	136	
	Stewing. Damper vibration 1802,00 kg (015) 0405 2569	68	
	Pleuelbuchse Big end bush 83,776 kg (015) 0215 3244	1088	
	Sechskantschraube Hexagon bolt 163,200 kg(015) 0215	2176	
	Pleuellager big end bearing 138,176 Kg (015) 0400 9621	1088	
	Kolbenringsatz set of pits .Erin 103,360 kg (004) 0405 4307	1088	
	Kolben piston 1596,640 kg (015) 0400 9723 kZ0172-07	544	
	Ventilfeder valve spring 81,600 kg (015) 0215 4473 ED0170-	1088	
	Klemmkegelhaelfte taper collate pie 4,352kg(015) 0116 8819	4352	
	Federteller spring cap 28,288 kg (015) 0337 3427 EE0170-	1088	
	Persuader parallel kA 0,068 kg (015) 0111 7933 fu8825-25	68	
	Stephen Plug 22,848 kg (015) 0116 5837 EF0150-03	1088	
	Stephen plug 3,264 kg (015) 0116 5831 EF8928-60	544	
	Stephen plug 1,904 kg (015) 0116 5828 EF8928-60	544	
	Stephen plug 3,536 kg (015) 0116 6649 EF 8928-59	1454	
	Ventilstzring valve seat insure 32,096 096kg (015) 0400 0011	1088	
	Vetilsitzering valve seat insure 26,656 kg (015) 0400 0010	1088	
	Ventilfuehrung valve guide 144,704 kg (015) 0400 6076	2176	
	Sechskantschraube hexagon Bolt 19,584 kg (004) 0111	1088	
	Einlassventil inlet valve 187,136 kg(015) 0400 7099 ED0172-	1088	
	Auslassventil exhaust valve 198,56 kg(015) 0405 2409	1088	
	Vorkammerunterte pre-chamber base 81,872)kg(015) 0400	544	
	Scheme plain washer1,632 kg (004) 0121 6118 EF0150-54	1088	
	Dehnchraube wasted Bolt 214,336 kg (015) 0400 6799	1088	
	Zyl.Kopfschraube cylinder head Bo 182,240 kg (015) 0400	1088	
	Rillenkugellager ball bearing 30,736 kg (004) 0117 4495	136	
	Sicherungsring circle 1,496kg(015) 0110 7855 EE882-74	136	
	Persuader parallel key 0,408kg(0150 0111 8002 ES8825-25	136	
	Feeding lock washer 6,800 kg (015) 0110 2800 Eu8822-01	6800	
	Sechskantschraube hexagon bolt 5,508 kg (015) 0111 2429	408	
	Sechskantschraube Hexagon bolt 11,764 kg (015) 0117	136	
	Sechskantschraube Hexagon Bolt 4,488 kg(004) 0111 2308	816	
	Ventilstoessel valve tappet 241,236 kg (015) 0337 3533	2176	
	Strobe screw/Bolt 13,056 kg (015) 0337 3568 FE0170-11	1088	
	Sechskantmutter hexagon nut 3,808 kg(015) 0121 6006	1088	
	Sechskantschraube hexagon bolt3,196 kg(015) 0115 3767	136	
	Strobe hexagon Bolt 6,392 kg (015) 0113 3909 Ey8820-10	272	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Spannbuchse clamping bush 0,816 kg (015) 0116 7269	544	
	Filterensatz filter insert 34,374 kg (015) 0116 1212 EE8941-	204	
	Siebmantel strainer 34,612 kg (015) 0210 4881 EZ0171-15	68	
	Feeder spring 1,156 kg (004) 0210 4887 Ez0171-15	68	
	Heels sleeve 0,952 kg (015) 0210 4893 EZ171-15	136	
	Verschlusschraub screw plug 2,312 kg (015) 0111 0445	68	
	Thermostat thermostat 15,232 kg (015) 0117 2667 kZ8942-	272	
	Ueberdruckventil relief valve 6528 kg (015) 0336 1348	1088	
	Zylinderschraube Hexagon screw 11,968 kg (015) 0111	2176	
	Feeding lock washer 1,088 kg (004) 0111 9611 ES 8822-02	2176	
	Rohrverbinder Pipe union 15,504 kg (015) 0117 1953 kz8931-	136	
	Uebergangsstutzen Adapter Nipple 1,088 kg (015) 0111	68	
	Gummipufferrubber stop 0,204 kg (015) 0121 6316 EF8975-	136	
	Sechskantschraube hexagon bolt 4,080kg (015) 0111 2322	68	
	Einspritzpumpe fell infect um 649,400 kg (004) 0400 3276	68	
	Foerderpumpe supply pump 86,700 kg (015) 0126 1834	136	
	Einspritzpumpe fuel infect pump 969,000 Kg(004) 0215 8031	68	
	Einspritzventil fuel injector 268,192 kg (015) 0401 5876	1088	
	Dues Nozzle 20,672 kg (015) 0400 6236 EZ0172-19	1088	
	Rundgummiring O-Seal 0,544 kg (015) 0116 4124 EE8929-	1088	
	Dichtscheibe sealing washer 4,352 kg (015) 0401	1088	
	Filtereeinsatz filter insert 18,224 kg (015) 0116 8407 Ez8941-	136	
	School auchleitung hose assembly 11,594 kg (015) 0124	68	
	School auchleitung hose assembly 12,512,Kg (015) 0123	68	
	Howl strobe hollow screw 1,598 kg (015) 0111 9250 es8931-	68	
	Ueberstroemventil overflow valve 1,496 kg (015) 0215 9068	68	
	Hohlschraube hollow screw 1,904 kg (015) 0111 9246	136	
	Schl auchleitung hose assembly 10,914,kg (015)	68	
	Ueberdruckventil relief 2,210 kg (015) 0337 9645 kz0199 -17	68	
	Schlauchleitung hose assembly 777,280 kg (105) 0126	68	
	Gummimuffe rubber sleeve 1,836 kg (015) 0121 9790	408	
	Gummimuffe rubber stop 0,306 kg (015) 0121 6316	204	
	Schl auchleitung hose assembly 12,512 kg (015)777 0123	68	
	Einspritzleitung high pressure pi 7,140 kg (105) 0400 1240	68	
	Gummimuffe rubber sleeve 2,176 kg (015) 0400 4205	2176	
	Gummimuffe rubber sleeve 0,680 KG (015) 0400 4204	1360	
	Einspritzleitung high pressure PI 6,800KG(015) 04001241	68	
	Einspritzleitung high pressure PI 7,140 kg (015) 0400 1242	68	
	Einspritzleitung high pressure PI 6,800 kg (004) 0400 1243	68	
	Einspritzleitung high pressure PI 6,800 KG (015) 0400 1244	68	
	Einspritzung high pressure PI 6,800 KG (004) 0400 1245 KY	68	
	Einspritzleitung high pressure PI 7,140 KG (004) 0400 1246	68	
	Eingspritzleitung high pressure PI 6,800KG (015) 0400 1247	68	
	Einspritzleitung high pressure Pi 6,800KG(004) 0400 1248	68	
	Einspritzleitung high pressure PI 6,800 KG(004)) 0400 1249	68	
	Einspritzleitung high pressure PI6,800KG(004) 0400 1250 KY	68	
	Einspritzl3eitung high pressure PI 6,800 KG (015) 0400 1251	68	
	Einspritzleitung high pressure 9,520 KG(004) 0400 1252 KY	68	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Einspritzleitung high pressure PI 6,800KG (004) 0400 1253	68	
	Einspritzleitung high pressure PI 7,480 KG (015) 0400 1254	68	
	Einspritzleitung high pressure PI 9,520 KG(015) 0400 1255	68	
	Schlauchleitung hose assembly 6,494 KG (015) 0124 4390	68	
	Hohlschraubehollow screw 0,816 KG(015) 0111 9231	204	
	Doppelhohlschhhhraub banjo bolt 4,862KG(015) 0117 8622	884	
	Gummituelle rubber grommet 0,136 KG(004) 0116 7406	272	
	Gluekerze glow plug 39,712 KG(015) 0116 2543 EE8976-	1088	
	Rillenkugellager ball bearing 12,580KG(015) 0110 9051	136	
	Wellendichtring rot .shaft lip SE1,020 KG(015) 0116 2725	68	
	Rillenkugellager ball bearing 13,328KG(015) 0117 4298	136	
	Wellendichtring rot.shaft lipSE0,612 KG(015) 0116 2568 EF	68	
	Rillenkugellager ball bearing 7,140 KG (015) 0117 4603 ES	136	
	Wellendichtring rot. Shaft lip SE 0,612 KG (015) 0117 1430	68	
	Gleiteringdichtungfloating seal 2,074 KG (015) 0123 6294	68	
	Rohrverbinder pipe union 48,892 KG(015) 0116 2388	136	
	Gummimuffe rubber sleeve 7,412 KG (015) 0116 2744	136	
	Gummimuffe rubber sleeve 5,474 KG(015) 0116 1235	68	
	Sechskantschraube hexagon bolt 11,560 KG(004) 0113 7390	680	
	SSSSicherungsmutter locking nut 3,740 KG((015) 0113 7393	680	
	Sechskantschraube hexagon bolt 78,336 KG (015) 0337	4352	
	Scheme plain washer 23,936 KG((015) 0336 3938 EF 0150-	4352	
	Reparatursatz repair KIT 29,648 KG(015) 0130 7064 EE0172.	136	
	Leafier rotor/ impeller 89,080KG (015) 0400 5727 EZ0172-93	136	
	Teilesatz set of parts 4,760 JG(004) 0131 9503 Ey0172-43	136	
	Verdichterrad wheel 21,284 KG(004) 0400 6111 EZ0172-43	136	
	Schal tgeraet switching device 3,060 KG(015) 0126 2509	68	
	Temperature Gerber temper. T4ransmitt 7,174 KG(015)	68	
	Glue lamp incandescent lam 0,038 KG(064) 0112 1423	68	
	Anzeigeleuchte indicator light 0,374 KG(015) 0117 6456	68	
	Rillenkugellag ball bearing 2,584 KG(015) 0110 1585 EY	136	
	Heizkoerper radiator / heater 29,682 KG(015) 0126 0671	68	
	Dichtungssatz gasket set 561,000 KG15 0291 1562 TY0172-	68	
	Dichtungssatz gasket set 138,176 KG(015) 0291 1558	1088	
	Dichtungssatz gasket set 49,844 KG(015) 0291 1571	136	
<b>02-04-00379</b>	Duets engine –no: 6536269		
	Engine type: 10-x bai2m816		
	Your inquiry dated 14-07-1998		
	kimadia / msg. NR .4812 /6		
	Validity thll 31-10-1998		
	Gummimuffe rubber sleeve 1,650 KG(015) 0116 5398	20	
	Wellendichtring rot. Shaft lip se 1,440Kg(015) 0116 7487	20	
	Wellendichtring rot- shaft lip se 1,900KG(015) 1221 0682	20	
	Ablasshahn drain cock 1,090 KG(015))/ 0112 0690 DU8833-	20	
	Zyinderrohr cylinder liner 1 128,600 KG(015) 0400 1561	240	
	Sechskantschraube hexagon bolt 2,160KG(015) 0111 2322	360	
	Sechskantschraube hexagon bolt 2,160 KG(015) 0111 2307	20	
	Sperrkantring spring lock wash 1,000KG(004) 0117 7981	2000	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Sechskantschraube hexagon bolt 1,690 KG(015) 0111 2333	260	
	Rillenkugellager ball bearing 3,700KG(015) 0110 9050	40	
	Sicherungsring circles 0,240 KG(004) 0110 7844	40	
	Dehnschraube wasted bolt 0,720 KG(015) 0116 6837 EF8920-	40	
	Schwings .damper vibration damper 530,000 KG(015) 0400	20	
	Pleuelbuchse big end bush 18,480 KG(015) 021 3244	240	
	Sechskantschraube hexagon bolt 36,000 KG(015) 0215	480	
	Pleuellager big end bearing 30,480 KG(015) 0400 9621	240	
	Kolben piston 352,200KG(015) 0400 9723 KZ0172-07	120	
	Kolbenringsatz set of pist. rin 11,400KG(004) 0405 4307	120	
	Scheibe plain washer 0,240 KG(004) 0121 6118 EF0150-54	160	
	Dehnschraube wasted bolt 39,400KG(015) 0400 6799	200	
	Zyl-kopfschraube cylinder head bo33,500 KG(015) 0100	200	
	Ventilfeder valve spring 18,000,KG(015) 0215 4473 ED0170-	240	
	Klemmkegelhaelfte taper collate pie 0,480KG(015) 0116	480	
	Federteller spring cap 6,240 KG(015) 0337 3427 EE0170-08	240	
	Passfeder parallel key 0,020 KG(015) 0111 7933 FU8825-25	20	
	Stopfen plug 5,040 KG(015) 0116 5837 EF0150-03	240	
	Stopfen plug 0,720 KG (015) 0116 5831	120	
	Stopfen plug 0,420 KG(015) 0116 5828 EF8928-60	120	
	Stopfen plug 0,780 KG(015) 0116 EF8928-59	120	
	Ventilstzring valve seat insure 7,080 KG(015) 0400 0011	240	
	Ventilstzring valve seats insure 5,880KG(015) 0400 0010	240	
	Ventilfuehrung valve guide 31,920 KG(015) 0400 6076	480	
	Sechskantschraube hexagon bolt 4,320 KG(004) 0111 1184	240	
	Einlassventil inlet valve 41,280 KG(015) 0400 7099 ED0172-	240	
	Auslassventil exhaust valve 43,800 KG(015) 04052409	240	
	Vorkammerunterte pre-chamber base 18,060 KG(015) 0400	120	
	Rillenkugellager ball bearing 4,5220 KG(004) 0117 4495	20	
	Sicherungsring circlip 0,440 K G(015) 0110 7855 EE8822-74	40	
	Passfeder parallel key 0,120 KG(015) 0111 8002 ES8825-25	40	
	Federring lock washer 2,000KG(015) 0110 2800 EU8822-01	2000	
	Sechskantschraube hexagon bolt 1,620 KG(015) 0111 2429	120	
	Sechskantschraube hexagon bolt 3,460 KG(015) 0117 8912	40	
	Sechskantschraube hexagon bolt 1,320 KG(KG 0111 2308	240	
	Strobe screw/bolt 1,440 KG(015) 0337 3568 FE0170-11	120	
	Sechskantmutter hexagon 0,420 KG(015) 0121 6006	120	
	Sechskantschraube hexagon bolt 1,880 KG(015) 0115 3767	80	
	Strobe hexagon bolt 1,880 KG(015) 01136909 EY8820-10	80	
	Spannbuchse clamping bush 0,180 KG (015) 0116 7269	120	
	Ventilstoessel valve tappet 51,600KG(015) 0400 7541	480	
	Rillenkugellager ball bearing 0,400 KG (015) 0112 2272	40	
	Sicherungsring circles 0,020 KG(015) 0110 7815 ES8822-74	40	
	Sicherungsmutter locking nut0,020 KG(015) 0113 3500	20	
	Hohlschraube hollow screw 0,130 KG(015) 0111 9237	20	
	Siebmantel strainer 10,180 KG(015) 0210 4881 EZ0171-15	20	
	Flitter insatz filter insert 6,740 KG(015) 0116 1212 EE8941-	40	
	Feeder spring 0,340 KG(004) 0210 4887 EZ0171-15	20	



CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Hulls sleeve 0,280 KG(015) 0210 4893 EZ0171-15	40	
	Verschlusschraub screw plug 0,550KG(015) 0111 8985	20	
	Manschette sealing sleeve 0,750 KG(015) 0210 5020	20	
	Mutter nut 0,120 KG(015) 0210 4998 EZ0170-15	20	
	Augenschraube eye bolt 0,250KG(015) 0113 8954 ES8920-	20	
	Knebelkerbstift grooved pin 0,120 KG(004) 0111 5280	20	
	Thermostat 4,480 KG(015) 0117 2667 KZ8942-55	80	
	Ablasshahn drain cock 2,180 KG(015) 0123 5127 EF8933-20	20	
	Doppelstutzen twin nipple 0,280 KG(015) 0111 9119 ES8831-	20	
	Hohlschraube hollow screw 0,280 KG(015) 0111 9246	20	
	Hohlschraube hollow screw 0,130 KG(015) 0111 9237	20	
	Ueberdruckventil relief valve 1,440 KG(015) 0336 1348	240	
	Zylinderschraube hexagon screw 2,640 KG(015) 0111 0560	480	
	Federring lock washer 0,240 KG(004) 0111 9611 ES8822-02	480	
	Rohrverbinder pipe union 4,560 KG(015) 0117 1953 KZ8931-	40	
	Uebergangsstutzen adapter nipple 0,320 KG(015) 0111 9144	20	
	Gummipuffer rubber stop 0,060 KG(015) 0121 6316 EF8975-	40	
	Sechskantschraube hexagon bolt 1,200 KG(015) 0111 2322	200	
	Hohlschraube hollow screw 0,190 KG (015) 0331 5353	20	
	Buechse bush 0,480 KG (061) 0210 6417 EU0170-17	160	
	Scheibe plain washer 0,200 KG (016) 0210 6415 EU0170-17	80	
	Federring lock washer 0,200 KG(015) 0111 9612 FE8822-02	200	
	Einspritzpumpe fuel inject .pump 285,000 KG(015) 0400	20	
	Foerdepumpe supply pump 12,750 KG(015) 0126 1834	20	
	Foerdepumpe supply pump 11,340 KG(015) 0126 3109	20	
	Rillenkugellager ball bearing 3,440 KG(701) 0112 2281	20	
	Rillenkugellager ball bearing 9,800 KG(015) 0110 9052	100	
	Wellendichtring rot .shaft lip se 0,300 KG(015) 0116 2725	20	
	Sicherungsring circllet 0,200 KG(015) 0110 7850 FU8822-74	20	
	Persuader parallel key 0,060 KG(015) 0111 8002 ES8825-25	20	
	Wellendichtring rot .shaft lip se 0,230 KG(015) 0117 4356	20	
	Einspritzventil fuel injector 59,160 KG (015) 0401 5876	240	
	Rundgummiring 0-seal 0,120 KG(015) 0116 4124 EE8929-27	240	
	Dichtscheibe sealing washer 0,960 KG(015) 0401 5509	240	
	Schlauchleitung hose assemble 2,840 KG(015) 012 6178	20	
	Filtereeinsatz filter insert 5,360 KG (015) 0116 8407 EZ8941-	40	
	Schraubstutzen screw connector 0,500 KG(015) 0121 0187	20	
	Schlauchleitung se/assembly 11,040 KG(015) 0123 0072	60	
	Verbindungsstutze union 0,490 KG(015) 0111 6710ES8831-	20	
	Hohlschraube hollow screw 0,470 KG(015) 0111 9250	20	
	Ueberstroemventil overflow valve 0,440KG(015) 0215 9068	20	
	Hohlschraube hollow screw 0,280 KG(015) 0111 9246	20	
	Schl auchleitung hose assembly 2,120 KG(015) 0126 6182	20	
	Schlauchleitung hose assembly 3,210 KG (015) 0124 4685	20	
	Gummimuffe rubber sleeve 0,630 KG(015) 0121 9790	140	
	Gummipuffer rubber stop 0,030KG(015) 0121 6316 EF8975-	20	
	Gummimuffe rubble sleeve 0,010KG(015) 0337 2269	20	
	Schlauchleitung hose assembly 3,680 KG(015) 0123 0072	20	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Gummimuffe rubber sleeve 0,300KG(015) 0400 4549	120	
	Gummimuffe rubber sleeve 0,720 KG(015) 04004205	720	
	Gummimuffe rubber sleeve 0,360 KG(015) 0400 4204	720	
	Einspritzleitung high pressure pi 2,940 KG(004) 0400 1227	20	
	Einspritzleitung high pressure pi 2,800 KG(015) 0400 1228	20	
	Einspritzleitung high pressure pi 4,000 KG(004) 0400 1229	20	
	Einspritzleitung high pressure pi 4,000KG(015) 0400 1230	20	
	Einspritzleitung high pressure pi 4,000KG(004) 0400 1231	20	
	Einspritzleitung high pressure pi 2,500 KG (015) 0405 0066	20	
	Einspritzleitung high pressure 2,800 KG(004) 0400 1233	20	
	Einspritzleitung high pressure pi 2,800 KG(015) 0400 1234	20	
	Einspritzleitung high pressure pi 2,800KG (015) 0400 1235	20	
	Einspritzleitung high pressure pi 2,800 KG(004) 0400 1236	20	
	Einspritzleitung high pressure pi 4,000KG(015) 0400 1237	20	
	Einspritzleitung high pressure pi 4,000KG(015) 0400 1238	20	
	Schl auchleitung hose assembly 1,910 KG(015) 0124 4390	20	
	Wartungsschalter Maine indicator 0,2290 KG(015) 0118	20	
	Unterdruckanzeige service gauge 1,380 KG(015) 1215 3479	40	
	Filterpatron filter cartridge 31,540 KG(015) 0216 5054	20	
	Filzscheibe felt washer 0,010kg(004) 0336 3577 EE0150-22	20	
	Gummimuffe rubber sleeve 4,00 kg (004) 0224 0773 EE0171-	40	
	Gluehkerze glow plug 8,760 kg (015) 0116 2543 EE8976-31	240	
	Winkelgelenk ball joint 0,260 kg (015) 0117 5511 E88936-03	20	
	Steuergeraet control unit 12,260 kg (004) 01263225 kz8942-	20	
	Wellendichtring Rot. Shaft lip se 0,180 kg (015) 0116 2568	20	
	Rillenkugellager Ball bearing 2,100 kg (015) 0117 4603	40	
	Wellendichtring Rot.shaft lip se 0,180 kg (015) 0117 1430	20	
	Gleitringdichtung floating seal 0,610 kg (015) 0123 6294	20	
	Rohrverbinder pipe union 14,380 kg (015) 0116 2388 kz8931-	40	
	Gummimuffe Rubber sleeve 2,180 kg (015) 0116 2744	40	
	Gummimuffe Rubber sleeve 1,610 kg (015) 0116 1235	20	
	Keilriemensatz set of V-Belts 7,100 kg (015) 0116 1701	20	
	Rillenkugellager ball bearing 4,440 kg (015) 0110 9122	40	
	Isolierung insulation 15,800 kg (015) 0215 2141 ku0171-41	20	
	Isolierung insulation 20,400 kg (015) 0215 2034 kz0171-41	20	
	Sechskantschraube hexagon bolt 16,560 kg (015) 5455	920	
	Scheibe plain washer 5,060 kg (015) 0336 3938 EF 015-44	920	
	Sechskantschraube hexagon bolt 3,400 kg (004) 0113 7390	200	
	Sicherungsmutter Locking 1,10 kg (015) 0113 7393 EY8821-	200	
	Reparatursatz repair kit 2,420 kg (015) 0130 7514 EY0172-	20	
	Schaltteil Switch element 0,40 kg (015) 01176117 Ez8230-90	20	
	Regular Schuster regulator cut-ou 20,160 kg (015) 0116	20	
	Anzeigeleuchte indicator 0,120 KG(015) 0117 6454 ES8214-	20	
	Gluehlampe incandescent lam 0,020 KG(064) 0112 1423	20	
	Anzeigeleuchte indicator 0,110 KG(015) 0117 6456 ES8214-	20	
	Rillenkugellager ball bearing 0,760 KG(015) 0110 1585	40	
	Hubmagnet solenoid 25,260 KG(015) 0118 0814 KZ8241-10	20	
	Geraetesteckdose connector 0,300KG(015) 0108 8676	20	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Dichtung gasket 0,010 KG(015) 0224 6723 EE0199-48	20	
	Letting pipe/line/lead 0,050 KG(015) 0224 5884 EE0199-48	20	
	Flachichtung flirt gasket 0,020 KG(015) 0117 4494 ES8239-	20	
	Heizkoerper radiator/heater 8,730 KG(015) 0126 0671	20	
	Dichtungssatz gasket set 103,000 KG(015) 0391 15611	20	
	Dichtungssatz gasket set 30,480 KG(015) 0291 1558	240	
	Dichtungssatz gasket set 14,660 KG(015) 0291 1571	40	
<b>02-04-00380</b>	( 2) Complete set of tools		
	SPECIAL TOOL SET BAM 816		
	Compression tester	4	
	Connecting sleeve	4	
	Adjusting sleeve	4	
	Dial gauge	4	
	HP pump	4	
	Container	4	
	Device for measuring angle degrees for Conroe and main	4	
	Tester for piston cooling nozzles	4	
	Measuring device for aligning injection pump	4	
	Dial gauge	4	
	HOLDER	4	
	Measuring flanges	4	
	Wrench for nozzles	4	
	Wrench for fuel filter	4	
	Puller for coupling flange injection pump	4	
	Wrench for cylinder head bolts	4	
	Valve lifter	4	
	Valve reface inlet	4	
	Valve refaced exhaust	4	
	Pilot bar	4	
	Holder for milling cutter	4	
	Additional part for holder	4	
	Assembly arbor valve guide	4	
	Reamer for valve guide	4	
	Arbor for valve set inlet	4	
	Arbor for valve set exhaust	4	
	Prechamber Puller	4	
	Extractor for liners	4	
	Draw- plate	4	
	Piston ring pliers	4	
	Piston compressor	4	
	Arbor for piston pin bushes	4	
	Trapezoidal groove wear gauge for pistons	4	
	Device for crankshaft seal	4	
	Assembly/disassembly device for camshaft bearing bushes	4	
	Roll-in tool for main oil gallery	4	
	Roll-in tool for piston cooling	4	
	Extracting device for injector	4	
	Extractor for injector	4	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Spreader for bearing cap	4	
	STANDARO TOOL KIL		
	Gedore box ½	4	
	Gedore box ¾	4	
	Set of wrenches for socket head cap screws	4	
	Set of forked wrenches 6/7 –30/32	4	
	Set of ring wrenches 6/7 –30/32	4	
	Set of ring –forked wrenches 6-32	4	
	Water pump pliers	4	
	Combination pliers	4	
	Side cutting nippers	4	
	Side cutting nippers	4	
	Pincers	4	
	Set of files	4	
	Valve gauge	4	
	Triangular scraper	4	
	Flat scraper	4	
	Set of screwdrivers	4	
	Hammer 500 g	4	
	Hammer 800 g	4	
	Flat chisel	4	
	Bolt chisel	4	
	Turning tool wrench ½' 80-100 NM	4	
	½' 40-20 NM	4	
	Tool box 305-00-	4	
<b>02-04-00381</b>	<b>C-STANDARD ELECTRICAL TOOLS VDE</b>		
	Tool bag electrical tools 3251-0	88	
	Combination pliers	4	
	Side cutting nippers	4	
	ST of screwdrivers	4	
	Flat nose pliers	4	
	Round nose pliers	4	
	Telephone pliers	4	
	Angled telephone pliers	4	
	Stripping tongs	4	
	Stripping knife	4	
<b>02-04-00382</b>	Equipment : Refrigerator 9foot		
	Company name: Arston-Italy		
	Door chamber	30	
	Freezer	20	
<b>02-04-00383</b>	Equipment : Refrigerator 14foot		
	Company name : Arston –Italy		
	Door chamber	30	
	Silver tube ¼	10	roller
	Silver tube 3/16	10	roller
	Kampry tube 3/16	10	roller
	Thaouzen	20	box
<b>02-04-00384</b>	Equipment: Refrigerator 14foot		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Company name: Virginia-France		
	Door chamber	10	
<b>02-04-00385</b>	Equipment: Refrigerator 14foot		
	Company name: Marblec-Spain		
	Door chamber	10	
<b>02-04-00386</b>	Equipment: Freezer		
	Motor ¼(withrelay + overload)	20	
	Motor 1/5(withrelay + overload)	20	
	Automatic V55	250	
	Door chamber (12foot)	10	
	Door chamber (16foot)	10	
<b>02-04-00387</b>	Equipment: Refrigerator Japan		
	Motor 1/5 with (Relay +over load)	100	
	Motor 1/6 with (Relay +over load)	100	
	Motor 1/8	100	
	Automatic VP4	100	
	Automatic VCI	100	
	Feruon R12	400	kg
<b>02-04-00388</b>	Equipment: Water cooler Japan		
	Motor 1/5 with (Relay over load)	100	
	Motor ½ with (Relay over load)	100	
	Motor 1 with (Relay +over load)	100	
	Motor 2 with (Relay +over load)	100	
	Tube water glass	50	
	Automatic	100	
<b>02-04-00389</b>	Equipment: Air condition Japan		
	Motor 1Ton	300	
	Motor 1.5 Ton	100	
	Motor 2Ton	200	
	Motor 9Ton	8	
<b>02-04-00390</b>	Equipment: Air-condition 2 Ton Japan		
	Fan 50Hz, 1PH, CAP 10.001370	80	
	Fan working 5 witch	400	
	Automatic A28	200	
	Blower	140	
	Interior fan	100	
	Behind fan	40	
<b>02-04-00391</b>	Equipment: Boiler HOFAl-Germany		
	Motor 3PH	20	
	Oil pump	20	
	Electrode	20	
	Thermostat	20	
	Contactoer 16A	40	
	Over loud	20	
	Relay	30	
	Photocell	20	
	Nozzle	20	
	Air regulator	20	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Tube 2"	800	
	Tube 1"	100	
	Tube ½"	400	
<b>02-04-00392</b>	Equipment: Generator 250 KVA		
	Battery 12V-60A	100	
	Battery 12V-90A	100	
	Battery 12V-135A	58	
<b>02-04-00393</b>	Equipment: Freezers Japan		
	Automatic k54-p1102 80-45-5p	100	
<b>02-04-00394</b>	Equipment: drying tumbler Vniwash –Sweed		
	Heater 2000W-T6220 EchEN	100	
<b>02-04-00395</b>	Equipment: Air cooler Wasting house		
	Motor 1/2Hp	200	
	Motor 3/4HP	200	
	Water pipe	400	
	Belt 1525	400	
	Belt 1550	400	
	Blower	100	
<b>02-04-00396</b>	Equipment: Electric Fan Sanyo-Japan		
	Working regulator	200	
	Capaster	240	
<b>02-04-00397</b>	Equipment: Incinerator HOFAL-Germany		
	Blower t.k.v.008MU	20	
	(OFF-ON) switch	20	
	Transformer 24V	20	
	Timer	20	
	Heating gauge	200	
	Control	200	
	Micro switch K.K. p50-85	80	
	Bush –bottom	80	
<b>02-04-00398</b>	Equipment: Generator 250 KVA Hitzinger		
	Voltage regulator	40	
	Regulator card	40	
	Selector switch	20	
	Charger Transformer	20	
	Solinoid valve 24V	20	
	Gas Filter	200	
	Oil Filter	200	
	Relay 24V	80	
	Electric board	40	
	Relay k19	30	
	Relay k14	30	
	Amp-gauge	20	
	Voltage-gauge	20	
	Oil gauge	20	
	Heating gauge	20	
	Gauge	20	
<b>02-04-00399</b>	Spare parts for cold stores and blood bank		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Refrigerator (for warehouse)		
	Compressor type :H2-28/4-074/12	50	
	Compressor coplemate type : MRB1-0500-TFD, 380/3/50	124	
	Compressor DWN-coplend type : DLSGB-40/-EWL,380/3/50	124	
	Compressor type : 1195-89J28-TAH-2466A,	98	
	Really type: ESSEX 134-20303-333 12FLA60 LRA,	244	
	Compressor ,coplematic type : 9RB1-0505-ESL, 3/50/380	72	
	Compressor ,Bitzzer(W.G) 7.5HP ,380/50/3	20	
	Timer,15021-172,microplash	50	
	Compressor ,Tecumsuh,50HZ	98	
	Compressor, Tecumseh, 50HzJAH2460A,1.5KW,200V,h12	98	
	Compressor 1/3HP,for flood bank refrigerator with overload	1250	
	Compressor ¼ Hp, for blood tank refrigerator with over load	1250	
	Evaporator fan motor for toad tank refrigerator	240	
	Hi-low pressure cutely	250	
	Oil press, curtail	250	
	Compressor ,Frigopol type : D40100,3/50/380	70	
	Compressor ,Tecumsch,220V,40Hz type: GAJ 4492,R12	96	
<b>02-04-00400</b>	<b>EQUIPMENT: DIMMING LIGHTING</b>		
	MODEL : ES 6090 SERIES		
	COMPANY / MANUFACTURER : ES 6090 SERIES		
	QUANTITY : 99		
	SITE : SADDAM MEDICAL CITY		
	DIMMER MODULE ES6259	140	
	DIMMER MODI;E ES6459	200	
	DOUBEL POLE 15 AMP, MCB	300	
	SINGLE POLE 15 AMP., MCB	300	
	PUSE 20 AMP.	300	
	FUSE 5 AMP	100	
	DOUBLE POLE ISOLATOR 100 AMP	50	
	TP & N ISOLATOR 120 AMP.	50	
	CLOCK	200	
<b>02-04-00401</b>	<b>EQUIPMENT:BED HEAD UNIT</b>		
	MODEL:DIFERENT		
	COMPANY/MANUFACTURER:SQUARE D COMPANY		
	QUANTITY: 687		
	SITE: SADDAM MEDICAL CITY		
	PATIENT LIGHT LENS, 30 W SWITCH A-43116-007-02	6000	
	BED BUMPER NIGHT LIGHT BULBS GE # 25T 10250V	6000	
	EXAM LIGHT BULB, 12V, 20W SUNNEX # 1220	3000	
	20 AMP. 2-POLE PRIMARY BREAKER QIL-220	100	
	20 AMP. 2-POLE SECONDARY BREAKER QO-220	100	
	DIMMER SWITCH 220V/ 50HZ ATMOS # LC62-220/50	40	
	CLOCK/ FOHOYS: EOYJ NSYYRTU MTC-32B	1000	
	FUSE FOR CLOCK OR LIM 3AGC, 1/4A, 250V 43199-004-	1000	
	FUSE FOR EXAM LIGHT BUSS GLR-2	1000	
<b>02-04-00402</b>	<b>EQUIPMENT: LIGTING,ELECTRICAL PARTS BUS BARS</b>		
	COMPANY/MANUFACTURER:SQUARE D COMPANY		
	5735 COLLE/GE CORNER ROAD, OXFORD,OHIO 45056		
	SITE: SADDAM MEDICAL CITY		
	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM OF-	4	
	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM OF-	4	
	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM OF-	4	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM OF-	4	
	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM OF-	4	
	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM OF-	12	
	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM OF-	20	
	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM OF-	8	
	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM OF-	4	
	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM OF-	4	
	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM OF-	4	
	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM OF-	4	
	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM OF-	10	
	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM OF-	10	
	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM OF-	10	
	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM OF-	10	
	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM OF-	10	
	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM OF-	10	
	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM OF-	4	
	CIRCUIT BREAKER 277/480V, 3P4W PBLA36400,GN	10	
<b>02-04-00403</b>	EQUIPMENT: MODULAR POWER STATION		
	MODEL :715197		
	COMPANY/MANUFACTURER:JOHNS MANVILLE		
	SITE: SADDAM MEDICAL CITY		
	INVERTER MODULE 200100-A	200	
	BATTERY CHARGER/ TRANSFER ASSEMBLY 200101	150	
	TRANSFER RELAY 92724	100	
	SWITCH, LOAD 90767	20	
	TEST SWITCH, SPRING LOADED, TOGGLE 92780	100	
	CHARGER TRANSFORMER 92741-A	100	
	277VAC METER, AC LOAD CURRENT 92741	60	
	METER, BATTERY VOLT 92763	60	
	NIFE NI-CAD BATTERY 92886 (L405)-5	1000	
	CONTROL PANEL ASSEMBLY 700111	40	
	FUSE 100 AMP	50	
<b>02-04-00404</b>	EQUIPMENT:(UNINTERRUPTIBLE POWER SUPPLY UPS)		
	QUANTITY:14		
	SITE: SADDAM MEDICAL CITY		
	AC POWER STATION 1.5 KVA COMPLETE WITH	28	
	VOLTAGE INPUT : 220 VAC		
	OUTPUT : 220 VAC		
	FREQUENCY : 50 HZ		
	TRANSFER TIME : 50 – 100 MS		
	FULL RATED LOAD FOR 90 MINUTES MINIMUM		
	LOAD POWER FACTOR 0.85 LAY OR 1.0 LEAD		
<b>02-04-00405</b>	EQUIPMENT:COLD STORES		
	MODEL:FOSTER		
	COMPANY/MANUFACTURER:PREST COLD OR		
	QUANTITY: 16		
	SITE: SADDAM MEDICAL CITY		
	AIR- COOLED CONDENSING UNIT MALS 300-B2-75	10	
	AIR-COOLED CONDENSING UNIT MALQ 200-B1-75	10	
	AIR-COOLED CONDENSING UNIT MAKP 150-B1-75	10	
	AIR-COOLED CONDENSING UNIT MAKM 75-A1-38	10	
	AIR-COOLED CONDENSING UNIT MALQ- 200-B1-75	18	
	AIR-COOLED CONDENSING UNIT MAKN-100-A2-38	10	
	AIR-COOLED CONDENSING UNIT KAKO-150-B1-75	6	
<b>02-04-00406</b>	EQUIPMENT: COLD STORES		
	COMPANY:FIAB		
	HATZFELDER STRABE 63A, D-5600W APPERTAL 2		
	QUANTITY:15		
	SITE: SADDAM MEDICAL CITY		
	COMPRESSOR,IRESSPR DWM-COPELAND WITH	4	
	COMPRESSOR,IRESSPR DWM-COPELAND WITH	16	
	COMPRESSOR,IRESSPR DWM-COPELAND WITH	4	
	COMPRESSOR,IRESSPR DWM-COPELAND WITH	20	



CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	COMPRESSOR, IRESSPR DWM-COPELAND WITH	8	
	COMPRESSOR, IRESSPR DWM-COPELAND WITH	4	
	FILTER DRIER ADK-163	200	
	FILTER DRIER ADK-164	400	
	EXPANSION VALVE, EXTERN-EQUALIZED TCE 4RW	8	
	EXPANSION VALVE, EXTERN-EQUALIZED TCE 5RW	8	
	EXPANSION VALVE, EXTERN-EQUALIZED TCE 3RW	8	
	EXPANSION VALVE, EXTERN-EQUALIZED TCE 1FW	8	
	EXPANSION VALVE, EXTERN-EQUALIZED TCE 3FW	8	
	EXPANSION VALVE, EXTERN-EQUALIZED TCE 2FW	8	
	HIGH/LOW PRESSURE SWITCH	24	
	SOLINOID VALVE 12	10	
	SOLINOID VALVE 10	10	
	ROOM THERMOSTAT FFL-114-3	40	
	CONDENSER FAN COMPLETE RCN1-6	60	
	CONDENSER FAN COMPLETE CEV14-15	60	
	EVAPORATOR FAN COMPLETE ARBT14	80	
	EVAPORATOR FAN COMPLETE AP5	80	
	SERVICE STATION (FSV 101)		
	EVACUATING AND CHARGING STATION WITH VACC.	8	
	VACUUM PUMP 16 CBM/HR. 220V-1-50 COMPLETE WITH	16	
	VACUUM PUM 6 CBM/HR. 220V-1-50 RESISTENT TO	4	
	CHARGING MANIFOLD	20	
	SOLDER PISTOL 100W	30	
	FLAING TOOL SET UPTO 5/8 IN	30	
	TUBE CUTTER 6-22 MM	30	
	CLAMP METER AMP, OHMS, VOLTS MEASURMENT	30	
	DIGITAL-POCKET A-V-O METER	30	
<b>02-04-00407</b>	EQUIPMENT:ELECTRIC WATER		
	MODEL:EP&8F		
	COMPANY/MANUFACTURER:WATERCOOLERS		
	QUANTITY: 200		
	SITE: SADDAM MEDICAL CITY		
	EBCO WATER COOLER COMPLT EP8F	40	
	VALVE 23546	300	
	CONDESNER 26757	20	
	BLADE, FAN 124033	200	
	MOTOR, FAN 16490	240	
	CONTROL, COLD 20319	200	
	HEAT EXCHANGER 25624	300	
	COMPRESSOR ASSEMBLY 17980	300	
	GASKET 8983	300	
	WASHER-FRICTION 9281	300	
	SCREW, VALVE SPUD 17335	300	
	GASKET (UNDER TOP) 10545	300	
	STRAINER - BRONZE 24435	300	
	GASKET- WASTE 11416	300	
	TAIL PIECE, WASTE 25862	300	
	TUBE, COOLER TO VALVE 24409	100	
	TUBE, WATER SUPPLY 24425	100	
	FITTING, MALE FLARE 7317	100	
<b>02-04-00408</b>	EQUIPMENT:MEDICAL COMPRESSOR.380V/3PH/50HZ		
	SITE: SADDAM MEDICAL CITY		
	MOTOR/COMPRESSOR UNIT COMPLETE FULL	6	
	MOTOR/COMPRESSOR UNIT COMPLETE FULL	4	
	MOTOR/COMPRESSOR UNIT COMPLETE FULL	4	
	AUTOMATIC DUAL COMPRESSOR ASSEMBLIES 520	6	
	AUTOMATIC DUAL COMPRESSOR ASSEMBLIES 2120	4	
	AUTOMATIC DUAL COMPRESSOR ASSEMBLIES 4600	4	
	HIGH PRESSURE AIR COMPRESSOR 40 BAR, 11KW	8	
<b>02-04-00409</b>	EQUIPMENT:VACUUM PUMP COMPLETE.380V/3PH/50HZ		
	SITE: SADDAM MEDICAL CITY		
	VACUUM PUM UNIT COMPLETE	4	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	FREE AIR DISPLACEMENT AT ATMOSPHERIC VOLUMETRIC THROUGH PUT AT LINE VACUUM 4050		
	VACUUM PUM UNIT COMPLETE	4	
	FREE AIR DISPLACEMENT AT ATMOSPHERIC VOLUMETRIC THROUGH PUT AT LINE VACUUM 2700		
	VACUUM PUM UNIT COMPLETE		
	FREE AIR DISPLACEMENT AT ATMOSPHERIC VOLUMETRIC THROUGH PUT AT LINE VACUUM 20250	6	
<b>02-04-00410</b>	EQUIPMENT: WASHING MACHINE+MEMBRAN PRESS WASHING MACHINE: MACHINE NO: 81-111-55500		
	TYPE:TWA10 NR181		
	MEMBRAN PRESS: MACHINE NO:67.120 TYPE :		
	COMPANY:ENGELHARDT&FORSTER		
	QUANTITY:14		
	SITE: SADDAM MEDICAL CITY		
	WASHING LIQUID PUMP 5-653-213205.2	8	
	HIGH PRESSURE PUMP SA05/02 28587.4	8	
	MICROSWITCH WITH ROLLER ¾" 50HZ 9-468-1524656	40	
	FOOT MOUNTED MOTOR 7.5KW, 3000 RPM 32282.6	2	
	COUPLING HIGH PRESSURE PUMP MOTOR 29957.8	2	
	VOLUME PUM AKHA 6101 28593.2	4	
	FOOT MOUNTED MOTOR 7.5KW, 1500 RPM 32283.4	2	
	COUPLING VOLUME PUMP MOTOR 29956	2	
	GEAR MOTOR 0.75KW, 50HZ, 40 RPM 29955.2	2	
	GEAR MOTOR 0.75KW, 50HZ, 48 RPM 299636	2	
	RUBBER PROSESSOR 30492.3	12	
	PROGRAMME PROSESSOR FOR TRANS EF 2-014-	2	
	3 PHASE AC MOTOR, 1.5KW, 1000 RPM 9-651-1556800	6	
	V-BELT 6-816-0039357	60	
	PIPE HIGH PRESSURE PUMP- VALVE 30726.4	4	
	SOLINOID VALVE WATER 0.5-10 ATU 28600.5	4	
	R ½" , 24VINW10		
	SOLINOID VALVE WATER 0.5-16 ATU, R ½" 29763.6	4	
	MAGNETIC LIMIT SWITCH 35135.3	40	
	LIMIT SWITCH FOR CLUTCH SIGNAL 29914.9	8	
	(ROLLER LEVER ZC2-SY11)		
	LIMIT SWITCH (BELOW) AT 11-S-J 28490.1	8	
	SOLINOID VALVE 24V, 50HZ, NW12 29942	16	
	SCREWING WE8 R 1/8" 35276.5	20	
	SCREWING WE8 ¼" 35288.8	24	
	SCREWING TE8 R ¼" 35289.8	8	
<b>02-04-00411</b>	DRYING MACHINE		
	MACHINE NO.: 28.962		
	TYPE : 253.15D , 1982		
	ENGLEHARDT & FORSTER WEST GERMANY 4		
	SADDAM MEDICAL CITY		
	FLANGED MOTOR 26540.5	4	
	11KW, B5 V1, G160M, 1500 RPM		
	FLANGED MOTOR, 2.2KW, 220/380V 24347.7	2	
	TIME RELAY SCHILEICHER 10 SEC.	16	
	RELAY 220 VOLT 11 PIN	40	
	GEAR MOTOR 380V, 50HZ, 2.2KW 35014	2	
	MOTOR PROTECTIVE SWITCH PKZMO-6 35027.2	4	
	MOTOR PROTECTIVE SWITCH PKZMO-2.4 35235.3	8	
	TIME RELAY KZTH11, 10SEC 33217.1	20	
	TIME RELAY KZTH11, 30SEC 33179.3	20	
	TIME RELAY KZTH11, 100SEC 33180.1	20	
	TIME RELAY TESCH VS 30PL 125 22556.5	10	
	CONTACTOR DILOA-22 29788.7	30	
	CONTACTOR DILOO-52 23294.2	20	
	SWITCH AT-3-11-S/J/DR 29895	12	
	END SWITCH AT-11-S/I 28490.1	10	
<b>02-04-00412</b>	EQUIPMENT: FITTING TO STEAM PIPING		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	COMPANY:SPIRAX SARCO - ENGLAND		
	QUANTITY:AS BELOW		
	SITE: SADDAM MEDICAL CITY		
	½ IN THERMO STEAM TRAP TD 42-L	100	
	½ IN TRAP FT 10-4.5	200	
	¾ IN TRAP FT 10-4.5	200	
	1 IN TRAP FT 10-10	100	
	1 ½ IN TRAP FT 10-10	100	
	SIGHT GLAS GS 253	200	
	PRESS GUAGE WITH SYPHON AND COCK 0.1.6 BAR	200	
	PRESS GUAGE WITH SYPHON AND COCK 0-4	400	
	PRESS GUAGE WITH SYPHON AND COCK 0-10	400	
	PRESS GUAGE WITH SYPHON AND COCK 0-16	100	
	PRES. RED. VALVE. REPAIR KITS FOR MODEL: DP 2"	20	
	DP 2 ½"	20	
	DP25 8"	10	
<b>02-04-00413</b>	EQUIPMENT: WATER STRAINER FLANGED ENDS		
	SITE: SADDAM MEDICAL CITY		
	3" SIZE	20	
	4"	20	
	5"	20	
	6"	20	
	8"	20	
	10"	20	
<b>02-04-00414</b>	EQUIPMENT: CHECK VALVE GLOBE STYLE BRONZE		
	SITE: SADDAM MEDICAL CITY		
	1"	40	
	2"	40	
	2.5"	40	
	3"	40	
	4"	40	
	5"	20	
	6"	20	
	8"	20	
	10"	20	
<b>02-04-00415</b>	EQUIPMENT:FLEXIBLE PUMP CONNECTOR		
	SITE: SADDAM MEDICAL CITY		
	2 ½ IN LENGTH 12 IN	40	
	3 IN LENGTH 14 IN	40	
	3 ½ IN LENGTH 15 IN	40	
	4 IN LENGTH 16 IN	20	
	5 IN LENGTH 18 IN	20	
	6 IN LENGTH 20 IN	20	
	8 IN LENGTH 22 IN	10	
<b>02-04-00416</b>	EQUIPMENT:FLEXIBLE CONNECTOR / PIPING SYSTEM		
	COMPANY/MANUFACTURER:METRAFLEX OR		
	SITE: SADDAM MEDICAL CITY		
	SIZE: 2" x L 4 1/8" 4 HOLES	100	
	3" x L 5 1/8" 4 HOLES	100	
	4" x L 5 3/8" 8 HOLES	100	
	6" x L 7 1/8" 8 HOLES	60	
	8" x L 8 1/8" 8 HOLES	60	
	10"x L 9 3/8" 12 HOLES	60	
	12" x L 10 ¼" 12 HOLES	60	
<b>02-04-00417</b>	EQUIPMENT:GENERATOR (DIESEL ENGINE)		
	MODEL : V16A/15		
	COMPANY/MANUFACTURER:HEDEMORA / SWEDEN		
	QUANTITY : 1 SERIAL NO. : 587		
	SITE: MEDICAL SADDAM CITY		
	FUEL PUMPS (COMPLETE)	32	
	GOVERNOR (COMPLETE) ((UG8) TYPE)	2	
	SHUTDOWN SOLENOID FOR UG GOVERNOR	2	
	INLET AND EXHAUST VALVES (SET)	2	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	NOZZELS OF FUEL SYSTEM	32	
	SEAL OUT SHAFT (COMPLETE)	4	
	CAM SHAFT	4	
	LINK SYSTEM GOVERNOR (COMPLETE)	2	
	TURBO CHARGERS (VTR 250 W3P)	2	
	LUBRICATING OIL PUMP (COMPLETE)	2	
	COOLING WATER PUMP	2	
	FUEL FEED PUMP (TYPE DRACHTFM VR -1/15-R ½)	2	
	TACHOMETER ALTERNATOR TYPE BARBER	2	
	TEMP. SWITCH AND PRESS SWITCH AMOT 4145	10	
	AIR FILTER	6	
	SOLENOID VALVE FOR STOP LUCIFER 131 A04	2	
	TEMP. GAUGES	20	
	PRESSURE GAUGES	20	
	MAIN BEARINGS	4	
	PISTONS	10	
	CONNECTING ROD	10	
	INDICATOR VALVE	20	
	GASKETS (ALL TYPES IN THE ENGINE)	100	
	GLOW PLUGS	20	
	MAGNETIC SPEED SENSOR	2	
	SEAL OUT PUT SHAFT	2	
<b>02-04-00418</b>	EQUIPMENT:INDUSTRIAL TOW TRACTOR		
	MODEL :FOER 4.3 SERIAL NO. :89060516		
	COMPANY/MANUFACTURER:LANSING LTD . BAS		
	SEAT PVC	12	
	WHEEL AND TYRE ASSEMBLY (PNEUMTIC)	48	
	BATTERY UNIT , DRY CHARGED COMPLETE	12	
	CONTROL UNIT 4032093.1	8	
	FUSE LINK	50	
	BOARD (SNI - 0528930489) 3022100	16	
	BOARD (SNI - 0525990789) 3027825 - 001	24	
	BOARD (SNI - 0518150289) 3025983 - 001	16	
	HEAD LIGHT SET (LENS , BULB HL , BULB SL)	20	
	LAMP INDICATOR (LENS , BULB)	20	
	SWITCH - PUSH BUTTON	12	
	HAND BRAKE MICRO SWITCH	20	
	HOSE ASSY H/PRESSURE (FOR STEERING UNIT -	24	
	MASTER CYLINDER ASSY FOR FOOT BRAKE	24	
	BRUSH AND SPRING KIT FOR DRIVE MOTOR	20	
	BEARING FOR DRIVE END	12	
	BEARING FOR COMMUTATOR END	12	
	WHEEL BOLT FOR AXLE DRIVE	60	
	STEERING AXLE UNIT:		
	A. AXLE - STUB	12	
	B. HUB - STEERING	12	
	C. BEARING - TAPER ROLLER	12	
	D. BRAKE PIPES - STEERING UNIT	12	
	E. CHAIN - SIMPLE	6	
	BRAKE :		
	A. WHEEL CYLINDER	24	
	B. BRAKE SHOE L.H	24	
	C. BRAKE SHOE R.H	24	
	D. SPRING (TWO TYPES)	48	
	E. SCREW - BLEED	48	
	F. WHEEL CYLINDER REPAIR KIT (AR)	24	
	BRAKE PIPES AND FITTINGS ASSY.	12	
<b>02-04-00419</b>	EQUIPMENT:TRUCK FORK LIFT POWERED , 3 TON		
	MODEL :FOER 15.1, SERIAL NO. :89069618		
	COMPANY/MANUFACTURER:LANSING LTD . BAS		
	QUANTITY : 3		
	SITE : SADDAM MEDICAL CITY		
	A. HYDROLIC CONTROL VALVES AND LEVERS	16	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	B. BRAKE MICROSWITCH	12	
	C. HYDROLIC SWITCH ASSY.	12	
	D. SWITCH-KEY	6	
	E. LAMP-WARNING	6	
	SEAT C\W SUSPENSION UNIT-PVC	6	
	WHEEL AND TYRE ASSEMBLY-DRIVE (PNEUWMATIC IF POSSIBLE)	24	
	WHEEL AND TYRE ASSEMBLY-STEERING AXLE	24	
	DRIVE AXLE PARTS AS FOLLOWS		
	A. BEARING (COMPLETE SET)	6	
	B. OIL SEAL	6	
	C. WASHER-LOCKING	12	
	RING-LOCKING	12	
	CYLINDER COMPLETE FOR BRAKE	12	
	A. KIT-REPAIR FOR BRAKES	24	
	B. SCREW-SKT.HD. FOR BRAKES	12	
	C. RING-SPRING FOR BRAKES	12	
	SPRING ALL SIZES FOR BRAKE	12	
	FOOT BRAKE AND ACCELERATOR PARTS AS FOLLOWS		
	MASTER CYLINDER ASSEMBL	6	
	REPAIR KIT FOR MASTER CYLINDER	12	
	RUBBER PEDAL (TWO SIZES)	12	
	ROCKER	12	
	BRAKE PIPES AND FITTINGS COMPLETE	6	
	CONTROL UNIT COMPLETE (SN : 89074768)	6	
	BOARD ASSY (SN : 0525710789)	12	
	BOARD ASSY (SN : 0526810789)	6	
	BOARD ASSY (SN : 0527760889)	6	
	HORN	6	
	PUSH-HORN	6	
	HYDROLIC PIPING FOR STEER CIRCUIT (COMPLETE SET)	6	
	HYDROLIC PIPING (COMPLETE SET)	6	
	PUMP COMPLETE	2	
	PRESSURE PLATE FOR PUMP	6	
	CARTRIDGE KIT	6	
	GASKET KIT	6	
	TANK-HYDROLIC OIL PARTS AS FOLLOWS :SET OF	6	
	SEAL BONDED	12	
	O-RING	6	
	MAST UNIT PARTS AS FOLLOWS :	12	
	PAD ALL TYPES		
	FLOW CONTROL VALVE	12	
	HOSE	12	
	PIPE ASSY	12	
	TOOL KIT AS FOLLOWS :		
	GUN GREASE	6	
	FILLER-BATTERY	6	
	HYDROMETER	12	
	LOG BOOK-BATTERY	6	
	SLIDING T	6	
	EXTENSION PIECE	6	
	SOCKET	6	
	SOCKET SET (METRIC	12	
	BATTERY UNIT COMPLETE-DRAY CHARGED	8	
<b>02-04-00420</b>	EQUIPMENT:THREE WHEEL ELECTRONIC FORK LIFT MODEL :FOER 11.2/1.25 , SERIAL NO. :R 890880238/1989 COMPANY/MANUFACTURER:LANSING LTD . BAS QUANTITY : 5 SITE : SADDAM MEDICAL CITY		
	DAMPERED SEAT ASSY	10	
	WHEEL CASHION RUBBER	40	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	BRAKE SHOE C/W LINING (CALL TYPES)	6	
	WHEEL CYLINDER -BRAKE	6	
	MASTER CYLINDER-BRAKE	6	
	CHAIN-STEERING	4	
	BATTERY ASSY-DRAY CHARGED	10	
	BATTERY CONNECTOR ASSY	10	
	CONTROL UNIT ASSY	10	
	MODULE (SN: 3785\128\2-06.89) 59.160.00.00-007	10	
	LOOM WIRING	10	
	PANEL ASSY.	10	
	VENTILATOR KIT	10	
	CABLE (ALL TAPES USED)	6	
	HORN	10	
	FUSE-CONTROL	40	
	FUSE-POWER (TWO SIZES)	20	
	LOOM WIRING FOR CONTROL UNIT	4	
	HOSE ASSY (ALL SIZES USED FOR HYDRAULIC SYS.)	6	
<b>02-04-00421</b>	EQUIPMENT:HIGH VOLTAGE SWIETCH GEAR		
	COMPANY/MANUFACTURER:SIEMENS - WEST		
	QUANTITY :14		
	SITE : SADDAM MEDICAL CITY/ SERVICE BUILDING		
	VACUUM CIRCUIT BREAKER 12KV, 25KA, 630A 3AF1741-	12	
	VACUUM CIRCUIT BREAKER 12KV, 25KA, 630A 3AF1741-	12	
	OPERATING MECHAN-EK MOTOR DRIVE	24	
	110V DC		
	TRIPPING RELAY SET 110V DC 7VH1604	40	
	THERM-DELAY OVERLOAD RELAY, 3-POLE 3UC3860-1C	12	
	ALARM RELAY 7PG2460-3EB0	40	
	GLOW LAMP 220, CLEAR BA 95 35X1701	200	
	INCAND-LAMP BA95 , 110-130V, 2.5W 35X1731	200	
<b>02-04-00422</b>	Air condition 2 Ton		
	Japan, Toshiba, Mitsubishi		
	Compressor 220 V	216	
	Automatic	100	
	Fr R 22	300	kg
	On - Off switch	50	
	Fan coil	20	
<b>02-04-00423</b>	Refrigerator	0	
	Compressor 1/6 hp	40	
	Compressor 1/5	100	
	Compressor 1 / 4	18	
	R 12	400	kg
	Automatic ran	100	
	Filter dryer	160	
<b>02-04-00424</b>	Blood bank refrigerator Electoral		
	Compressor 450 W 220V	12	
	Automatic	20	
	R 12	100	kg
<b>02-04-00425</b>	Air cooler		
	Motor 1/ 2 hp	204	
	Water pump	20	
<b>02-04-00426</b>	Kerosene refrigerator Sweed		
	Heater	240	
<b>02-04-00427</b>	Air condition 2 ton		
	Compressor	90	
	Fan ( general )	20	
	Fan ( Mitsubishi)	40	
	Fan ( Hitachi)	20	
	Thermostat ( Mitsubishi )	140	
	Selector switch ( Mitsubishi )	40	
	Cirrus 20 ampere	40	
	Fan motor ( general)	20	
	Fan motor ( Mitsubishi)	40	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Fan motor ( Hitachi)	20	
	Gas R 12	10	bottel
	Gas R 22	10	bottel
	Gas R 502	10	bottel
<b>02-04-00428</b>	Refrigerator		
	Compressor 1 /5 hp Japan	90	
	Thermostat (rang)	60	
<b>02-04-00429</b>	Freezer Japan		
	Compressor 1/3 hp	30	
<b>02-04-00430</b>	Cooling room		
	Contactora 30 amp	8	
	Thermostat - 50 + 50	4	
	Motor fan size 16	8	
	Thermostat ( Mitsubishi)	140	
<b>02-04-00431</b>	Water cooler fan		
	Fan size 10	28	
	Compressor 1/6 hp Japan	28	
<b>02-04-00432</b>	Refrigerator Japan		
	Compressor 1/5 hp	80	
	Automatic	58	
	Over load	58	
<b>02-04-00433</b>	Water cooler Japan		
	Compressor 1 /4 hp	48	
	Automatic	48	
<b>02-04-00434</b>	Freezer Japan		
	Compressor 1/3 hp	58	
	Automatic	58	
	Over load	58	
<b>02-04-00435</b>	Lifts Italy	0	
	Lifts rope	200	m
	Cabal	200	m
	Transformer ( 380 – 60 ) V	60	
	Rectifier 16 V	60	
<b>02-04-00436</b>	Washing machine Sweed		
	Timer	40	
	Micro switch	40	
	Washing motor	60	
	Control board	40	
<b>02-04-00437</b>	Corpse cold store U.S.A		
	Control relay	60	
	Gas R 502	60	
	Timer	60	
	Expansion – valve	60	
<b>02-04-00438</b>	Blood refrigerator U.S.A		
	Compressor 1/5 hp	40	
	Automatic	40	
<b>02-04-00439</b>	Hot water boiler Hovel		
	Timer	40	
	Starve motor	40	
	Photo cell	60	
<b>02-04-00440</b>	Steam boiler Hovel		
	Timer	40	
	Starve motor	40	
	Photo cell	60	
<b>02-04-00441</b>	Chiller Hitachi – Japan		
	Changinq valve	40	
<b>02-04-00442</b>	Cooling water Spain		
	Motor 10 hp	60	
	Belt ( 2407 x 17)	60	
<b>02-04-00443</b>	Meat deep freeze Germany		
	Expansion valve	60	
	Gas R 502	60	
<b>02-04-00444</b>	Dairy refrigerator Germany		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Expansion valve	60	
	Gas R 22	60	
<b>02-04-00445</b>	Vegetable cold store U.S.A		
	Expansion valve	60	
	Gas R 22	60	
<b>02-04-00446</b>	Generator( Germany , UK, houstrain)		
	Oil filter	60	
	Dingo	40	
	Belt	40	
<b>02-04-00447</b>	Fan coil unit Spain		
	Filter	60	
<b>02-04-00448</b>	Electric drying HOFAL		
	Heater	40	
	Air- circulating motor	40	
<b>02-04-00449</b>	Electric iron HOFAL		
	Compressor	40	
<b>02-04-00450</b>	Air condition		
	Compressor 2 ton	70	
	Compressor 1 ton	60	
	Compressor 1.5 ton	50	
	Gas R 22	20	
<b>02-04-00451</b>	Spelt unit		
	Compressor 5 ton	20	
	Gas R 22	20	
<b>02-04-00452</b>	Package unit Japan		
	Compressor 7.5 ton	8	
	Gas R 22	20	
<b>02-04-00453</b>	Lifts Shingled Spain		
	Motor (open- close the door)	20	
	Main robs seat	20	
	Main over load	30	
	Gear box for main motor	36	
	Fazes changer	20	
	Micro switch for open and close the door	40	
	Main relay for main board	40	
	Secondary relay for main board	60	
	Stopper part ,35 for main door	40	
	Micro switch for main board	36	
	Magnetic shoe (capital)	8	
	Magnetic shoe ( small)	8	
<b>02-04-00454</b>	equipment : center fugal chiller		
	Model ECVGAO 17AHACBM BABC		
	Serial no E53O75 E53O76 E53O77 E53O78		
	1- Complete compressor & Motor 2	4	
	2- Over holing kit for compressor motor 3	6	
	3-Genral assembly compressor 5	8	
	4- Sterner 6	10	
	5- Valve sonoloid 8,9	10	
	6- Charting valve 11	8	
	7- sight glass 12	6	
	8- Valve 14	4	
	9- O ring oil tank 17-27	16	
	10- Oil filter assumes. 28	24	
	11- Valve 30	8	
	12- O ring 36	8	
	13- Valve sonoloid 28	8	
	14- Motor actuator	4	
	15- Switch	4	
	16- Coil holding 220- 50 J.E	4	
<b>02-04-00455</b>	Head part		
	1- Switch hand bulb well 1	8	
	2- Motor oil pump 3	8	
	3- Them meter 4	4	



CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	4- Valve 6	4	
	5- Heater 7A	16	
	6- Thermostat high temp. control 8	8	
<b>02-04-00456</b>	Evaporator Part		
	1- O ring 5	20	
	2- Charting valve 6	4	
	3- Evaporator tube	300	tube
<b>02-04-00457</b>	Condenser part		
	1- Condenser tube	200	tube
	2- Completed condenser	4	
<b>02-04-00458</b>	Control panel part		
	1- Anti recycle timer 1	4	
	2- low pressure control 2	4	
	3- High pressure control 3	4	
	4- Oil pressure control 4	4	
	5- Oil pressure gauge 5	8	
	6- Low pressure gauge 6	4	
	7- High pressure gauge 7	4	
	8- Control relay 8	32	
	9- Transformer 9	4	
	10- Fuse 2 Amp 10	48	
	11- Control light oil temp. 11	24	
	12- Switch 12	2	
	13- Resistor ( Shunt) 13	4	
	14- Module Control 14	16	
	15-Hour counter 15	4	
	16- Start counter 16	4	
	17- Bulb neon 18	48	
	18- Rest switch 19	4	
	19- Switch on / off 20	4	
	20- Comp. Motor temp. control 22	6	
	21- Comp. Start time delay 15 s 23	4	
	22- Oil pump time delay 1 s 24	4	
<b>02-04-00459</b>	Starter Pant part		
	1- Manual Disconnected switch	8	
	2- Conjecture dealt	8	
	3- Conjecture line	8	
	4- Conjecture star	8	
	5- Over load really	24	
	6- Oil for over load	2	liter
	7- Current transformer( load limit control)	2	
	8- Resistance's	24	
	9- Oil pump start & over load	4	
	10- Contactor ( start – point )	4	
	11- AMP mater	4	
	12- Fuses	48	
<b>02-04-00460</b>	Oil		
	1- Oil for chiller taxes caplet – D	720	liter
<b>02-04-00461</b>	Cooling tower		
	1- Cooling tawor cap. 200 ton ref.	8	
	Installation and menteenens and operation and quaranty for Treeing for our engineer in the manufacture factor supply		
<b>02-04-00462</b>	equipment : chiller		
	capacity : 550 T.R		
	company name:HITACHIE - JAPAN		
	libr	10000	l
<b>02-04-00463</b>	Equipment: cooling tower fans		
	Model: ceramic cooling tower		
	Job no. CT – 975		
	Capacity: 3000 REF tons		
	Quantity: 5		
	Site:saddam medical city		
	Supply or replace parts of a 2 speed cooling tower fans made	10	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Fan is 32 FT DIA 101700 ACFM , AT SP 5.57 in H2O driven		
	Work shall cover supply of all necessary parts adjustment		
	Site survey by specialist is necessary before bidding to check		
<b>02-04-00464</b>	Equipment: open drive cent chiller		
	Model: carrier 17 DA 74 – 139-2		
	Drive motor: out put 2240 KW – 11000 V , 3 PH , 1488 R		
	Quantity: 2		
	Chilled water in 12.5 C to 4.4 C		
	Flow: 311.6 LPs		
	Site:saddam medical city		
	Supply replace install and adjust all missing damage worn-	4	
	In order to run machine for full satisfaction efficient and safe		
	Site bidding a detailed offer		
<b>02-04-00465</b>	Equipment: central telephone exchange TTC		
	Model: telecom SL- 1		
	Company / manufacturer: northern telecom		
	Belleville Ontario		
	CANADA		
	Site:saddam medical city		
	Required is to update existing system with shall exceed	4	
<b>02-04-00466</b>	Equipment: nourishment station		
	Model: NIM – 984		
	Company / manufacturer: market forge / Mississauga Ontario		
	Quantity: 57		
	Site:saddam medical city		
	Standard ice maker 45-1858	40	
	Water reservoir one/ ten 3178	60	
	Ice maker one/ten /4300	20	
	Motor one/ten/5262	40	
	Heavy demand ice maker 45-1952	40	
	Ice maker assembly one/ten/4291	20	
	Thermal state- ice bin level one/ten/6538	40	
	Indicator knob one/ten/4486	40	
	Control low pressure cut out one/ten/6540	20	
	Capacitor ice dispenser motor one/ten/5954	40	
	Diffusion panel (upper) one/ten/4495	30	
	Diffusion panel (lower) one/ten/4496	30	
	Ballast (upper) one/ten/5257	20	
	Ballast (lower) one/ten/4497	20	
	Microwave oven (optional unit) one/ten/5956	50	
	240 hot plate one/ten/5270	50	
	Compressor –condenser unit one/ten/6541	50	
	Evaporator one/ten/6539	50	
	Capillary tube one/ten/6537	30	
	Refrigeration temp. control one/ten/6542	20	
	Klaxon over load relav one/ten/6980	40	
	Deforest timer one/ten/6680	40	
	Start relav one/ten/6981	20	
	Thermal eye switch front one/ten/5275	40	
	7- position heat switch rear one/ten/5279	40	
	Adapter one/ten/6869	40	
<b>02-04-00467</b>	Equipment: nourishment station		
	Model: NIM 972		
	Quantiv: 20		
	Company / manufacturer: market forge / Mississauga Ontario		
	Site:saddam medical city / hospital		
	Ice maker assembly 45-800	20	
	Gear motor and ice maker one/ten/6559	10	
	Water reservoir one/ten/4296	30	
	Pilot light assembly 45-5775	60	
	Control low pressure cut out one/ten/6540	20	
	Capacitor ice dispenser motor one/ten/5959	20	
	Main Contactor relay one/ten/6552	20	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Position heat switch front one/ten/5279	20	
	Thermal eve switch rear one/ten/5275	20	
	Adapter one/ten/6869	20	
	Compressor condenser unit one/ten/5979	40	
	one/ten/3113	20	
	Capillary tube one/ten/5977	20	
	Refrigeration temp control one/ten/5524	20	
	Killeen over load relay one/ten/5413	40	
	Start relay one/ten/5919	40	
<b>02-04-00468</b>	Equipment: motors (380V 3PH 50 HZ squirrel cage induction Company / manufacturer: any European Quantity: as below Chilled water in 12.5 C to 4.4 C Flow: 311.6 LPs Site:saddam medical city / hospital KW/RPM		
	30/1480	18	
	22/1480	6	
	4/2900	6	
	5.5/2900	6	
	11/2900	10	
	7.5/1480	12	
	9/2900	8	
	55/1500	8	
	11/1480	12	
	7.5/2900	8	
	3.7/1480	16	
	5.5/1480	10	
	15/3000	6	
	37/1500	10	
	18.5/1500	10	
	15/1500	6	
	75/1480	4	
	90/1480	4	
	0.25/1500	50	
	0.55/1500	6	
	2.2/1.1-2845/1445 tow speed	30	
<b>02-04-00469</b>	Equipment: bearing for fans, motors and pumps motors Company / manufacturer: SKF FAG SNR Quantity: as below Site:saddam medical city		
	Ball bearing 2306 KC3	40	
	Ball bearing 2307 KC 3	40	
	Ball bearing 2308 KC3	40	
	Ball bearing 2309 KC3	40	
	Ball bearing 2312 KC 3	40	
	Ball bearing 2313 KC3	30	
	Ball bearing 2315 KC3	30	
	Ball bearing 6205	20	
	Ball bearing 6206	20	
	Ball bearing 6207	20	
	Ball bearing 7312 B	20	
	Ball bearing 2317 K	20	
	Ball bearing 2208	20	
	Ball bearing 6312ZZ	20	
	Ball bearing 2230 Z	10	
	Ball bearing 6309 Z	30	
	Ball bearing 6307 Z	10	
	Ball bearing 6206 ZZ	10	
	Ball bearing 6203ZZ	10	
	Ball bearing 2210 K	10	
	Ball bearing 1208 K	10	
	Ball bearing 6312 C3	20	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Ball bearing 63 H	10	
	Ball bearing 6314 -ZRS	20	
	Ball bearing 22309Z	20	
	Ball bearing 2602 -ZR	10	
	Ball bearing 6302 ZZ	20	
	Bush H 306	40	
	Bush H 307	40	
	Bush H 308	40	
	Bush H 309	40	
	Bush H 312	40	
	Bush H 313	30	
	Bush H 315	30	
	Bracket SN 607	20	
	Bracket SN 608	20	
	Bracket SN 613	20	
	Bracket SN 615	20	
	Bracket P 205	20	
	Bracket P 207	20	
	Bracket P 213	20	
	Bracket 209S	20	
	Bracket 310 B	20	
	Bracket 19M	20	
	Bracket 806	20	
	Spherical roller bearing with bracket GN 215 KBP B	20	
	Spherical roller bearing with bracket GN 207 KRPB	50	
<b>02-04-00470</b>	Equipment: V- belts for fans, compressor		
	Quantity: as below		
	Site:saddam medical city		
	V- Belt 725*9.5	20	
	V- Belt 725*9.5	30	
	V- Belt 1050*9.5	30	
	V- Belt 1090*9.5	20	
	V- Belt 1100*9.5	40	
	V- Belt 1125*9.5	40	
	V- Belt 1200*9.5	20	
	V- Belt 1250*9.5	20	
	V- Belt 1400*9.5	20	
	V- Belt 800*10	30	
	V- Belt 1900*10	20	
	V- Belt 1750*12.5	20	
	V- Belt 1800*12.5	20	
	V- Belt 1300*13	50	
	V- Belt 1350*13	40	
	V- Belt 1400*13	40	
	V- Belt 1450*13	60	
	V- Belt 1500*13	40	
	V- Belt 1600*13	30	
	V- Belt 1825*13	10	
	V- Belt 1040*17	10	
	V- Belt 1150*17	10	
	V- Belt 1250*17	10	
	V- Belt 1350*17	10	
	V- Belt 1400*17	30	
	V- Belt 1450*17	10	
	V- Belt 1500*17	50	
	V- Belt 1600*17	50	
	V- Belt 1750*17	20	
	V- Belt 1800*17	40	
	V- Belt 1900*17	20	
	V- Belt 1950*17	20	
	V- Belt 2070*17	20	
	V- Belt 2120*17	10	
	V- Belt 2210*17	10	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	V- Belt 2250*17	20	
	V- Belt 2280*17	20	
	V- Belt 2300*17	20	
	V- Belt 2360*17	20	
	V- Belt 2400*17	40	
	V- Belt 2775*17	10	
	V- Belt 63B	30	
	V- Belt 85B	40	
	V- Belt 89B	40	
	V- Belt 91B	18	
	V- Belt 96B	160	
	V- Belt 120B	120	
	V- Belt 128B	50	
	V- Belt 130B	40	
	V- Belt 136B	100	
	V- Belt 144B	50	
	V- Belt 163B	50	
	V- Belt 150C	50	
	V- Belt 158C	80	
	V- Belt 166C	50	
	V- Belt 180C	50	
	V- Belt 2350*22	30	
	V- Belt 2500*22	30	
	V- Belt 1000LA	20	
	V- Belt 1125*12.5LA	20	
	V- Belt 5V1000/385	10	
	V- Belt SPZ 1587 LW	20	
	V- Belt 10*1444LPZ*56	20	
	V- Belt 17*1800B/71	80	
	V- Belt 13*1188LIA 46	80	
<b>02-04-00471</b>	Equipment: sterilize complete		
	Model: V.sliding door		
	Company: sybron / Dayton castle limited tweed road,		
	Quantity: 5		
	Site: saddam medical city		
	Dayton castle ( 0.18 m3) , cylindrical utensil and instrument	6	
	Dayton castle (0.16 m3), laboratory variable time / temp.	4	
<b>02-04-00472</b>	Equipment: sterilize		
	Model: horizontal sliding door (8.5 ft3, low temp. steam and		
	Company: sybron / Dayton castle limited tweed road ,		
	Quantity: 3		
	Site: saddam medical city		
	½ " 2- way MAG valve (w) B 0124	20	
	¾ " pervert P.A valve B 5449	12	
	1 ¼ "pervert P.A valve B 4312	12	
	¼" ASCII 3- way MAG valve (w) B 12404	32	
	¼" silo 3-way valve B 12957	10	
	½" sight flow glass B0427	20	
	Vacuum pump Roland B0610	20	
	Gauge pressure (0-4) bar 2 ¼" diameter B12440	12	
	Gauge pressure (0-6) bar 2 ¼" diameter B12441	12	
	Gauge pressure (0-16) bar 2 ¼" diameter B 12438	12	
	Gauge Cambridge clear way B 7047	12	
	Contacto Danes B 3187	12	
	Over load 12-19 amp B 6747	6	
	Over load 1.8- 2.8 amp B9423		
<b>02-04-00473</b>	Equipment: sterilize		
	Model: horizontal sliding door (70 ft3 , low temp. steam and		
	Company: sybron / Dayton castle limited tweed road ,		
	Quantity: 3		
	Site:saddam medical city		
	Relay A.C type B3840	18	
	Timer 15 min. planet B 4352	6	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Timer 60 min. B6258	6	
	Leeds switch B 4296	6	
	Water circulating pump B 5456	4	
<b>02-04-00474</b>	Equipment: sterilize		
	Model: vertical sliding door (8.5 ft3 , low temp. steam and		
	Company: sybron / Dayton castle limited tweed road ,		
	Quantity: 14		
	Site:saddam medical city		
	Controller MK8 20" S10703	28	
	Valve ¼" BSI ASCII 3- way B12404	60	
	Gauge temp. clear way (40-160C) B8096	60	
	Top 3" diaphragm B5394	80	
	Gauge pressure (0-4) bar 2 ¼" diameter B24410	20	
	Gauge pressure (0-6) bar 2 ¼" diameter B12441	20	
	Gauge pressure (0-16) bar 2 ¼" diameter B12438	20	
<b>02-04-00475</b>	Equipment: sterilize		
	Model: hinged door type (14 ft3 , porous load / natural cooling		
	Company: sybron / Dayton castle limited tweed road ,		
	Quantity: 8		
	Site:saddam medical city		
	Water boost pump B 9747	14	
	Liquid ring vacuum pump 1 q/m type lobe 05501 B4171	12	
	½" 2- way solenoid valve B 0124	20	
	¼" 3- way solenoid valve B12404	40	
	3" pervert direct acting top B5394	60	
	½" Dayton castle DA valve S 3970	60	
	Pervert diaphragm 5" diameter B7017	80	
	2.5 " pressure gage ( 0-4) bar B1240	16	
	2.75 " pressure gage ( 0-16) bar B 12436	16	
	2.5 " pressure gage ( 0-6) bar B12441	16	
	Water circulation pump B5456	8	
	6KW immersion heater B6959	20	
	2" pervert valve B6921	40	
	Cambridge clear way temp. controller (40-160 ) C0 B7047	20	
	Edwards absolute pressure gage B0899	20	
	Timer 15 min. plant B4352	20	
	Timer 2 min. B6258	20	
	Timer 60 min. B4824	20	
	Relay A.C type BOGC 2 240V B3840	20	
	MK controller type "D" 9730	16	
	Leeds switch B4296	20	
	Over load B12722	40	
<b>02-04-00476</b>	Equipment: floor maintenance machine		
	Company / manufacture: European		
	Site:saddam medical city		
	Floor polishing and cleaning machine 3-brushes with all	120	
	Wet / dry vacuum cleaner equipped for easy emptying with	60	
	Floor polishing and cleaning machine single brushes with all	60	
	Floor cleaning trolley with tow – 24 liter buckets mop	200	
	Mop with wooden handle	200	
	Wheeled portable electric extenuation cable 100 foot cable	60	
	Windows cleaning set consists of hand tools extenuation	30	
<b>02-04-00477</b>	Spare parts for 3 chiller carrier hermetic centrifugal (19) DG		
	Design 2 model NO. 19DH3175CL		
	Complot on heater and thermostat 1000 W 115V	12	
	(50-60) HZ		
	Complete purge unit solenoid valve low	6	
	Solenoid valve low Type J21 KD rang (0 25) PSI 20A (125-	6	
	Solenoid valve high Type J21 KD rang (0 25) PSI 20A (125-	6	
	vacuum pump Ittpenumcttve model no. BLV6ident no.	6	
	switch on off man off auto 19D011-5266	6	
	Switch on stop Button with lamp	12	
	Switch start Button with lamp	12	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Switch oil pump Button with lamp	6	
	Power lamp	6	
	Safety circuit lamp	6	
	Load recycle lamp	6	
	Program HK 252D03D	6	
	7916 833333333333		
	62D - 7994		
	Oil filter	12	
	Capacity control model 32SM 500704	6	
	capacity control		
	Fuse 250 V Bussan 3	50	
	Control relay		
	K1 93 - 211606- 23021H	4	
	coil 120X (50-60)HZ		
	AMF Mexico		
	K2 Ku93-4106 120V		
	(50-60) HZ	4	
	K3 3A AT 250 VAC	12	
	Y3 -211666- 23021H		
<b>02-04-00478</b>	Equipment: Chiller		
	type CLIMAVENETA / ITALY		
	Compressor Clopped type D8RH1-5000-EWM 83D far-NR	24	
	Motor fan HP 4 Kw 380 V 50 Hz 9.3 A R.P.M 1480	40	
	Pump motor 2.2 Kw 380 V 50 HZ 5.3 A .82 R.P.M 1410	40	
	Cooling tower motor 380V R.P.M 1440 9.2 A .83 50 HZ	20	
	Expansion valve 50 ton	20	
	Evaporator 50 ton length 2.1 cm thickness 14cm high 125	10	
	Contactore NCI-6c133 ,telemecanique , 125A.500V coil	60	
	Low pressure switch 20 85 ib/in2	20	
	High pressure switch 100- 425 ib/in2	20	
	Oil pressure switch 10-60 pi	30	
	Summer thermostat 10-30 C 3-stage	30	
	Winter thermostat 15 – 30 C 3-stage	20	
	Block filter dryer 50 ton 681344-90089 cn1-fc133 .80A 500 V	20	
	Compressor Hitachi 10 ton vertical v380 19.2 A R22	10	
	Expansion valve 10 ton	10	
	Motor 0.8 Kw 3ph 380 V 1.9A 50HZ	10	
	Motor .9 Kw 380 V 3ph 50hz 1.1 50 Hz	10	
	Compressor DIKEN model 6T55TAKsye power 3PH	4	
	Compressor Carrier 25 Ton power 25.3 Kw Rev. 1500 380V	4	
	Expansion valve 25 ton	10	
	Motor P 5.5 W I 11.5 380V R.P.M 1430	10	
	Motor P2 HP I 4.4A 380 V 3Ph 50HZ R.P.M 910 Kw 1.5	8	
	Refrigerant compressor Model MSS- 12L motor in put 94	4	
	Mitsubishi electric Corp Japan		
	Magnetic Contactore Mitsubishi S 150A 440 V 75 Kw 150A	10	
	Expansion valve 100 ton	10	
	Low pressure switch	10	
	High pressure switch	10	
	Oil pressure switch	10	
	Compressor Tarn France 60 ton type L2E5J no.5IN 9kq5z	2	
	Expansion valve 60 ton R22	4	
	Block filter dryer 60 ton	4	
	Compressor Model JS83N-46AG serial NO. FM 208 167-	2	
	Compressor 45 Kw model 8HC752LB -yea 3PH 50HZ	6	
	Air handling unit motor MSQuery , EUROPA S.P.A .		
	Tower pump motor Daikin KOGOYO clotted JAPAN p 25	4	
	Centrifugal pump No. po260 277.8 type 100SGM head	8	
	Centrifugal pump No.BO260278-2 type 80FSGM head 27m	8	
<b>02-04-00479</b>	Equipment: Vaccine refrigerator		
	Model: sicplant		
	Company: Italy		
	Compressor ½ HP	4	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Condenser fan	8	
	Thermostat 30 +30	4	
	Timer mint.	4	
	Deforest timer	4	
	Deforest heater	8	
	Expansion valve	4	
	Filter drier	4	
<b>02-04-00480</b>	Equipment: air-handling unit		
	Single phase motor ½ HP 220V RPM 1500 washing house	320	
	Refrigerant	400	kg
	R502	4000	kg
	R22	5000	kg
	R12	40	kg
	R503	400	kg
	R11		
	Refrigerant oil	200	liter
	4GS	200	liter
	3GS	400	liter
	caplet 68		
<b>02-04-00481</b>	Refrigerant requiring tools		
	Manifold gage(charaina gage)	10	
	Vacuum pump with accessories	6	
	Piping kits tools	8	
	Clamp Digital meter	10	
	Digital AVO meter torch	20	
	Ox astillin welding torch complot set	6	
	Gas leak detector electronic Type	6	
<b>02-04-00482</b>	EQUIPMENT: ELEVATOR		
	Make: OTICFRANCENIVEAVXSAPB		
	MAIN MOTOR		
	VOLT 220/380 AMPS 32/18K5 3PH.50 HZ		
	KW-8K2 GV-II TOUR - 1500/375		
	ORDER NO.: - 45W2818K MOTOR NO.3146 OR 2776K OR		
	LIESTE: - MCOB 9710 A72 OR		
	SERTAL NO.: - 8137 AC DRIVE TWOSPEED or .8140. Or		
	4306		
	CONTROLLER: - MAKE OTIS TYPE-MC 1682		
	VOLT: -380		
	PHASE: -3HZ: -50		
	CONTRACT NO.: -92NZ 5133 or 92 NZ5135		
	DIAGRAM NO. : -A 1592 NZ5131 or A1592NZ5152		
	AUTO DOOR GEAR: - TYPE/ OTIS- FO358AF		
	BREAKE: - ELECTOR / MAGNET		
	LIMIT SWITCHES-MAKE-OTIS-NAS-MXA-6098B-519		
	MXA-60988-520. 356098 K SERL-8007, 8103.8012		
	GOVERNER SAFETY: - BOTH ELECTRICAL AND		
	GOVERNER SAFETY - LIMIT ON CAR TAP: -NO. CX -		
	CAR GATE SWEITCH: - TYPE 9792-A2		
	LANDNIG GATE LOCK BOX SWICHES TYPE: -27/FOB-		
	FSERIAL-FO2		
	MAIN ROPE CAPACITY 36280 KG		
	4*9070KG		
	BUEER SPRING FOR CAR AND COUNTER WEIGHT: -		
	SPEED CONTROL: -THYRESTOR OF MICRO PROCESS:		
	Transmision part type VII LO. 9550 AN serial LO.1		
	Machine type MCO 9710A serial - M04		
	Hoist way door type 977B (9764C seri: FO2) (191974C seri :		
	COMPANY NAME: ASCINTER OTIS		
	QUANTITY INSTALLED: 24		
	Stationary contactPage # :8Part # :150P27	120	
	Stationary contactPage # :8Part # :150P26	120	
	P.C Board Function DDPPage # :Sertal FO4Part # :9658AT7	60	
	Bord Function for LRCUPage # :Part # :9661AK1/2	24	



CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	(RI811)with PhotocellPage # :Part # :		
	Board Function forPage # :Part # :FOA6231D7	48	
	Emergancy car LightPage # :Part # :		
	Magnet SwitchPage # :Part # :FO9559A	24	
	Thermal UnipolarPage # :Part # :F0375G2	24	
	Circuit BreakerPage # :Part # :		
	Fuse 0.125 AmpPage # :5Part # :F0375E1	200	
	Main motor complete withPage # :Part # :		
	Mechine 220/380V 3PH 50HZPage # :Part # :		
	KW:- 8 K5 Tour :- 1500/375Page # :Part # :	8	
	Limit SwitchPage # :Part # :MXA6098B519	120	
	Limit switchPage # :Part # :MXA6098B520	120	
	Push button for Lift callingPage # :Part # :	120	
	Lock 9940G4Page # :Part # :	120	
	Lamp 5W – 24VPage # :Part # :	120	
	Car fan V=220V HZ=50. RPM= 2300- 2600 TYPE 132 156,	24	
	Door operator complete with transmission part and all	48	
	Door motor complete Page # :Part # :FCO955OT	24	
	(105 V ) PH-3 50HZ , 500RPMPage # :Part # :FO358AG	24	
	Set of sprocketPage # :19Part # :FO2235A31	96	
	Plastic gearPage # :Part # :		
	Driving rod (PO96DN4)Page # :Part # :FO96DN1)	48	
	Spring (FO90FN6)Page # :19Part # :MC090T1	48	
	Resistance with clampPage # :3Part # :232 E 39	72	
	Put intend of it (Complot door Departure new model suitable		
	- spare part for 5 years for the new system		
	- Send spare part catalog for the new system		
	- Mainintenc operation catalog		
	Fuse breaker 2Amp	120	
	Fuse breaker 3Amp	120	
	Fuse breaker 4 Amp	120	
	Fuse breaker 6 Amp	120	
	Thermal uniplak F0375H2	120	
	Thermal uniplak F0375H4	120	
	Contactora complete C6754A122	48	
	Relay F06164 BP 123	96	
	Relay F06164 BP 323	48	
	Contact for relay 150P4	48	
	Auxitiany Contactora F028527	48	
<b>02-04-00483</b>	Equipment: heidelberg to presses		
	Model: GTO/ 52		
	Quantity: 2		
	Place: press of ministry of health		
	Transfer cylinder CP1 .I 005.001F	12	
	Hekagon bolt 00 5.035	48	
	Gripper pad with 00 5.008	32	
	Plat clamp 00 5.007	32	
	Compression spring 0 12.012	172	
	Chese - headed screw 520.0238	172	
	Pinion gear with polt 0 11.009	172	
	Rod 00 5.036	32	
	Glas bead blanket 0 11.009	172	
	Shaft 0 11.032	32	
	Clamping piece 0 11.028	240	
	Gripper 0 11.027	240	
	Sisp. 0 12.02	32	
	Recessed areas nipple DIN 3405 CM 8x1 600.0133	32	
	Cam lever with Cam follower C6227/91F 52048 550.0436	32	
	Recessed areas nipple DIN 3405 D6 530.0403	32	
	Spring bolt with Needle busking C6221/01HklDO 550.0001	32	
	bolt 0 13.013	32	
	Compression spring 0 10.09 0	32	
	Spring support piece with O11.024	32	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	disc 0 13.029	32	
	disc 0 11.02 0	32	
	Bearing with 0 11.016	84	
	Cheese-headed screw DIN 912 M 6x30 520.0243	84	
	Grease nipple D5213AM6 600.013	44	
	Neelle beain C6211/01 NK1816 550.0032	44	
	shim 0 11.017	44	
	Bearing support D.S 0 12.09 0	12	
	Retanier ring SN270BR90 580.0978	32	
	Cheese -heded screw DIN 9/2 M 10X 25 520.0272	32	
	Inner and outer ring C 6231/81F87 550.0786	44	
	Needle bearing cage C 6231/81F87324 550.0787	32	
	Space washer 0 11.46 0	12	
	Circle DIN 47165x2.5 510.011	32	
	Circle SN 270 BR 90 580.0928	12	
	Bearing support bushing O.S 0 12.091	12	
	Retainer ring SN 270 BR 72 550.0537	32	
	Cheese -headed screw DIN 912 M10X25 520.0272	32	
	Cam 00 5.004	12	
	Cheese -headed screw DIN 912 M6x60 520.0241	32	
	Inner and outer ring C6233/99F -50048 550.0538	44	
	Needel bearing cage O.S C6231/91F-50049 550.0428	44	
	Spacer washer 00 6.026	24	
	Circlip SN 270PR72 550.0537	24	
	Thrust bearing C6241/99F52307 550.0433	44	
	Cheese -headed screw DIN912 N6x16 520.1046	44	
	Cup spring washer C7753 /01K6207 530.035 0	44	
	Cam with 0 12.215	12	
	Cheese -headed screw DIN912N8x25 520.0254	32	
	Transfer cylinder II 005. 201	12	
	Cylinder disk D.C 00 5.21 0	12	
	Cheese -headed screw DIN912M 10x35 520.0274	12	
	Bearing sleeve 0 12.091	12	
	Backing ring with 00 5.232	12	
	Cheese 912M6x6 520.1046	12	
	Retainer ring SN270BR 72 550.0537	12	
	Bearing support bushing DS 00 5.203	12	
	Cheese headed screw DIN 912 M10x35 520.0274	12	
	Retainer ring SN 270 BR110 550.0677	12	
	Cam with 520.059	48	
	Cheese -headed screw DIN912M8x95		
	Gripper foot with 005. 208	12	
	Cheese headed screw DIN912M8x30	24	
	Gripper operation shaft 00 5.2096	12	
	Lever with 00 5.212	12	
	Cam follower C6227/91F52048 550.0436	12	
	Grease nipple D5213AM5 600.0121	12	
	Stop with 00 5.213	120	
	Stop bolt 00 5.0214	120	
	Clamping piece 0 11.028	120	
	Gripper with 0 11.027	120	
	Compression spring 0 11.026	120	
	Bearing with 0 11.016	24	
	Cheese headed screw DIN912M6x30 520.0243	24	
	Shim 00 5.227	24	
	Grease nipple D5213AM6 600.123	24	
	Needel bearing C6211/01NK1816 550.0032	24	
	Forked lever 00 5.211	12	
	Spring plunger with 0 11.023	24	
	Compression spring 0 10.09 0	24	
	Bolt 0 13.013	24	
	Disc 11.02 0	24	
	Disc 0 13.029	24	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Needle bushing C6221/01HK1010 510.0001	24	
	Rod with 0 14.111	96	
	Compression spring 0 12.053	96	
	Star wheel 014.112F	672	
	Cooler 00 5.22 0	12	
	Spacer ring 00 6.026	12	
	Inner and outer ring C6233/99F50048 550.0538	24	
	Needle bearing cage C6231/91F50049 550.0428	40	
	Thrust bearing C6241/99F52307 550.0433	80	
	Cup spring washer C7753/01K6207 530.035 0	40	
	Disk 00 5.0734	40	
	Cheese headed screw DIN912M8x25 520.0254	96	
	Inner and outer ring C6233/79F84785 550.0734	48	
	Needle bearing cage C6231/81F15085-20 550.0753	48	
	Disc 00 5.221	24	
	Circlip DIN 47180x25 510.0111	24	
	Transfer cylinder III .CPI 005.001F	24	
	Hexagon bolt 00 5.035	64	
	Bearing support DC with 00 5.303	24	
	Retainer ring SN270BR90 580.0928	24	
	Cheese headed screw DIN6912M10x2.5 540.016	24	
	Washer D.C 00 5.312	24	
	Spacer ring DC 00 5.313	24	
	Disc SN270-BR90 580.0928	24	
	Thrust disc DIN471 65x2.5 510.011	24	
	Bearing support bushing O.S 00 5.302	24	
	Cam 00 5.304	12	
	Spacer ring O.S 00 5.311	12	
	Circlip SN 270BR90 580.0928	12	
	Disc with 00 5.24 0	12	
	Cheese headed screw DIN912M8x25 520.0254	48	
	Blanket cylinder 006.001F	12	
	Blanket cylinder guard 006.250F	24	
	Clamp 006.002F	24	
	Clamp shaft front edge 00 6.007	24	
	Clamp shaft tail edge 00 6.008	24	
	Support bar 00 6.009	24	
	Bushing flange 00 6.025	24	
	Bushing C411/01Nb1820 DU 580.0105	24	
	Claw 00 6.033	24	
	Stop 00 6.035	24	
	Bearing 00 6.027	24	
	Gear worm 00 6.029	24	
	Washer 00 6.03 0	24	
	Wore gear 00 6.031	24	
	Outer ring D.C 00 6.016	24	
	Flange D.C 00 6.102	24	
	Inner ring C6233/98F50048-11 550.0427	24	
	Spacer washer 00 6.026	24	
	Circlip DIN471 50x2 510.0106	24	
	Oil seal C6118 /01 6010 AV 550.0429	24	
	Flange OS 00 6.101	24	
	Outer ring OS 00 6.017	24	
	Needle cage C6236/01 AXK 4509 550.0196	24	
	Disc C6237/01WS81109 550.0137	24	
	Plate cylinder 007.001F	24	
	Plate cylinder guard 007.050F	24	
	Plate clamp front edge BE220 478.001F	24	
	Plate clamp front edge BE220 478.201F	24	
	Plate clamp front edge without BC		
	Bushing 353.658	24	
	Compression spring 11.042	24	
	Plate clamp tail edge 353.732	24	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Hexagon nut 00 7.0011	24	
	Trip block 00 7.062	24	
	Compression spring 12.036	24	
	Threaded bushing 7.026	24	
	Cheese headed screw DIN912M6x70 520.0653	24	
	Hexagon nut DIN 934M6 520.0413	24	
	Threaded bushing 00 7.026	24	
	Connecting link 00 7.03 0	24	
	Bolt 22.127	48	
	Disc 15.039	24	
	Cup spring washer DIN 2093-B20 530.0077	24	
	Bearing support bushing DC/OS 12.09 0	24	
	Bearing support bushing DC/OS 7.09 0	24	
	Bearing ring DC/OS 00 7.089	24	
	Inner ring C6233/98F50048 550.0427	24	
	Needle bearing cage C6231/99F50049 550.0428	48	
	Disc S 50x62 510.0499	24	
	Disc 00 6.026	24	
	Disc DIN 988 50X62X0.5 520.1146	24	
	Disc 00 7.033	24	
	Retainer ring SN 240 BR 72 550.0537	24	
	Retainer ring SN 268WR 50 550.0751	24	
	Thrust bearing C6236/01AXK5070 550.0198	24	
	Disc C6237/02 LS5070 550.0752	24	
	Thrust bearing INAF52307 550.0433	24	
	Pinion gear 7.088	24	
	Straight pin DIN 7-6m 6X15 500.031	24	
	Gear worm DS and OS 00 7.075	24	
	Disc DS and OS 00 7.079	24	
	Bearing DS and OS 00 7.078	24	
	Bearing DS and OS C6411/04-14/16/15F 580.0827	24	
	Cheese headed screw DS and OS 520.0241	24	
	DIN 912 M6x20 580.0016	24	
	Disc DS and OS 00 7.095	24	
	Adjusting ring DS and OS 530.0078	24	
	Tension sleeve DS and OS DIN 1481 4X18 00 7.096	24	
	Hose 00 7.076	24	
	Adjusting nut DS 0 15.323	24	
	Disc 520.0481	24	
	Cheese headed screw DIN 912M 4x12 580.0036	24	
	Disc SN 260 -4 00 7.074	24	
	Hexagon nut 530.0301	24	
	Tension sleeve DIN 14181 3X12	0	
	Bearing DS 007.070F	24	
	Indicator plate 452.2299	24	
	Bearing OS 007.071F	24	
	Indicator plate 452.2399	24	
	Adjusting nun OS 00 7.08 0	24	
	Disc 0 15.323	24	
	Cheese -headed screw DIN 912M 4x8 520.0841	24	
	Disc SN 260-4 580.0036	24	
	Pinion gear 00 7.012	24	
	Indictor plate 452.0199	24	
	Indictor plate 442.3799	24	
	Screw DIN 963 M4X8 500.043	48	
	Pinion gear inside 00 7.022	24	
	Pointer 00 7.048	24	
	pointer 00 7.018	24	
	Compression spring 00 4.025	24	
	Plunger 00 7.023	24	
	Spring 0 10.062	24	
	Scald bushing DIN14181 3X8 530.0446	24	
	Lever flange 00 7.02 0	24	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Cheese headed screw DIN 912M10X6 520.1089	24	
	Scaled bushing DIN 148M 3X16 530.0276	24	
	cheese headed screw DIN 912M 8X20 520.0252	24	
	Disc SN 260-8 580.0028	24	
	Flange bolt 00 7.085	48	
	Cheese -headed screw DIN 912 M 6x16 520.1046	24	
	Disc SN 260-6 580.0016	24	
	Pinion gear OS 00 7.021	24	
	Bolt 00 7.016	24	
	Tension sleeve DIN 1481 5X45 530.03412	24	
	Cheese -headed screw DIN 912 M 8X25 520.0254	48	
	Disc SN 260 -8 580.0028	24	
	Spacer bushing 00 7.087	24	
	Rubber wash up blade 0 10.1915	24	
	Screw 0 10.182	24	
	Roller washing device CPI 010.192F	24	
	Indicator plate 654.05 00	24	
	Ball bearing C6131/98W6001-2RS/K-444 520.1232	96	
	Ball bearing DIN 625 -601 2RS1 520.1143	96	
	Plate inking roller CPI D: 49mm -115/16" yellow with 2 ball	96	
	Plate inking and distributor roller CPI D: 45mm -125/32" blue	96	
	Plate inking roller CPI D: 47mm -127/32" white with 2 ball	96	
	Plate inking roller D: 51mm -2 red with 2 ball bearing	96	
	distributor roller D60mm -2 3/8" length of distributor cylinder	96	
	Plate inking roller Q32 mm -1 1/4 " 431.390F	96	
	Distributor roller 431.175	96	
	Distributor roller , rubber Q32mm-1 1/4" 431.168	96	
	Distributor Steel , rubber Q32mm-1 1/4" 43.17 0	48	
	Distributor steel , rubber Q32mm-1 1/4" 431.165	48	
	Vibrator roller Q32mm -1 1/4 " ink fountain raller 431.110F	48	
	Consisting of :		
	Wash -up sludge basin 010.191S	48	
	Rubber wash -up blade 010.180S	48	
	Screw 0 10.182	48	
	Indicator plate 0 10.182	48	
	Ballbearing DIN625-6001 2RS1 520.1143	96	
	Compression spring 0 11.026	132	
	Gripper 0 11.027	132	
	Clamping piece Hexagon -head screw DIN561 M^ x70 AK 0	132	
	Lever 0 13.003	24	
	Gripper lever shaft 0 13.004	24	
	Transfer gripper bar operating lever DS 0 13.005	24	
	Needle bearing C6211/01NK 1816 550.0032	48	
	Transfer gripper baroperating OS 0 13.006	24	
	Needle bearing C6211/01 NK 1816 550.0032	48	
	Support bar 013.008F	24	
	Gripper foot 0.13.020	24	
	Stud 0 13.009	38	
	TRANSFER GRIPPER shaft 0 13.01 0	24	
	Roller lever O.S 0 13.011	24	
	Roller lever D.S 0 13.012	24	
	Bolt 0 13.015	24	
	Supportbracket O.S 013.021F	24	
	Needle bearing C6211/14 NK14535 550.0443	48	
	Support bracket D.S 0 13.023	24	
	Bearing Cap O.S 0 13.024	48	
	Torsion rod 0 13.026	24	
	Disc 0 13.027	24	
	Rod head 0 13.028	48	
	Trunnion O.S 500.022F	96	
	Gear		
	Trunnion D.S		
	Spacer bushing		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Washer		
	Crown nut DIN937M16x 1.5		
	Splint DIN 94 4x48		
	Distributor roller us mm-1 7/8" 009 .022F	96	
	Distributor roller Q60 mm-2 3/8"		
	Lenyth of distribufor cylindar 456mm-17 15/16" 009.016F	96	
	Trunnion o.s 00 9.018	96	
	G ner 00 9.013	96	
	Trunnion D.S 00 9.017	96	
	Spacer bushing 00 9.019	96	
	Whasher 00 9.098	96	
	Crown nut DIN 937M16.1.5 520.1319	96	
	Ink fountain romerq 60mm-2 3/8 008.001F	96	
	Dampening roller,CPI,q60mm-1 13/16" with plush covring	96	
	Rubber roller,CPI.Q51mm115/16",for alcohololdamping with	96	
	Rubber roller,CPI..Qu7mm-127/32" with3M corering with 2	96	
	Distributorroller 030.032F	96	
	Distributor roller 030.101F	96	
	Trunnion D.s. 30.102	96	
	Guide ring 30.107	96	
	Trunnion o.s. 30.11	96	
	Gear 9.013	96	
	Water fountain roller 030.370F	96	
	Water trough 30.361	96	
	Valve D3111/o1-3/8" 580.0269	96	
	Rod head 22.129	48	
	Rod 22.13	48	
	Spring rod guide 22.132	48	
	Spring 22.056	48	
	Safety nut C2238/o1M12 580.0723	48	
	Bearing 22.121	48	
	Bolt 22.127	48	
	Retainer spring 13.102	48	
	Front guide 13.103	48	
	Sheet smoother 22.104	48	
	Adjustment knob 13.107	48	
	Adjusting screw 13.105	48	
	Roller guide rail 22.138	48	
	Bar 22.101	48	
	Whasher 13.035	48	
	Shaft 022.109F	24	
	Roller shaft 22.127	24	
	Bolt 22.128	24	
	Stop 22.136	24	
	Stop 22.112	24	
	Rod head 13.028	24	
	Spring 00 6.085	24	
	Spring rod 00 13.037	24	
	Bearing bracket 00 12.094	24	
	Bar 00 12.105	24	
	Bar 012.098F	24	
	Bearing sleeve 20.016	24	
	Bushing 580.313	24	
	Tapered pin DIN 14x32 500.0037	24	
	Driver 580.312	24	
	Tabered pin DIN 7978 8x30 540.0248	24	
	Torsion spring 580.319	24	
	Intermediate segment 580.317	24	
	Sheece -headed screw DIN 912M 8x20 520.0252	24	
	Tappered pin DIN 7978 8x24 540.0194	24	
	Circlip SN 260.58 580.0028	24	
	Indicator plate 452.0499	24	
	Connecting link 580.396	24	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Eccentric tipping bolt 580.321	24	
	Cam D.S 580.304	24	
	Disc 0 12.062	24	
	Bolt 580.392	24	
	Bearing sleeve D.S. 00 5.303	24	
	Cam O.S. 580.306	24	
	Bearing sleeve O.s 00 5.302	24	
	Thrust bearing C 6241/99 F52307 550.0433	24	
	Needle bearing cage C 6231/80-F-87134 550.0807	48	
	Needle bearing cage C 6231/91-F-50049 550.0428	48	
	Inner and outer ring C 6233/99F 50048 550.0537	48	
	Inner and outer ring C 6233/76 F 87616 550.0805	48	
	Cam follower. CPI.C6227/78F 83814 550.073 0	24	
	Csrew DIN 933M 10x60 600.0172	24	
	Gear I 580.37 0	24	
	Gear II 580.35 0	24	
	Clamping piece 580.327	24	
	Scale 479.0599	24	
	Clamping piece 580.324	24	
	Disc 580.325	24	
	Plunger 580.386	24	
	Compression spring 0 10.25	24	
	Tapered pin DIN 12x18 500.0007	24	
	Pinion gear D.S. 580 .333	48	
	Pinion gear O.S. 580.334	48	
	Adjusting ring C2451 A18 600.0007	48	
	Bearing. CP1 580.332	48	
	Intermediate plate 580.344	48	
	Gripper. upper position 580.337	132	
	Gripper. lower 580.338	132	
	Bearing. CP1. 580.393	48	
	Needle bearings C 6211/14 NKI 1716 550.0681	48	
	Gripper holder 580.335	132	
	Compression spring 0 19.038	132	
	Tube 580.3285	24	
	Shaft,inside 580.329	24	
	Key 580.369	24	
	Stop D.S. 580.385	24	
	Tapered pin DIN 15x32 500.0264	48	
	Gripper. upper position 580.362	132	
	Gripper. lower 580.363	132	
	Segment gear,CP1 580.309	48	
	Cam 431.32 0	48	
	Cam L H 431.32 0	48	
	Cam R H 431.321	48	
	SC 431.322	48	
	Mounting ring 431.310F	48	
	Threaded Pin 431.319	48	
	Printing block holder 35x45 mm 431.33 0	48	
	Numbering shaft 431.370F	48	
	Printing block holder 45x45 mm 431.331	48	
	Printing block holder with magnet 45x45mm (undercut.037")	48	
	Straight numbering box,backward action 7 digits.4.76	200	
	Bearing support 010.034F	48	
	Bearing support 010.032F	48	
	Be aring support 010.133F	48	
	Bearing support 010.035F	48	
	Bearing support O.S. 0 30.004	48	
	Straight pin DIN 78M 6x60 500.0412	48	
	Threaded pin DIN 916 M 6x6 520.0986	48	
	Bearing O.S. 0 30.001	68	
	Bolt 0 30.026	48	
	Bolt 0 30.029	48	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Handle 0 10.061	48	
	Accentric tripping bolt 0 10.031	68	
	Compression spring 0 10.044	68	
	Screw 0 10.064	68	
	Bolt 0 30.129	68	
	Bolt 0 10.154	68	
	Dampening roller bearing O.C. 0 30.006	48	
	Straight pin DIN 78M6x30 500.0412	48	
	Bolt 0 30.028	48	
	Bearing bolt 0 30.041	48	
	Bearing support 010.029F	48	
	Dampener vibrator bearings D.S. 0 30.203	48	
	Bearing Suppor D.S 0 30.003	48	
	Motor: 2.2 KW L751319	12	
	Type: DVD 60		
	Revolution: 1420 r.p.m		
	Motor: Y 440V, o.6 7A, 50HZ 154983	12	
	Revolution: 1300 r.p.m		
	Type: ZF10		
	Washer 13.035	48	
	Spring rod 13.037	132	
	Washer 13.029	132	
	Compression spring 10.03	132	
	Collar 10.091	132	
	Screw DIN912-M5X20 plus 13.027	24	
	Ball bearing 160010/36234 520.1271	48	
	Circlip sn267A 50 x2V 510.0114	48	
	Cam follower C6227/91 F 52048 550.0436	48	
	Needle bearing C6211/14 NKI 45/35 550.0443	48	
	Gripper holder 14.005	568	
	Torsion spring 14.009	568	
	Gripper backing plate 14.041	568	
	Hexagon -head screw 14.043	568	
	Gripper 875.001F	568	
	Supporting roller C6226/96F-1618 550.0251	568	
	Shim plate 14.006	568	
	Shim plate 14.006	568	
	14.007	168	
	Gripper 875.001F	568	
	Plate spring 22.038	48	
	Sheet smoother 22.046	48	
	Sheet steadier brush 022.069F	48	
	Holder CP1 022.069F	48	
	Sheet smoother hoder , screw Co172/01M6 x15	48	
	Holder Cpi. 0 22.016	48	
	Screw Co172/01M15 580.0695	48	
	Holder 0 22.014	48	
	Rod head 0 13.028	24	
	0 12.063	48	
	Flange 0 12.063	24	
	Pawl 0 22.104		
	Bolt 0 22.111	48	
	Adjusting Screw 013.015F		
	Spring rod 0 22.115	24	
	Lever 0 22.123	24	
	Roller shaft 0 22.127	24	
	Upper dampening roller bearing D.S 0 30.005	48	
	Bushing SN635-060608F 580.0786	48	
	Bearing D.S 30.001	48	
	Bolt 30.026	48	
	Motor : 440V ,3Kw, 50Hz,6.5A 3291709-1	8	
	Type: F2.5H		
	Motor : n 440V , Q37kw , 1450 r.p.m 690822	10	



CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	type : CLFG 11V , 50 HZ		
	Motor : 440V . 095A. 0.37kw	12	
	1420 rpm, 50Hz		
	Motor : 415. 3kw. 5.72A	12	
	Type: kmer 100 L2		
	Motor : 415V. 50Hz	12	
	Type : F06		
	Motor : Y 400-440V , 1.0A, 0.3KW	12	
	1410rpm,50Hz		
	type : BR 03774-7		
	Motor : 380V ,4.5kw,1400rpm 20.5A,50Hz 28524641	12	
	Type:VS 4/4		
	Motor : Y440 V ,1.8A, 0.55kw 750043	12	
	50Hz,2800 rpm		
	type: SKGS 200-2(70)		
	Motor :415V, 1.2/1.45A, 50Hz 59278	12	
	Type: M05ES3,2800rpm		
	Motor : 440V, 2.25A, 055kw 608436	12	
	Type : SKGS 7002734, 2800 rpm		
	Motor : 2.2kw L751319	12	
	Type : DVD 60		
	Revolution : 1420R.P.M		
	Motor : Y 44.V .0.67A,50Hz 154983	12	
	Revolution : 1300 R.P.M		
	Type : ZF10		
<b>02-04-00484</b>	<b>EQUIPMENT : SPARE PARTS FOR MOTOR CONTROL</b>		
	<b>COMPANY / MANUFACTURER : SIEMENS / GERMENY</b>		
	<b>SITE:SADDAM MEDICAL CITY</b>		
	<b>CONTACTOR FOR SWITCHING MOTORS . 220VAC</b>	100	
	<b>AS ABOVE BUT 4KW 3TF2211-OA</b>	100	
	<b>AS ABOVE BUT 5.5KW 3TF4111-OA</b>	100	
	<b>AS ABOVE BUT 7.5KW 3TF4222-OA</b>	100	
	<b>AS ABOVE BUT 11KW 3TF4322-OA</b>	100	
	<b>AS ABOVE BUT 15KW 3TF4422-OA</b>	100	
	<b>AS ABOVE BUT 18.5KW 3TF4522-OA</b>	50	
	<b>AS ABOVE BUT 22KW 3TF4622-OA</b>	50	
	<b>AS ABOVE BUT 30KW 3TF4722-OA</b>	50	
	<b>AS ABOVE BUT 37KW 3TF4822-OA</b>	50	
	<b>AS ABOVE BUT 45KW 3TF4922-OA</b>	50	
	<b>AS ABOVE BUT 55KW 3TF5022-OA</b>	50	
	<b>AS ABOVE BUT 75KW 3TF5122-OA</b>	50	
	<b>AS ABOVE BUT 90KW 3TF5222-OA</b>	50	
	<b>AS ABOVE BUT 110KW 3TF5322-OA</b>	50	
	<b>AS ABOVE BUT 132KW 3TF5422-OA</b>	30	
	<b>AS ABOVE BUT 160KW 3TF5522-OA</b>	30	
	<b>AS ABOVE BUT 200KW 3TF5622-OA</b>	30	
	<b>AS ABOVE BUT 250KW 3TF5722-OA</b>	30	
	<b>CONTACTS WITH MOUNTING PARTS FOR CONTACTOR</b>	100	
	<b>AS ABOVE BUT TYPE 3TF45 3TY7450-OA</b>	100	
	<b>AS ABOVE BUT TYPE 3TF46 3TY7460-OA</b>	100	
	<b>AS ABOVE BUT TYPE 3TF47 3TY7470-OA</b>	100	
	<b>AS ABOVE BUT TYPE 3TF48 3TY7480-OA</b>	100	
	<b>AS ABOVE BUT TYPE 3TF49 3TY7490-OA</b>	100	
	<b>AS ABOVE BUT TYPE 3TF50 3TY7500-OA</b>	100	
	<b>AS ABOVE BUT TYPE 3TF51 3TY7510-OA</b>	100	
	<b>AS ABOVE BUT TYPE 3TF52 3TY7520-OA</b>	100	
	<b>AS ABOVE BUT TYPE 3TF53 3TY7530-OA</b>	100	
	<b>AS ABOVE BUT TYPE 3TF54 3TY7540-OA</b>	100	
	<b>AS ABOVE BUT TYPE 3TF55 3TY7550-OA</b>	100	
	<b>AS ABOVE BUT TYPE 3TF56 3TY7560-OA</b>	100	
	<b>AS ABOVE BUT TYPE 3TF57 3TY7570-OA</b>	100	
	<b>75 mm STANDERD MOUNTING RAIL 3TX461-1B</b>	100	
	<b>CONTACTOR CONBINATIONS FOR STAR-DEALTA</b>	10	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	AS ABOVE BUT 11KW 3TE4000-2A	10	
	AS ABOVE BUT 18.5KW 3TE4200-2A	10	
	THERMALY DELAYED OVERLOAD RELAY SETTING	20	
	AS ABOVE BUT 1.25 – 2 A 3UA5000-1B	20	
	AS ABOVE BUT 2 – 3.2 A 3UA5000-1D	20	
	AS ABOVE BUT 3.2 – 5 A 3UA5000-1F	20	
	AS ABOVE BUT 5 – 8 A 3UA5000-1H	20	
	AS ABOVE BUT 8 – 12.5 A 3UA5000-1K	20	
	AS ABOVE BUT 16 – 25 A 3UA5800-2C	20	
	AS ABOVE BUT 25 – 40 A 3UA5800-2E	20	
	AS ABOVE BUT 40 – 57 A 3UA5800-2T	20	
	AS ABOVE BUT 57 –70 A 3UA5800-2V	20	
	AS ABOVE BUT 70 – 88 A 3UA5800-8W	20	
	AS ABOVE BUT 80 – 110 A 3UA6000-2X	10	
	AS ABOVE BUT 110 – 135 A 3UA6000-3J	10	
	LINKS FOR CONNECTION TO CONDUCTORS 3UX1 221	40	set
	LINKS FOR CONNECTION TO CONDUCTORS 3UX1 210	40	set
	LINKS FOR CONNECTION TO CONDUCTORS 3UX1 211	40	set
	LINKS FOR CONNECTION TO CONDUCTORS 3UX1 218	10	set
	COIL 24 VAC, 50Hz FOR CONTACTOR SIZE 3TF44 3TF44	60	
	SOLID STATE TIME RELAY VAC ( 1.5-30 ) SEC 7PU4020-	100	
	SOLID STATE TIME RELAY VAC (1.5-30 ) SEC 7PU4020-	20	
	SOLID STATE TIME RELAY VAC (1.5-30 ) SEC 7PU4520-	20	
	SOLID STATE TIME RELAY VAC (5-100 ) SEC 7PU4620-	20	
	SOLID STATE TIME RELAY VDC (0.5-10 )Hr 7PU4720-	30	
	SOLID STATE TIME RELAY VAC (50-1000)SEC 7PU4140-	20	
	SOLID STATE TIME RELAY VAC (1.5-30 )MIN 7PU4020-	20	
	UNDERVOLTAGE RELAY 220/380 ,50 Hz AA9943.11	400	
	N-EARTHLEAKAGE CB. 4 POLE, 25 A 55Z3420	100	
	N-EARTHLEAKAGE CB. 4 POLE, 40 A 55Z3440	100	
	N-EARTHLEAKAGE CB. 4 POLE, 63 A 55Z3460	100	
<b>02-04-00485</b>	EQUIPMENT : MOTORS 380V , 3PHASE , 50Hz		
	COMPANY / MANUFACTURER: BROOKE KROMPTON		
	SITE :SADDAM MEDICAL CITY		
	340KW , 1475 RPM ,615 AMP , FRAME : C315L51, SN:	12	
	265KW ,1475 RPM , 473 AMP , FRAME :LC315M, SN :	20	
	224KW , 1475 RPM , 405 AMP , FRAME :LC315M, SN:	8	
<b>02-04-00486</b>	Destill water plant		
	Cat type AF01 model 5 gph		
	Destill water plant		
	Cat type AF02- 510 MODEL 10 GPH		
	Company : regional office american international company 12q		
	Globe valve A5657- 042	8	
	Globe valve A5658- 042	8	
	Seat M5685-061	40	
	Packing P8784-091	80	
	Pressure gauge P77453-051	30	
	Pressure gauge P77452-051	30	
	Gasket P20239-051	24	
	Element kit P20240-091	20	
	Set P30399-091	20	
	Gasket P20239-091	4	
	Element kit P25067-091	4	
	Seat P25068-091	4	
	Measure flow M76044-042	12	
	Measure flow M51048- 042	4	
	Ring P78142-091	36	
	Ring P78141-091	12	
	Valve P150147-001	12	
	Cartridge P53467-091	24	
	T.bolt P78084-091	40	
	N.R.valve 4.0 B1578	40	
	None return valve NPRO 1/3 Pis	40	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Still valve PYREX (R)15	20	
	Drain valve HILLS	8	
	None return valve 2.0 PATO	20	
	Gasket for upper		
	Cover portion for destill water plant type AFD210 model 10	8	
	Gasket for bottom cover portion for destill water plant type	8	
	Gasket for upper cover portion for destill water plant type	12	
	Gasket for bottom cover portion for destill water plant type	12	
	Steam jaket for destill water plant type AFO2- 510 model 10	2	
	Cooling coil for destill water plant type AFO2- 510 model 10	2	
	Steam jaket for destill water plant type AFO1- 510 model 5	2	
	Cooling coil for destill water plant type AFO1- 510 model 5	6	
	Float for main chamber for 5GPH	10	
	Float for condensing camber for 5GPH	10	
	Float for condensing camber for 10GPH	4	
	Float for main camber for 10 GPH	4	
	Strainer sarco 3/8 PT	4	
	Strainer sarco 1/2 PT	2	
	Filter element for strainer 3/8 PT	20	
	Filter element for strainer 1/2 PT	10	
<b>02-04-00487</b>	Fire tube boiler no. 1023		
	Net cochram rilley annan dumfriesshire scotland dq 125		
	Steam pressure gage	8	
	Transformer for dampx control cable	4	
	Sets of spring	2	set
	Screw	2	set
	Modulation motor assv	4	
	Main steam stop valve assv 8442	8	
	Water inlet strainer assv 3104	4	
	Flexible cable (damper control air)	4	
	Swquencing blow down valve assv (upper) ABI	8	
	Blow down valve assv blower 74/73/LM	8	
	Non return valve assembly	8	
	1 1/2" feed checkvalve seat SV641	4	
	1 1/2" feed checkvalve lid SV494	4	
	Double spring safety valve 3HL	4	
	Spring and ocular ling	4	
	Cam operation lever with rubbing	4	
	Damper modulating cam (air)	4	
	Water gage glass VW21	8	
	Conical packing VW79	8	
	Sleeve packing	8	
	Sprinkles	8	
	Flexible air lever	6	
	Oil inlet stop valve PN20	4	
	Oil out let non return valve 1-125 red white	4	
	Oil strainer	4	
	DO filter	4	
	Oil Kemp gage 4079978	4	
	Oil filter assembly	4	
	Feed water complet motor 7.5 HP V380 -440 H2 50AH-	8	
	Impeller complete for above feed pur in point (30)	8	
	Screw for impeller in point (31)	20	
	Bush for DO(31)	8	
	Spring washer for screw in point (32)	20	
	Shaft for feed water pump in point (30)	4	
	Pin for shaft above in point (35)	8	
	Coupling assv	8	
	Stud for fixing feed water pump stage	80	
	Foundation bolts	20	
	Shaft seal	4	
	Impeller casing support bolt (brass)	8	
	Cooling motor fan for feed water pump	4	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Pressuretrol control	4	
	Pressure switch	4	
	Fuse cartridge TIA6 EF10	20	
	Fuse cartridge TIA25 EF05	20	
	Fuse cartridge TIA30 M35 EF07	40	
	Fuse cartridge TIA30 M40 EF08	40	
	DO TI 30 M60 EF10	40	
	Spare for forced draught fan motor 20 hp BT87	2	
	Shaft for forced draught fan		
	Cooling motor fan for forced draught fan motor	4	
	Bush for forced draught fan motor	8	
	Dearing brushes TB17	20	
	Water side gasket sets	10	set
	Adder tape IT20	4	rolles
	Fransil hig temp	4	
	France	4	
	Electrical float mobry	8	
	Pressure limit switch	8	
	Contactoer CH-16-21	20	
	Contactoer (6-22)	4	
	Timer switch (0-60)sec	4	
	Over load (0-20) am	20	
	Sequancer LECI	8	
	Switch 2 way	8	
	Switch 3 way	8	
	Modulation system	6	
	Indicator bulb 2 amp 220 V	20	
	Fuse fitting complet 63 amp	20	
	Fuse fitting complet 32 amp	20	
	Disabarator for fuel	4	
	Burrer motor 3 ph (2500-3000)rpm	4	
	Solenoid valve 3/8"	8	
	Solenoid valve 5/8"	8	
	Photocell	8	
	Air sencer	4	
	Complete forced draught fan with motor 20 hp BT 87	8	
	Ignition electrods	8	
<b>02-04-00488</b>	Operation lights supplied		
	Under our in voice no. jim/t 0257/74 dd 7.5/1974		
	Company : DAIKYO MEDICAL INSTRUMENT CO. LTD 31-1		
	POSTAL :PO BOX66 HONGO BUNKYO -KUTOKYO 113 -		
	CABLE :MEDICALIM TELE. :814-5861		
	TELEX: 128748 MEDUIM		
	HEAD OFFICE :NO 31-4 HONGO 3-CHOME BUNKYO -KU		
	SPARE PARTS FOR MODEL 3002		
	Saftv glass (outer filter glass)	18	pcs
	Heat filter glass (inner filter glass)	18	pcs
	On- off switch	8	pcs
	Fuse holder	8	pcs
	Light intensity regulator knob	4	pcs
	Anesthesia mirror	4	pcs
	Sterile handle	4	pcs
	Spare bulb 24v 40w	200	pcs
	Transformer	4	pcs
	Spare parts for model 3003		
	Safety glass (outer filter glass)	14	pcs
	Heat filter glass (inner filter glass)	14	pcs
	On-off switch	8	pcs
	Fuse holder	8	pcs
	Light intensity refulator knob	4	pcs
	Anesthesia mirror	4	pcs
	Sterile handel	4	pcs
	Spare bulbe 24 v	200	pcs

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Trans former 220 - 24v	4	pcs
	Spare parts for model 220		
	Safety glass(outer filter glass)	8	pcs
	Heat filter glass (inner filter glass)	8	pcs
	On-off switch	4	pcs
	Fuse holder	4	pcs
	Light intensity regulator knob	4	pcs
	Sterile handle	4	pcs
	Spare bulb 24 V 40W	200	pcs
	Transformer 220 -24A	4	pcs
	Casters	8	pcs
	Spare parts for model 8000		
	Safety glass (outer filter glass)	8	
	Heat filter glass (inner filter glass)	4	
	Transformer 220 -24A	4	
	Glass refleeder	4	
	On-off switch	4	
	Fuse holder	8	pcs
	Casters	8	pcs
	Stopper screw	4	pcs
	Spare bulb	20	pcs
<b>02-04-00489</b>	Operating light		
	Model V-900/600H and 550- C/800H		
	Company: DAIKYO MEDICAL INSTRUMENTS CO LTD		
	TRADE : 31-1 HONGO 3 CHOME BUNKYO -KU - TOKYO		
	POSTAL PO BOX 66 HONGO BUNKYO -KU TOKYO 11-91		
	TELEX: 0272-2361 AA BDAIMED		
	CABLE:MEDIDAIKYO TELEPHONE : 814 -5861		
	HEAD OFFICE : NO 31-4 HONGO3-CHOME BUNKYO -KU-		
	Spare bulbs 110 V 40 W (for v 900)	400	
	Spare bulbs 110 V 30 W (for 550 C)	320	
<b>02-04-00490</b>	DEAERATOR		
	SN :TB 460696		
	TYPE 667-ES		
	SIZE:40		
	BODY SIZE 3 RATING ANSI 300		
	BODY MALT C/ST FLOW EC - BRE CHAR		
	Company name: hick hargreaves and co ltd		
	Bolton ,lancashire , england bl36db		
	Tele. Bolton (0204) 23373		
	Telex :63244		
	Answer back : hick G		
	Telegrams: hick bolton		
	For deaerator head	2	
	Stainless steel 2" N.B spray valve complete with joint ring		
	For vent condenser	64	
	Solid drown copper heat exchanger tubes 3/4" od x 18 BWG		
	For float switch assembly	2	
	Mobrey float switch		
	For water level gauge	2	
	Set recommended spares for 7/16" bore section quickmount		
	Sight tube	2	
	Set of seals	2	
	For relief valve	2	
	Set recommended spare for 4" bore cast iron		
	For level control	2	
	Set recommended spares		
	GB460696	2	
	Groove pin	2	
	Seal ring	2	
	Valve plug	2	
	Valve stem	2	
	Diaphragm kit kp4162	2	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Spares kit kp3582	2	
	Spares kit 67fr	2	
	Gasket	2	
	Gasket spiral wound	2	
	Gasket	2	
	Gasket	2	
	Packing set	2	
	Upper wiper	2	
	GB460698		
	Torque tube assembly	2	
	Cotter spring	4	
	Gasket	2	
	Gasket	2	
	Gasket	2	
	Spare kit KP2502	2	
	Spare kit FOR 67FR	2	
<b>02-04-00491</b>	Distribution boards		
	Dorman smith switch gear ltd black pool road preston pr2		
	Telex 677167 dorman G		
	Fused switches		
	TSS 3800 N C/W FUSES 800 A (3-GF800)	2	
	TSS 3300 N C/W FUSES 300 A (3-ED300)	4	
	TSS 3200 N C/W FUSES 200 A (3-EDO200)	8	
	TSS 3200 N C/W FUSES 150 A (3-EDO150)	10	
	TSS 3100 N C/W FUSES 100 A (3-CEO100)	16	
	TSS 360 N C/W FUSES 60 A (3-BA063)	16	
	FUSES		
	GF800 AMP	12	
	ED300 AMP	20	
	DEO150 AMP	60	
	CEO 100 AMP	60	
	BAO60 AMP(BA063)	60	
	Fused switches		
	D frame isolator LLSD1250 each with 6T terms	2	
	E frame MCACB1600 AMP LLBE 1600 each with 6T terms	2	
	E frame Dolly extension SLLDEE	6	
	D frame Dolly extension LLDEE	6	
	Fuseling distribution boards		
	Fuse base and carries 60 amp -60 BF	40	
	Fuse base and carries 100 amp -100 BF	20	
	Miscellaneous		
	Voltmeter 0-500 V	10	
	Ammeter 0-2000 A	10	
	Selection switch	10	
<b>02-04-00492</b>	Transformers distribution boards		
	Dorman smith switch gear ltd black pool road preston pr2		
	Telex 677167 dorman G		
	Push bottom on with diaphroam timer 9007 A0-2	20	
	Push bottom off 9007 A0-2	20	
	Relay (240V coil) MTE UCO 5 amp	20	
	Relay (240V coil) MTE UCO 5-10 amp model with timer	20	
	Amp meter 0-2400 A (make wire)	10	
	Amp meter 0-1800 A (make wire)	10	
	Volt meter 0-500 V (make wire)	10	
	Selector switch Amm meter	10	
	Selector switch for volt meter	10	nos
<b>02-04-00493</b>	Mechanical distribution boards		
	Lounsdal electric limited lounsdal works meikleriqqs paisley		
	Over load AW114	4	
	Over load AW115	2	
	Over load AW116	2	
	Over load AW117	2	
	Over load AW118	4	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Current transformer ARXW	8	
	Voltmeter seal switch Saniou	4	
	Push bottom S&S	50	
	Control relay S&S CS1	6	
	220 V coil S&S SC3	2	
	Flushing relay S&S	2	
	220 V coil S&S SC1	6	
	Star deita timer S&S RZEYZII	6	
	Contactora S&S CA1-10-20	2	
	0-1200 A ammeter crompton	2	
	0-500 A ammeter Crompton	2	
	0-200 A ammeter Crompton	2	
	0-100 A ammeter Crompton	4	
	0-500 V voltmeter crompton	4	
	H.R meter Model 235	2	
	Fuse carriers GEC RS32 PH	40	
	Fuse carriers GEC RS20 H	100	
	Fuse carriers GEC R60H	6	
	Fuse carriers GEC RS100H	8	
	Fuse carriers GEC RS200 PH	6	
	Fuse carriers GEC RS100 PH	4	
	Fuse carriers GEC RS20 PH	60	
	Fuse carriers GEC RS63 PH	30	
	Fuse carriers GEC RS200 P	4	
	Fuse carriers GEC RS100 PH	20	
	Thermister relay Allenwest	4	
	Plug in relays and bases Omron	4	
	Indicating lights Sprecher and schuh	60	
	Time switches Sangamo S253	6	
	Over loads AW 108	2	
	Over loads AW 109	4	
	Over loads AW 110	4	
	Over loads AW 111	4	
	Over loads AW 112	2	
	Over loads AW 113	2	
	Current transfoiners 1200/5 AR&W	2	
	Current transfoiners 500/5 AR&W	2	
	Current transfoiners 60/5 AR&W	2	
	Current transfoiners 80/5 AR&W	4	
	Current transfoiners 50/5 AR&W	2	
	Current transfoiners 200/5 AR&W	6	
	HRC fuse link GECTIA 32 M40	6	
	HRC fuse link GECTIA 32 M35	8	
	HRC fuse link GECTIA 63 M80	2	
	HRC fuse link GEC TC P100	8	
	HRC fuse link GEC TC P80	10	
	HRC fuse link GEC TI S60	14	
	HRC fuse link GEC TI A32	14	
	HRC fuse link GEC TI S40	20	
	HRC fuse link GEC TI A20	8	
	HRC fuse link GEC NI T60	20	
	HRC fuse link GEC NI T16	24	
	HRC fuse link GEC NI T10	20	
	HRC fuse link GEC NI T6	30	
	HRC fuse link GEC TIS63 M80	2	
	HRC fuse link GEC TIT20 M25	2	
	HRC fuse link GEC NI T2	4	
	HRC fuse link GEC NI T4	8	
	HRC fuse link GEC TI S50	4	
	HRC fuse link GEC TF125	2	
	HRC fuse link GEC TF200	2	
	HRC fuse link GEC TF160	4	
	HRC fuse link GEC TTH500	2	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Contactora S&S CA1-10N	6	
	Contactora S&S CA1-10	20	
	Contactora S&S CA1-16	6	
	Contactora S&S CA1-25	10	
	6A3 pole on/off switch Santen	16	
	10 hp 3 pole isolator Santen	2	
	2 auxiliary contacts Santen	2	
	A32 door assemblies Santen	20	
	6A 1 pole on/off switch Santen	4	
	Ammeter sel switch Santen	4	
<b>02-04-00494</b>	Washer extractor 2267M -224567		
	American laundry machinery division mail box 449		
	Motor wash	4	no.
	Clutch	2	no.
	Rotor seal	4	no.
	Reducer	2	no.
	Seal crossover	4	no.
	Seal piston	4	no.
	Bearing front	4	no.
	Bearing rear	4	no.
	Element 1/3 pint M bros	12	no.
	Regulator(n26.10.125 psi)	4	no.
	Regulator (0-50) psi	2	no.
	Valve solenoid (220/50)	4	no.
	Valve solenoid-do-	4	no.
	Valve solenoid -do-	4	no.
	Valve solenoid (50 cv)	4	no.
	Valve inlet 2" (230/50)	8	no.
	Cup rubber	4	no.
	M rep. Kit	4	sets
	FA spare parts	4	sets
	Drain valve	4	
	C 58480 relay (700N800-A2) 01121	4	
	C 58465 relay (700N800-A2) 01121	4	
	Timer REU (SMW RT4X)003		
<b>02-04-00495</b>	Batteries		
	Alkaline batteries limited poor sources division P.O.box 4		
	Chloride -southampton england		
	Charger of D.C batteries amp0-50A volt 0- 200V	2	lot
	D.C Relay witch connected the charger to Battery or to load	12	
	D.C relay witch connected the charger to battery or to load	6	
	D.C batteries amp 0-50A Batteries type:	700	
	Alkaline -nickel- cadmium in plastic containers		
	Lamps110V (pin type)		
<b>02-04-00496</b>	Spare parts for small ironies		
	American laundry machinery division mail box 449		
	Needle valve A-50950	8	
	Valve assy A-175	6	
	Air hos A-15715	8	
	Hose anocode to MMU A-33122	4	
	Oil less bearing 3/4" x1x1" & 3/4x1"x1/4" A-50986	8	
	Steam valve A-10518	6	
	Small Teflon valve A-11599	12	
	Compression spring A-31336	12	
	Large Teflon valve A-20084	14	
	Small Teflon valve A-20083	14	
	Compression spring A-51063	8	
	Compression spring A-52307	4	
	Large rubber diaphragm A-18542	6	
	Large diaphragm A-818	6	
	Screen assyno. 211 A-10908	6	
	Disc A-51257	6	
	Push button for closing	20	



CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Do. Diaphragm for opening cylinder and exhaust 250AA	20	
<b>02-04-00497</b>	Spare parts for tumblers		
	American laundry machinery division mail box 449		
	Switch T-185	18	
	Rubber damper HT-139-1	18	
	Drive chain VT-119	12	
	Switch lever DT-1343	12	
	Door gasket TT-140-3	40	
	thermocouple T-163-2	12	
	light ST-162	12	
	Thermostat T-261-1	12	
	Timer ST-268-30	6	
	Fuse lint 198	20	
	Fuse T-198	60	
	Belt Vt-129	12	
	Van motor BLS 6T170406EW	4	
	Door safety switch T-183-41	12	
	Cyi .motor 1/2 HP T-183-41	4	
	Knob KNOB ST-261	12	
	Door latch astrike ST-276	6	
	Buzzer ST-261	10	
	Indicating lamp	20	
	Contacto 220V	14	
	Temp gauge	6	
	Solenoid valve size type S-125 240V 60cy 6222 B4	8	
	We have three number which have the following serial		
	24887		
	24886		
	all of them has mod 42 size 42x42 all designed for 125 steam		
<b>02-04-00498</b>	Equipment :recommended spear part list for generator set		
	Model no.: 300DG, 350DG, 400DG.		
	Serial no.:8053-002,416 KVA,333 KW,400 V,601 A,1500		
	Date of manf.:1977,Engina 12VIT		
	Company name :Fermont division dynamics corporation		
	Company address :Fermont division ,dynamics corporation		
	Belt set	6	set
	Fuel pump	6	
	Injector	6	
	Fuel filter	24	
	Oil filter	12	
	Fuel strainer	24	
	Water filter	12	
	Water pump	6	
	Water seal	6	
	Volt regulator DC system	6	
	Thermostat	6	
	Belt set generator drive	6	set
	GOV dump solenoid	6	
	Air box solenoid	6	
	Diodes	12	
	Surge protector	24	
	Bulb	24	
	Fuse(10 AMP)	10	
	Rotary sel switch	6	
	Rheostat volt control	6	
	Ground strap C/BOX	4	
	Starter disconnect +O/speed (PC3)	6	
	Over load relay	6	
	Fuse holder	6	
	Control relay(24 volt)	6	
	Control relay(6 volt)	6	
	A.C voltage regulator	6	
	T.D relay (24 no. 10)	6	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	T.D relay (6 no. 45)	6	
	Power supply (PCI)	6	
	Coolant gage	4	
	Oil press gage	4	
	Socket themal relay	6	
	A.V.R board	6	
	Seller	6	
	Dynamo	6	
<b>02-04-00499</b>	Equipment: recommended spear part s list for generators		
	Model:3304 T,RPM 1500,3Q,Kw 80,60-50 HZ(Engine model		
	Company address: Cater bailer.		
	Fuel filter AP 81301	6	
	Oil filter 885	6	
	Seal water pump	2	
	Thermostat	2	
	Water pump	2	
	Belt set	4	set
	Ualt regulator DC system	2	
	GOV pump solenoid	4	
	Air box solenoid	2	
	Diodes	12	
	Surge protector	2	
	Bulb	10	
	Fuse	10	
	Rotary sel. Switch	2	
	Rheostat volt control	2	
	Ground strop C/BOX	2	
	Starter motor	2	
	Over loud relay	2	
	Fuse holder	2	
	Control relay	4	
	AC voltage regulator	4	
	T.D relay	4	
	Power supply	2	
	Coolant gage	2	
	Oil press gage	2	
	Socket thermot relay	2	
	A.V.R board	2	
	Seleve	2	
	Battry charger 24 V DC,20 A	2	
<b>02-04-00500</b>	Equipment:recomonded spaer parts list for generators		
	(BETBOW) S.N 40932		
	Type:TE 500 RA 71		
	Company address :PETBOW SANDWICH KENT-		
	Fuel filter	12	
	Oil filter	12	
	Seal water pump	4	
	Water pump	4	
	Thermostat	4	
	Belt set	8	set
	Volt regulater (DC) system	4	
	GOV dump solinoid	8	
	Diodes	4	
	Surge protector	24	
	Bulb	4	
	Fuse	20	
	Rotary sel. Swith	20	
	Rheost volt control	4	
	Ground strop CIBOX	4	
	Starter motor	4	
	Over load relay	4	
	Fuse holder	4	
	Control relay	4	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	AC voltage regulator	8	
	T.D relay	88	
	Power supply	4	
	Coolant gage	4	
	Oil press gage	4	
	Socket themot relay	4	
	A.V.R board	8	
	Selev	8	
	Batray charger 24V D.C 20 Assss	4	
<b>02-04-00501</b>	Equipment: recomonded spear parts list for generator(PETBOW) S-N:39207,A:348,KVA250,R.P.M		
	Model TE 200R 63		
	Company address:PETBOW-SANDWICH-KENT-England		
	Fuel filter	4	
	Oil filter	4	
	Seal Assy water pump	2	
	Thermostat assembly	2	
	Belt set	4	
	Volt regulator DC system	2	
	GOV pump solenoid	2	
	Air box solenoid	2	
	Diodes	12	
	Surge protector	12	
	Bulb	10	
	Fuse	10	
	Rotary sel. Switch	4	
	Sheost volt control	2	
	Ground strap C/BOX	2	
	Starter motor	2	
	Speed	2	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Overload relay	2	
	Fuse holder	2	
	Control relay	4	
	AC voltage regulator	4	
	T.D relay	4	
	Power supply	2	
	Coolant gage	2	
	Oil press gage	2	
	Socket thermal relay	2	
	A.V.R board	4	
	Selev	2	
	Dinamo	2	
	Battry charger 24 V DC 20A	2	
<b>02-04-00502</b>	Equipment:Air cooler chiller 49 ton conten 2 compreser 24-5 ton,used R22.serial no.Y797430		
	Company address:Carrier International carporation		
	Compressor24.5 ton	8	
	air cool 3phase , 400V , 50HZ , R22 , reciprocating copeland ,30HP , chiler model : 38 AE0540-10 ,		
	Relay 10A,24 V	40	
	Contactore 90 A,24 V	16	
	Electrical solenoid valve ¾"	12	
	Capacitor 10 MF	16	
	Refrigerant gas R22	100	kg
	Minite tinner 220 V	8	
	Second timer 20V	8	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Electronic expansion valve	8	
	Main control board	4	
	Fan motor with its blade 0.37 KW	24	
	Compressor oil 3G5	240	liter
<b>02-04-00503</b>	Equipment: Chiller 5.4 ton, serial no.: 7379 G334, 380-400 volt A.C , 10A		
	Company address : Carrier International corporation , P.O. BOX 4806 Syracuse 13221 NEW YORK-U.S.A		
	Compressor 3.2 ton	20	
	air cool 3phase , 400V , 10A , 50HZ , R22 , reciprocating carelly 5500 , 5HP (3.2ton), chiller model :		
	Compressor 2.2 ton	20	
	air cool 3phase , 400V , 8.5AA , 50HZ , R22 , reciprocating carelly 4391 , 4HP (2.2ton), chiller model :		
	Fan motor 1.5 H.P.	60	
	Rif. gas R22	200	kg
	Contacteur 40A, 24 volt	120	
	Transformer 24 volt	60	
	Thermostat	40	
	Contacteur 20A, 24 volt	120	
	Heater for heating in winter 9KW 3PH	120	
	Compressor oil	150	liter
<b>02-04-00504</b>	Equipment: Steam sterilizer, spare parts list Castel 3220		
	Company address: SYBRON medical products division international, P.O. BOX: 23077		
	Rochester NY 14522 U.S.A. (716) 271-6060 telex: 987236		
	Gasket cored Type: 26456	4	
	Circuit breaker Type: 27625	4	
	Wick, oil Type: 29955	4	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Oil packag X448 Type:29158	2	
<b>02-04-00505</b>	Equipment :Cycle control box		
	Company addresse: SYBRON medical products division international, P.O.BOX: 23077		
	Rochester NY 14522 U.S.A.(716) 271-6060 telex: 987236		
	Buzzer	26706	
	Pressure switch	57020	
	Fuse	16884	
	Lamps	15726	
<b>02-04-00506</b>	Equipment :Plumbing Parts		
	Company address: SYBRON medical products division international, P.O.BOX: 23077		
	Rochester NY 14522 U.S.A.(716) 271-6060 telex: 987236		
	Bellows ,seat & gasket for ½ N. pt type42220	4	
	Disc replacement for check valve type39516	4	
	Screen replacement for steam strainer type43908	4	
	Disc replacement for check valve type39515	4	
	O" ring valve stam packing for control valves type22630	4	
	Filter ,steam & Air – double door type:32418	4	
	Disc ,filter steam & Air – single door breaker type:13275	4	
	Disc washer & float kit for vacuum type:36664	4	
<b>02-04-00507</b>	Equipment :General Parts list		
	Company address: SYBRON medical products division international, P.O.BOX: 23077		
	Rochester NY 14522 U.S.A.(716) 271-6060 telex: 987236		
	Recoacler charts (BOX of 100)	46730	
	Jnk cartridge supply(pck of 4)	67468	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
<b>02-04-00508</b>	Equipment :Steam sterilizer-castel sybron corporation 3010		
	Parts list for door assembly		
	Company address: SYBRON medical products division		
	international, P.O.BOX: 23077		
	Rochester NY 14522 U.S.A.(716) 271-6060 telex:9 87236		
	PART NAME		
	Gasket sterilizer door Index Nos. 44599 Part Nos. 1 Type 1626	72	
	Gasket sterilizer door Index Nos. 44600 Part Nos. 1 Type 1616	12	
	Gasket sterilizer door Index Nos. 44602 Part Nos. 1 Type 2020	8	
	Screw 8/32 X ¼ Index Nos. E-4640 Part Nos. 4 Type	400	
	Spring Index Nos. 37599 Part Nos. 22 Type	20	
	Nut Hex 10-32 Index Nos. E-6201 Part Nos. 26 Type	200	
	Spring anti Jam plate Index Nos. 31625 Part Nos. 38 Type	20	
	Cover assy. Center plate Index Nos. 37608 Part Nos. 45 Type	20	
	Screw flat HD 10-32 X2/8 Index Nos. E-4637 Part Nos. 46 Type	120	
	Screw flat HD 10-32 X 1/2 Index Nos. E-4636 Part Nos. 48 Type	100	
	Bar locking Index Nos. 37617 Part Nos. 59 Type	20	
	Screw flat RD 10-32 Index Nos. E-4941 Part Nos. 60 Type	80	
	Screw flat RD 10-32 X5/8 Index Nos. E-2143 Part Nos. 69 Type	20	
	Washer plain nylon Index Nos. 39658 Part Nos. 79 Type	40	
<b>02-04-00509</b>	International, P.O.BOX: 23077		
	Rochester NY 14522 U.S.A.(716) 271-6060 telex:9 87236		
	Part name		
	Complete assembly Part No. 37626 Index No.	8	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Pin hinge Part No. 31903 Index No. 4	20	
	Spring compression Part No. 31904 Index No. 5	12	
	Screw set 10-32 X ½ Part No. E-4633 Index No. 7	72	
	Screw HEX Ha 5/16-18 X1 Part No. E-224 Index No. 8	20	
	Washer split 5/16 Part No. E-218 Index No. 9	48	
	Screw Soc. HD 10-32 X1 Part No. E-2220 Index No. 12	48	
<b>02-04-00510</b>	Equipment : Steam sterilizer parts list for pressure regulator ASS Part No. Index No.		
	Company address: SYBRON medical products division Part No. Index No.		
	International, P.O.BOX: 23077 Rochester NY 14522 U.S.A.(716) 271-6060 telex:9 87236 Part No. Index No.		
	Complete Part No. 37564 Index No. -Does not exist	60	
	Bellows Assy Part No. 34621 Index No. 7	24	
	Plunger Assy Part No. 35606 Index No. 8	24	
	Washer pin Part No. 35613 Index No. 13	20	
	Spacer Part No. 35617 Index No. 19	20	
<b>02-04-00511</b>	Equipment : Shut off valve assembly Company address: SYBRON medical products division International, P.O.BOX:		
	Complete assembly type:46657	10	
	Valve globe 1/2 Type:7648	10	
<b>02-04-00512</b>	Equipment : Transformers control box assembly		
	Company address: SYBRON medical products division International, P.O.BOX: 23077 Rochester NY 14522		
	Complete assembly	8	
<b>02-04-00513</b>	Equipment Steam sterilizer castle 3010 body & fraem Assy		
	Company address: SYBRON medical products division International, P.O.BOX: 23077 Rochester NY 14522		
	Trap pocket Type:7181 Index 3	40	
	Disc filter Type:13275 Index 6	60	



CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	NUT 1-14 Type:13277 Index 8	60	
	NUT HEX 3/8-16 Type:E-5191 Index 12	60	
	NUT HEX 1-8 Type:E-4774 Index 24	60	
	Bolet HEX HD 1X8X8 Type:E-4775 Index 25	40	
	Screw CAP HEX HD 3/8-16X2 Type:E-4864 Index 28	24	
<b>02-04-00514</b>	Equipment : Castle 3010 Steam sterilizer dipping assy		
	Company address: SYBRON medical products division International, P.O.BOX: 23077 Rochester NY 14522		
	Replacement disc Type: 39515Index:-	20	
	Elbow flared 1/2 ODT X 1/2 MPT Type: 22790Index:103	20	
	Nut Hex 5/16 -18 Type: E-5545Index:116	20	
	Trap steam 1/2 NPT Type: 8079Index:122	40	
	Valve lift check Type: 19112Index:141	20	
	Replacement disc Type: 40710Index:-	20	
	Strainer Y 1/2 NPT Type: 37189Index:159	60	
	Trap steam 3/8 Type: 8077Index:173	40	
	Replacement seat bellow & gasket Type: 78090Index:-	20	
	Screw cap 5/16 – 18 X 3/4 Type: E-5112Index:227	20	
<b>02-04-00515</b>	Equipment : Steam sterilizer parts for valve mount Assy		
	Company address: SYBRON medical products division International, P.O.BOX: 23077 Rochester NY 14522		
	Complete assembly Type:46588 index is missing	6	
<b>02-04-00516</b>	Equipment : Spaer partes for valve Assy		
	Company address: SYBRON medical products division International, P.O.BOX: 23077 Rochester NY 14522		
	1/2" valve Type:22647index-	100	
	Sping valve Type:22633index2	12	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Carrier valve Type:22628index4	12	
	Ring valve telefon Type:22626index5	24	
	Steam valve Type:22639index6	24	
	"O" ring valve steam packing Type:22630index9	200	
	Washer "O" ring retaining Type:28433index10	200	
	Retaining ring truae Type:E-4848index11	24	
	Retaining ring Type:E-4933index12	40	
<b>02-04-00517</b>	Equipment: Steam sterilizer 3010 control end without recorder.		
	Company address: SYBRON medical products division International, P.O.BOX: 23077 Rochester NY 14522		
	Haddle pointer type:23545index303	4	
	Gauge pressure jacket type:37887index345	30	
	Gauge pressure Chamber type:37888index346	30	
	Gauge temperature 50 o-300 OF type:39889index348	30	
	Washer lock type:E-2044index403	20	
	Nut Hex 5/16 -18 type:E-5545index408	24	
	Screw cap HD 5/16 -18 type:E-224index410	20	
	Screw Rd Hd 6-32 X1/8 type:E-4630index421	48	
	Clip srring type:E-42681index422	48	
	Screw,Soc Hd Hex 10-24 X 1 3/8 type:E-4629index423	48	
<b>02-04-00518</b>	Equipment: Sediment screen .		
	Company address: SYBRON medical products division International, P.O.BOX: 23077 Rochester NY 14522		
	Sediment screen Type:3010	60	
<b>02-04-00519</b>	Equipment: Jnstrumenk washer sterilizer, castle 3025		
	Company address: SYBRON medical products division International, P.O.BOX: 23077 Rochester NY 14522		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Gauge pressure chamber type:37888index3	2	
	Gauge temperature 50o –300o F(10-1C)o type:37889index4	2	
	Switch & cam Assy type:46281index5	2	
	Switch pressure type:28510index10	2	
	Timer electric 50 HZ type:46278index13	2	
	Adaptor type:44631index17	2	
	Circuit breaker 240 V,5Amp type:38500index23	2	
	Socket relay 8 pin type:40504index26	2	
	Switch temp. SPDT type:34295index32	2	
	Light pilot 120V type:35220index41	4	
	Panel gauge type:46252index46	2	
	Couoling 1/8 FPT X ¼ ODT type:23340index94	4	
<b>02-04-00520</b>	Equipment: Steam sterilizer 1200 parts list for penthouse assembly.		
	Company address: SYBRON medical products division International, P.O.BOX: 23077 Rochester NY 14522		
	Actuator switch Type40337index5	8	
	Gauge pressure Type40301index8	12	
	Light pilot red Type40272index9	20	
	Light pilot white Type40319index10	20	
	Switch power Type40269index11	12	
	Thermostat man reset 280o F Type40747index12	12	
	Fill cover Type33058index14	8	
	Fill gasket Type33059index15	4	
	Elbow ¼ OD tube X1/8 FPT Type11529index17	8	
	Connector line Type13344index23	8	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
<b>02-04-00521</b>	Equipment: Steam sterilizer 1200 parts list for closure assembly.		
	Company address: SYBRON medical products division International, P.O.BOX: 23077 Rochester NY 14522		
	Gasket door type:40330index:2	12	
	Segment clutch type:40749index:4	4	
	Pin clutch type:40733index:9	4	
	Spring door type:40736index:10	8	
	Bolt door type:40734index:11	8	
	Disc knob type:40735index:12	8	
	Screw but Hd Soc ¼-20 X 1/2 type:E-4670index:15	6	
<b>02-04-00522</b>	Equipment: Partes list for gasket 1200 Steam .		
	Company address: SYBRON medical products division International, P.O.BOX: 23077 Rochester NY 14522		
	Sterilizer fuse 15 Amp type:38286	40	
<b>02-04-00523</b>	Equipment: Steam sterilizer castel 1200 parts list for general assembly .		
	Company address: SYBRON medical products division International, P.O.BOX: 23077 Rochester NY 14522		
	Tank assy. Water resdruloir type40285index6	8	
	Tee bleed assy. type40296index9	8	
	Air release assy. type11666index10	8	
	Bracket door switch type40724index17	8	
	Plunger door switch type40725index18	8	
	Pin hinge type40740index19	8	
	Value relief 40 PSI ¼ MPT type40263index23	8	
	Heater strip type40266index25	20	
	Thermostat fan type40268index26	8	
	Motor fan type40291index27	12	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Blaade fan type40292index28	8	
	Switch door type40293index29	8	
	Fuse holder typeB-2173index30	24	
	Thermostat low water type40326index31	8	
	Value assembly type33038index35	8	
	Knob type33049index36	8	
	Button reset type33031index38	8	
	Elbow ¼ MPT X 3/8 tube type3705index46	20	
	Connector ¼ MPT X 3/8 tube type16039index47	8	
	Fuse 15 amps. type38286index48	48	
	Terminal block type46064index49	12	
	Elbow compression ¼" type40277index50	8	
	Funnel water fill type40329index55	4	
<b>02-04-00524</b>	Equipment : Spear part for extractor		
	Ser.no.:8777		
	Model : 855		
	Company address : American laundry machinaary I.VC-505 section avenue cincinnati chie 45212 U.S.A. 513-731-5500		
	2.30 MMOD pully C' section,single groove,sub 2400-350,pully sheaves	8	set
	O U B belt,sub:B-66 drive belt	10	
	10A,120VAC , 1 PH ,10A 1/6 HP,120 VAC 1PH 1/3 HP,140 1HP relay(0.5)	6	
	1526344 motor 220-360 v/3 PH,50 HZ	2	
	14.6/8.5 A,sub: 321503 motor assembly,5HP 350/50/3		
	Contactora 41 DA30AG,sub 5431-1 magnetic contactor.	8	
	Double ball bearing	8	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	-FS 5610 (federal USA)sub:2400-206		
	Uper main bearing		
	Bush 2400-224 upper clutch bushing	8	
	Micro switch ya-2RL-AL,sub:K-221	8	
	Timer A44 RC 62-SFMH	4	
<b>02-04-00525</b>	Equipment : Chiller 200 ton cooling contain (8)compressor each one 25 ton cooling used R22.		
	Serial no.: 06420101-02,380V,50HZ,31 A cord fan motor :16,coil test pressure:455 pasig.		
	Company adresse :BETRA-Jordan		
	Compressor 25 ton	40	
	air cool 3phase , 400V , 31A , 50HZ , R22 , reciprocating copeland ,40HP , chiler model : APX-250 ,		
	Filter dryer 1"	64	
	FBW switch ¾"	10	
	Contactora 60A,400 V,3PH,coil voltage 220 V,type:PAC-35 H NO;30751	64	
	Contactora 75A,400 V,3PH,coil voltage 220 V,type:PAC-50 H NO;30851	64	
	Over load 24 V	64	
	High low pressure switch R22	1600	kg
	Ref. Gas R22	64	
	Oil pressure switch R22	10	
	Micro prosser	1000	litter
	Compressor oil 3GS	64	
	Fan motor with its blad	60	
	Over load 58 A	64	
	Contactora 32 A ,type: PAK-12H no 40251	64	
	Over load 11 A	64	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Transformer cod: TF 111150,P:15VA,F:50HZ	8	
	Sequencer & step controller	10	
	ABC phase rotation protection 47 TA 32 KZ XI	8	
<b>02-04-00526</b>	EQUBMENT :LEFTS 1800KG		
	COMPANY NAME: schindler L.T.D lift and electric motor manufactures CH-6030 ebikor-Lucerne Switzerland		
	Telephone : 041-393131 telegram lift locum		
	Telex : 78222		
	290250 thrust ball bearing 54410	4	
	512729 brass bush	2	
	538961 rubber buffer 296*60	48	
	512727 brass bush	2	
	582046 brake lining for GBF	8	
	507674 standard switch EG3 NO feet	10	
	532358 bearing bush D 58/70*94-5 MM	4	
	560769 extern motor drner fan MV185-4 380V.50HZ	4	
	557311 tachog enerator REO 444C 120V,1000RPM	2	
	547051 CARBON brush 35*4.1 EGD PT2815C	100	
	544169 drivin belt 15*516*0.7	14	
	535838 o-ring 110 3-NBR 70	4	
	556912 o-ring 149.2x5.3	4	
	544275 switch blook NZM6-63AMP	20	
	544278 switsh elosk ZM6-63 A	20	
	291891 comtactor M4 380V 50HZ	80	
	291900 thermo-trihoer o5 50-62A F. AMY 5PP	24	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	295958 time leg relay RCY-002 380V,50HZ,2-60SEC	32	
	502021 double support	4	
	Tranformer tioof,1000 VA PRIM 400V,SEK. 96V,ID.NR.544.315 BEST-MIT BM K...	2	
	544337 transformbr tioof 1000BA PRIM-400V SEK 20/23V BEST-MIT BM K..	2	
	20029 transformer type UTNG 100VA 3x220/380V/50/60HZ hr 40021 KYPE 0813	8	
	544343 trasformer 3T200F 600VA PRIM. 400V SEK. 380V BEST.MIT BM K..	2	
	200380 IPH modulator-trafp etem PRIM.UNL:380V 50/60HZ anzapfung UN2:220V	2	
	535992 rectifier B 125 100-3PT16A 22/5T 96/80V	28	
	501215 thermral sontact TEL.CPL 0.1-0 2A	14	
	560833 M.P.R.1-10 50HZ 320-320V	2	
	290968 MINI contactor MRG62 WO diode BOV-V cont.	2	
	290966 MIMI contactor MRG-44WO diode 80V-8 cont.	8	
	176098 contactor MG5 380V	80	
	540120 COIC for relay 1350 WDG 00.12 L2 280V	20	
	540166 anghor plate for RA relay	12	
	541214 contast spring CPLW.RIVET	200	
	541216 contast plate LW.RIVET	200	
	175642 contact spring CPL W.RIVET for R1A4	100	
	556814 RA relay ROA5 80V 0.12 L2.2	16	
	556816 RA relay RI	16	
	556816 RA relay R2A3 80V 0.12 L2.2	36	
	556817 RA relay R3A2 80V 0.12 L2.2	36	
	175633 contact plate bent F.NORM closed contact	100	
	200859 relay J56-12 2000 OWG 0.1 2000	36	



CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	536272 TIME LAG relay MS 48196B 50HZ 115-1655	40	
	536273 TIME LAG relay 48/96V 50HZ 1305-33M	40	
	556928 TIME LAG relay MSV 48/96V 50HZ 11-1658	40	
	345543 TIME LAG relay MT. 901.AN 80-1-20 SEC	40	
	544183 TIME LAG relay 80V 0.1-2 SEC	20	
	507364 CA switch 47 RACK	36	
	500320 contact strap	40	
	537433 pressure spring	40	
	537657 roller F.roller lever	40	
	504179 roller lever CPL W. roller	20	
	503938 impulsse scontact CPL (M.I contact )	12	
	507242 contact screws for carbon contacts	80	
	537332 spring	80	
	537905 PIN holder CPL	20	
	537023 spring	20	
	500033 contact finger	40	
	590173 photo cell		
	transmittor LP.15-2	20	
	590174 photocell unit		
	NG05 110/220V	40	
	560073 reflector PL50-P	12	
	547071 LAMP 3V EW for LP 15-2	40	
	547757 cooler insert red engraved stop	20	
	547758 colour insert yellow engraved alarmbeu	20	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	512386 guid shoe lining	32	
	524024 ball bearing 6204	16	
	512796 roller guide shoe distance wheel	30	
	506251 shaft limit switch JS12 (STD.lifts)	10	
	501206 roller W.axle CPL	20	
	340892 magnetic switch	4	
	950089 door motor MOKS9-6112 220/380 80V-50/60HZ	22	
	250797 pot magnet holding brake CPL for QKS 9	20	
	251309 brake lining for QKS 9	20	
	538244 V-belt 10*6*1400	80	
	251062 KTL cable TLF 2*0.75 LG-5000 compl F QKS 9	28	
	536103 micro switch B2 SRW B22-A2-F2	80	
	544067 micro switch BZ 2AW-822T	40	
	505721 micro switch CPL B7-SRW-B22-A2-F2	80	
	544335 control switch	28	
	548306 screw plug R1/4ZW gasket Fsinter filter	24	
	176162 rectifier CPL	48	
	200028 YFC resistor net work A1 FIB.5	18	
	200038 VFM compensation net work F-VFE/AIFIG6	24	
	200020 print VGB rectifier A/B*C1FIG.9	18	
	200026 VLA current unt A1 FIG 16	18	
	200024 VMA modulator A1/FIG.17	18	
	200023 VVH DS amplifier A1/CIFIG.24	18	
	200022 VRB reference value generatorai FIG.19	18	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	290248 thrust.ball bearing 54309	10	
	538960 rubber buffr 20.6*45	28	
	290249 thrust ball bearing 54310	10	
	260167 bush with M.O-ring 159.5*5.7 ZU stempel typ 12.5	18	
	640657 pipe unit F.rohr AD35	18	
	640658 knife edge ring F.pipe AD35	18	
	641229 sinter filter	18	
	548306 screw plug R1/4ZW gasket F.sinter filter	24	
	176162 rectifier CPL Type C-AIZ	48	
	200992 diode 3A 400V	48	
	250888 contact body CPL QKS9-TRH-LH	32	
	540834 contact support CPL	32	
	505404 contact bridge CPL	32	
	544066 slide smutch 2-POL 8-215-020	20	
	290238 resistor 100W 1000HM.SECIV	20	
	291148 resistor 100W250HM	20	
	250740 rueckseller KPL-M-GEW.stage	24	
	250747 rueckseller KPL-M-GEW.stage L-400 ver QKS9-T-RE.A-1100	24	
	547572 coupler actuator for QKS9	24	
	547573 connect rod CPL F-reset lener QKS9-Z/ZT	24	
	250710 coupler left hand .W.cont.QKS9-TL	24	
	250711 coupler ringht hand W.cont QKS9.TR/Z/ZT	24	
	250712 coupler left hand QKS9-Z/ZT	24	
	505823 door hanger stringht QKS9/10	36	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	505811 door roller hanger off set QKS9-T/ZT right hand	36	
	507670 standard switch EOG 1.5W.feet	28	
	538607 micro CT20-A2	40	
	131414 carbon brush 16*8*25 qual RE 59W	80	
	503049 carbon brush 6.4*10*16EG340	40	
	535974 lift unit 220V 60HZ F.F1 40 roxx laenge-1200MM	28	
	536366 fuse car tridge D11 2A 500V	300	
	536367 fuse cartridge D11 4A 500V	300	
	536369 fuse cartridge 6A 500V D11	350	
	200991 diode 1.2A 1600V	48	
	Flash automatic 96V/50HZ ID.NR.540820 best BEI HR. portmann	16	
	200371 fine wire fuse FF 1.6A 250V 6.3x32	20	
	200372 fine wik fuse FF 1.6A 250V 6.3x32	20	
	200044 fuse cartridge 16A 500V SUP fiink	40	
	200021 VCA stabilizer unit A1/C1	18	
	200027 VFB regulator network Al replaces selen-rectifier	18	
	555504 contractor RJ 12W coil 80V 8000 WDGO 21-2-2	40	
	175740 coil A80V	20	
	175741 coil B80V	20	
	175741 coil B80V	20	
	175733 contact support CPL	20	
	175732 contact bridge CPL	24	
	580860 powerloadkts 2	8	
	580935 prong contact KTSZ	8	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	580868 rolle lever	28	
	580885 runner roller long	24	
	580886 runner roller short	40	
	232003 roller lever CPL	40	
	231995 contact body CPL	24	
	547415 contact bridge	24	
	215005 magnetic switch	80	
	Transformer for hydraulic lift	2	
	Motor generator 315V 13.5 1440REV/MIN	2	
	Black stainless steel wire rope for lifting the cabina	300	meter
	Indication bulb 24V (pin type)	150	
	Indication bulb 130V (pin type)	150	
<b>02-04-00527</b>	Air handling unit		
	Carrier international corporation P.O box 4806 surcease N.Y.U.SA13221		
	Fan wheel LA-22 ND - 121	4	
	Shaft 39EA-20-2153	4	
	Bearing KT-63DZ-112	8	
	Fan wheel LA-22 ND- 145	4	
	Shaft 39EA- 25-2153	4	
	Bearing KT-63DZ-125	8	
	Fan wheel LA-22 ND- 162	2	
	Shaft 39EA-30-1153	2	
	Bearing KT- 63DZ-125	4	
	Fan wheel LA-22 ND - 197	2	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Shaft 39EA-40-2153	2	
	Bearing KT-63DZ-130	2	
	Fan wheel LA-22 ND- 212	4	
	Shaft 39EA- 45-2153	4	
	Bearing KT-63DZ-150	8	
	Fan wheel LA-22 ND- 266	4	
	Shaft 39EA-50-2153	4	
	Bearing KT- 63DZ-150	8	
	Fan wheel LA-22 ND- 291	2	
	Shaft 39EA-60-2153	2	
	Bearing KT- 63DZ-196	8	
	Fan wheel LA-22 ND - 323	2	
	Shaft 39EA-70-2153	2	
	Bearing KT-63DZ-150	8	
	Bearing KT-63DZ-162	8	
	Fan wheel LA-22 ND - 434	4	
	Shaft 39EA-80-2153	4	
	Bearing KT-63DZ-150	8	
	Bearing KT-63DZ-186	8	
	Fan wheel LA-22 LA - 102	4	
	Housing LA-22 LA - 013	2	
	Shaft 39AC-6-1012	2	
	Bearing KT-66DZ-103	8	
	Bearing KT-63DZ-102	8	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Motor 3-HP-380-2850	8	
	Motor 7.5-HP-380-1450	12	
	Motor 10-HP-380-1435	6	
	Motor 7.5-HP-380-2850	6	
	Motor 20-HP-380-1450	6	
	Motor 40-HP-380-1450	4	
	Motor 30-HP-380-1450	4	
	Motor 5-HP-380-1425	4	
	BA 96008/S/S 66 WA /S standard absolute filter size 11" x24"x2" serial no. 1196 penetration < 0.01%	60	
	Absolute air filter size 24"X24"X5 7/8" serial no. 70 60/805 tested at 500 CFM design 4AZ13RIA	30	
	Fresh air filter size 20"X24"X2"	200	
	Fresh air filter size 25"X16"X2"		
<b>02-04-00528</b>	EQUIPMENT:CHILLER		
	Compressor carrier	20	
	MODEL:06EJ 175-960-E		
	25KW , R22 , 400V , 46A , 25TON		
<b>02-04-00529</b>	Equipment : generator		
	Engine : cummins		
	Model : KTL 3067 G2		
	Engine no.: 33106983		
	Conf. No. :D283011 DX 02-00		
	Date of f.g. : 30/6/ 82		
	Complete engine with specifications below :water cooled turbocharger inter cooler electronic governer speed 1500 rpm	2	
<b>02-04-00530</b>	Equipment : air condition		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Toshiba- general		
	Compressor 2 ton	550	
	Feruon R22	170	bottel
	Thermostat	178	
	Fan motor 2ton	148	
	Fan motor 2 ton (general -westing house)	74	
	Selector switch	128	
<b>02-04-00531</b>	Equipment :water cooler		
	Japan- denemark		
	National - denfas		
	Compressor 1/4 HP (Japan- denemark)	136	
	Thermostat (Japan- denemark)	46	
	Feruon R12 (asecon)	70	bottel
<b>02-04-00532</b>	Equipment :Electric heater		
	Japan - Rousseau		
	National - sanyo		
	Glasses heater (japan)	40	
	Ceramic heater(Japan - Rousseau)	400	
<b>02-04-00533</b>	Equipment : oil heater		
	Italy		
	Oil heater	128	
<b>02-04-00534</b>	Equipment : pump 20 HP 4"X4"		
	Japan		
	Ball bearing 6309 - 6307	40	



CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Sheft	6	
<b>02-04-00535</b>	Equipment : pump 15 HP 4"X4"		
	Japan		
	Ball bearing 6305	32	
	Shaft	6	
<b>02-04-00536</b>	Equipment : pump 25 HP 4"X4"		
	Japan		
	Ball bearing 80312	36	
	Shaft	4	
<b>02-04-00537</b>	Equipment : generator 250 KVA		
	Hitzinger		
	Self motor	10	
	Dainmo	10	
	Battery charger 24 V	16	
	Main circuit breaker 400 A	10	
	Automatic control panel	20	
	Regulator voltage panel	20	
	Nozzle	80	
	Handing oil pump	10	
	Change over switch	10	
	Radiator	8	
<b>02-04-00538</b>	Equipment : electric pot		
	Belgium		
	Heater 6 KW	24	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Heater 12 KW	24	
<b>02-04-00539</b>	Equipment : generator 1000 KVA		
	Duets - Germany		
	Self motor	4	
	Dainmo	4	
	Battery charger 24 V	2	
	Main circuit breaker 400 A	4	
	Automatic control panel	4	
	Regulator voltage panel	6	
	Radiator	2	
<b>02-04-00540</b>	Equipment : washing machine		
	Germany		
	Wash cater		
	Motor	6	
	Heater	6	
	Operating program	6	
<b>02-04-00541</b>	Equipment : electric dryer		
	Uniy - wash		
	Heater	240	
	Contacto heater	16	
	Motor	16	
	Micro switch	10	
<b>02-04-00542</b>	Equipment : steam boiler 0.6 ton /hour		
	York Shelby		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Candle	12	
	Photo cell	6	
	Nozzle	12	
	Safty valve	4	
<b>02-04-00543</b>	Equipment : food refrigerator		
	American		
	Compressor 3.5 ton (trading)	8	
	Feruon R12 (asecon )	10	bottel
	High-low pressure (trading )	8	
<b>02-04-00544</b>	Equipment: refrigerator		
	Compressor 1/2 HP (American - General)	80	
	Compressor 1/3 HP (Japan -Denmark , national- denfas )	80	
	Thermostat (General)	80	
<b>02-04-00545</b>	Equipment : freezers		
	Compressor 1/4 HP (Japan- Denmark , national - denfas)	150	
	Compressor 1/5 HP (Japan- Denmark , national - denfas)	100	
	Thermostat	80	
<b>02-04-00546</b>	Equipment : heater		
	Italy		
	Heater with automatic 1000 W	70	
	Heater with automatic 2000 W	70	
<b>02-04-00547</b>	Equipment : fan		
	National - Sanyo		
	Ball bearing	100	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Regulator fan	400	
<b>02-04-00548</b>	Equipment :Vertical fan		
	National - Mitsubishi		
	Fan motor	20	
	Fan motor	20	
<b>02-04-00549</b>	Equipment : Alleviator		
	Sapeam		
	Damper	24	
	Motor	4	
	Break shoes	24	
<b>02-04-00550</b>	Equipment : cooling towers for operating room		
	Wise- teknic		
	Compressor 4.5 ton	6	
	Motor 10 HP	6	
	Conductor 40 A with over load	8	
	Contactora 100 A	12	
	Circuit breaker 200A	4	
	Contactora 60A	4	
<b>02-04-00551</b>	Equipment : split unit		
	Mitsubishi		
	Compressor 3 ton	10	
	Compressor 5 ton	4	
<b>02-04-00552</b>	Equipment : FREEZER		
	1- compressor tecmseh models CAJ2 T12	4	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	R12 220V HZ50		
	2- compressor tecmseh models CAE 4470L	4	
	R502 220V HZ50		
<b>02-04-00553</b>	Equipment : COLD STOR		
	condensing units modeel - L20010037	6	
	R502 PH3 380 - 420V		
<b>02-04-00554</b>	Equipment : CORPS COLD STOR USA		
	open type compressor	2	
	type G60 R12		
<b>02-04-00555</b>	Equipment : CORPS COLD STOR GERMANY		
	1-compressor (tecumseh) models TAH 2466A	2	
	R12 PH3 380 - 420V		
	2-evaporators fan type	4	
	RE350 TKO - 220V - 0.35A RPM 1310		
	3-thermostatic expansion valve (flica)	4	
	R12 TYPE Q		
	TSZ MOP 1/3		
	4-exhaust fan motors	48	
	type RM10 - 220V		
<b>02-04-00556</b>	Equipment : COLD STOR		
	1-compressor (tecumseh) models TAH 2466A	8	
	R12 PH3 380 - 420V		
	2-exhaust fan	48	
	univesal flectric		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	L4D ser 10V A		
	UC 3012 - FMO - D		
	AA2P5083K 220 - 240 V HZ50 0 - 30 - 0.33A		
	3-evaporators fan	48	
	UC3026 - FMOD AA IR5253K		
	220 - 240V 0 - 75A 2700 RPM		
<b>02-04-00557</b>	<b>CORPS COLD STOR U.S.A TRADING AND INVESTMENT</b>		
	control - realy	84	
	frion R502	98	
	timer	60	
	expansion valve	60	
	compressor 7.5ton	8	
	High-low pressure	8	
	High-low pressure L10-40 PSI	50	
	H0-400PSI		
	model p72 (A-1)		
	oil pressure	8	
	contactor (40A)	8	
	fan condenser frink lin elect 4301007400	20	
	evaporator fan	32	
	fan evaporator brink lin motor 8353960150	60	
	compressor 5.5ton model MRBI-0500-TFO	20	
	oil breaker P45NCA-12	40	
	timer defrost type precision	50	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	evaporator valv ALCO HFEK RW20	30	
	oil compressoe 3GS	100	
	discharge filter drier 0.5 ALCO ADK-084	60	
	suction filter drier( 1") ALCO ASF 75511-VV	20	
	thermostat A19ABC-24C-30- +100Fo	50	
	electric starter 3points-220V-30A	50	
	power fuse 400V	120	
	control fuse 220V	120	
	main switch NP266212-C-30A-600V	20	
	main switch NP266211-A-30A-240V	20	
	alarm horn	20	
	selonoid valve alco 200RB 4F3-T	20	
	selonoid valve alco PCN 025863	20	
	suction valve	20	
	discharge valve	20	
	control panle	14	
	thermostat-40- +40Co	14	
	discharge vibration eliminator	20	
	suction vibration eliminator	20	
	evaporator	20	
	condensor	20	
<b>02-04-00558</b>	<b>FREEZER - SOLOW</b>		
	compressor	4	
	compressor 2ton	4	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	compressor 2.5	2	
	filter dryer	4	
	filter dryer 22	2	
	fireon R22	4	
	solder wires	12	
	timer	2	
	contactor	2	
	compressor valve	2	
	filter dryer 503	2	
	fireon R503	66	
	starter	2	
	battery 6V	2	
	thermostat	2	
<b>02-04-00559</b>	<b>MEAT COLD STOR OMEGA-KARLWISE-GERMANY</b>		
	compressor 3ton	4	
	compressor 3.5ton	8	
	High-low pressure	4	
	fireon R12	4	
<b>02-04-00560</b>	<b>ELEVATOR</b>		
	capacity 550kh		
	speed 90m/min		
	working system		
	No of stopes (7)		
	Complete control bord	2	



CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
<b>02-04-00561</b>	Chiler hitach		
	generator tube	6600	tube
	lio H	1000	kg
<b>02-04-00562</b>	Spare parts for operating lights supplied		
	under pur invoice no.JIM/T-0257/74old-7.5/1974		
	company name : daikyo medical instruments co.ltd 31-1 hongo 3-chome.bunky -kutokyo japan		
	postal : PO box 66 hongo bunkyo - kutokyo 113-91 japan		
	cable :medicalim telephone : 814-5861		
	telex : 128748 meduim		
	head office : no. 31-4 hongo 3-chome bunkyo -ku japan		
	telephone : 813-5541		
	safty glass (outer filter glass )	18	pcs
	heat filter glass (inner filter glass)	18	pcs
	on -off switch	8	pcs
	fuse holder	8	pcs
	light intensity regulator knob	4	pcs
	anesthesia mirror	4	pcs
	sterile handel	4	pcs
	spare bulb 24V 40W	200	pcs
	transformer 220-24v	4	pcs
	spare parts for model 3003		
	safty glass (outer filter glass )	14	pcs
	heat filter glass (inner filter glass)	14	pcs
	on -off switch	8	pcs

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	fuse holder	8	pcs
	light intensity regulator knob	4	pcs
	anesthesia mirror	4	pcs
	sterile handel	4	pcs
	spare bulb 24V	200	pcs
	transformer	4	pcs
	spare parts for model 220		
	safty glass (outer filter glass )	8	pcs
	heat filter glass (inner filter glass)	8	pcs
	on -off switch	4	pcs
	fuse holder	4	pcs
	light intensity regulator knob	4	pcs
	sterile handel	4	pcs
	spare bulb 24V	200	pcs
	transformer	4	pcs
	casotrs	8	pcs
	spare parts for model 8000		
	safty glass (outer filter glass )	8	pcs
	heat filter glass (inner filter glass)	4	pcs
	glass refleder	4	pcs
	transformer	4	pcs
	on -off switch	4	pcs
	fuse holder	8	pcs
	casotrs	8	pcs

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	stopper screw	4	pcs
	spare bulb	20	pcs
<b>02-04-00563</b>	Equipment : Air condition 2 ton		
	compressor (Different Type)	100	
	fan ( different type)	100	
	Thermostat ( different type)	120	
	-compressor 3 ton	10	
	- compressor 1.5 ton	100	
<b>02-04-00564</b>	EQUIPMENT: MOTOR CONTROL FOR COOLING TOWER		
	COMPANY/MANUFACTURER: square- D company USA		
	QUANTITY: 5		
	SADDAM MEDICAL CITY		
	Replacement motor starter / protection,	10	
	Reduced voltage solidv state starter,combination enclosed controller with circuit breaker with shorting contactor,		
	For 187 Kw motor ,380 VAC.,3 ph,50 Hz,		
	Inclosed , for variable starting current and time		
	As above but for 340 Kw pump moto	12	
	As above but for 224 Kw pump moto	8	
	As above but for 265 Kw pump motor	20	
<b>02-04-00565</b>	EQUIPMENT: FIRE ALARM SYSTEM		
	MODEL: ALPHA, DELTA 1000 - W1003		
	COMPANY/ MANUFACTURER: HONEYWELL		
	SADDAM MEDICAL CITY		
	System rebuild and update of central stations and zones	2	Lot

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Detectors, supply new system making use of existing wiring and as much as possible of parts to minimize cost. Work		
	Bidders should send their specialists to make a site visit to evaluate and propose a detailed offer.		
<b>02-04-00566</b>	EQUIPMENT: DIESEL GENERATOR		
	COMPANY/ MANUFACTURER: SIEMENS AG KHD		
	QUANTITY: 2		
	SADDAM MEDICAL CITY		
	RADIATOR COOL UNIT 15 Kw , 380V , 50HZ GEA, 320 , 107 , 3601	16	
	ENGINE HEATER 12,1KW , 380V , 50 HZ JKL 7301, 12,802, 0232, E1 , 1	4	
	COOLING WATER PUMP 11KW , 380V , 50HZ EDUR, NUB 700G , 165L	4	
	PRE LUBRICATION PUMP 1.9KW , 380V , 50HZ JKL41, 380, 3L , L , VWG- MZ , 14	4	
	PRESSURE MONITOR FOR LUBE OIL 307DC10 .4A 126, 2990KZ8742-32	4	
	LEVEL MONITOR FOR LUBE OIL PAN 40VD/1A 204, 7993KZ 099- 48	4	
	PRESSURE MONITOR FOR LUBE OIL 30VAC10 , 1A 126 2989 KZ 8742-32	4	
	TEMPERATURE SENSOR FOR LUBE OIL 126 2492 KZ 8942- 15	4	
	ELECTROMAGNET " EMERGENCY STOP " 24VDC , 48W 212 7648 ECE178- 17	4	
	STARTING , SOLENOID VALVE 3/2 WAY VALVE 24VDC , 0 ,83A 2076684 KZ 0199- 35	4	
	MOTOR SPEED CONTROL 220V , 0.08A 2127465 EZ 0178- 27	4	
	ELECTROMAGNET " STOP " 24VDC, 0.25A 2127456 EZ 0178 -27	4	
	TACHO- GENERATOR 1173290 KZ 8942-25	4	
	SPEED INDICATOR 1263232 KZ 8742- 25	4	
	START AIR COMPRESSOR 4KW, 380V 50 HZ SAUER U.SOHN W193L – 100	8	
	PRESSURE SWITCH SIEMENS 6KCZ	8	
	MAGETIC VALVE JUNCUMATIC V201- F	8	
	PRESSURE FAILURE SIEMNS 6KCZ	8	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
<b>02-04-00567</b>	Equipment: High voltage switch Gear		
	Company/Manufacturer: Siemens- Germany		
	Quantity: 14		
	saddam Medical City		
	Vacuum circuit Breaker 12kv , 25 630A 3AF1741-4EH40-8BA2	12	
	Operating Machine –Eke Motor Drive 110v DC	24	
	Tripping Relay Set 110V DC 7VH1604	40	
	Theorem-Delay oversold Relay , 3-Pole 3UC3860-1C	12	
	Alarm Relay 7PG2460-3EBO	40	
	Glow Lamp 220, Clear BA 95 35x1701	200	
	Inland-Lamp BA95, 110-130V 2.5W 35x 1731	200	
<b>02-04-00568</b>	LIGHTING , ELECTRICAL PARTS		
	BUS BARS		
	MANUFACTURER / SQUARE – D COMPANY		
	SADDAM MEDICAL CITY		
	BUSWAY FEEDER 277/480 VOLT, 3P4W SYSTEM OF-525G-TRA	4	
	OF-525G-CONNTRA	4	
	OF-525G-38LFS18B20	4	
	OF-525G-38LES19B19	4	
	OF-525G-101	4	
	OF-525GLEM8 (AJG SL)	12	
	OF-525G-10	20	
	OF-525G-33	8	
	OF-525G-37	4	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	OF-525G-50	4	
	OF-525G-LFM15 (AJCSL)	4	
	OF-525G-22	4	
	OF-525G-FEMB9	4	
	OF-513G-30	10	
	OF-513G-6	10	
	OF-513G-29	10	
	OF-513G-18	10	
	OF-513G-19	10	
	OF-516G-RBA	4	
	CIRCUIT BREAKER 277/480V, 3P4W PBLA36400,GN	10	
<b>02-04-00569</b>	COLD STORES parts for		
	MANUFACTURER; PREST COLD OR EQUIVALENT ENGLAND		
	SADDAM MEDICAL CITY		
	AIR- COOLED CONDENSING UNIT MALS 300-B2-75	10	
	AIR-COOLED CONDENSING UNIT MALQ 200-B1-75	10	
	AIR-COOLED CONDENSING UNIT MAKP 150-B1-75	10	
	AIR-COOLED CONDENSING UNIT MAKM 75-A1-38	18	
	AIR-COOLED CONDENSING UNIT MALQ- 200-B1-75	10	
	AIR-COOLED CONDENSING UNIT MAKN-100-A2-38	6	
	COMPRESSOR DWM-COPELAND DKMB-50	4	
	COMPRESSOR DWM-COPELAND DKJ-75	16	
	COMPRESSOR DWM-COPELAND DLEG-401	4	
	COMPRESSOR DWM-COPELAND DLFB-201	20	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	COMPRESSOR DWM-COPELAND DKL-150	8	
	COMPRESSOR DWM-COPELAND DLL-301	4	
	FILTER DRIER ADK-163	200	
	FILTER DRIER ADK-164	400	
	EXPANSION VALVE, EXTERN-EQUALIZED TCE 4RW	8	
	EXPANSION VALVE, EXTERN-EQUALIZED TCE 5RW	8	
	EXPANSION VALVE, EXTERN-EQUALIZED TCE 3RW	8	
	EXPANSION VALVE, EXTERN-EQUALIZED TCE IFW	8	
	EXPANSION VALVE, EXTERN-EQUALIZED TCE 3FW	8	
	EXPANSION VALVE, EXTERN-EQUALIZED TCE 2FW	8	
	HIGH/LOW PRESSURE SWITCH	24	
	SOLINOID VALVE 12	10	
	SOLINOID VALVE 10	10	
	ROOM THERMOSTAT FFL-114-3	40	
	CONDENSER FAN COMPLETE RCN1-6	60	
	CONDENSER FAN COMPLETE CEV14-15	60	
	EVAPORATOR FAN COMPLETE ARBT 14	80	
	EVAPORATOR FAN COMPLETE AP 5	80	
	SERVICE STATION (FSV 101)		
	EVACUATING AND CHARGING STATION WITH VACC. PUMP, CHARGING CYLINDER, MANIFOLD, VACC. AND	8	
	VACUUM PUMP 16 CBM/HR, 220V-1-50 COMPLETE WITH MOTOR, BASE, HANDLE	16	
	VACUUM PUM 6 CBM/HR, 220V-1-50 RESISTENT TO LITHIUM BROMIDE	4	
	CHARGING MANIFOLD	20	
	SOLDERUNG PISTOL 100W	30	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	FLARING TOOL SET UPTO 5/8 IN	30	
	TUBE CUTTER 6-22 MM	30	
	CLAMP METER AMP, OHMS, VOLTS MEASUREMENT	30	
	DIGITAL- A-V-O METER	30	
<b>02-04-00570</b>	ELECTRIC WATER COOLERS ,		
	MODEL ; EP8F		
	MANUFACTURER;		
	WATER COOLERS LTD 56, TANNERS DRIVE		
	SADDAM MEDICAL CITY		
	EBCO WATER COOLER COMPLT EP8F	300	
	VALVE 23546	20	
	CONDESNER 26757	200	
	BLADE, FAN 124033	240	
	MOTOR, FAN 16490	200	
	CONTROL, COLD 20319	300	
	HEAT EXCHANGER 25624	300	
	COMPRESSOR ASSEMBLY 17980	300	
	GASKET 8983	300	
	WASHER-FRICTION 9281	300	
	SCREW, VALVE SPUD 17335	300	
	GASKET (UNDER TOP) 10545	300	
	STRAINER – BRONZE 24435	300	
	GASKET- WASTE 11416	300	
	TAIL PIECE, WASTE 25862	300	



CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	FITTING, MALE FLARE 7317	100	
<b>02-04-00571</b>	MEDICAL AIR COMPRESSOR , 380 V/3PH/50HZ		
	Complete with receiver tank		
	SADDAM MEDICAL CITY		
	MOTOR/COMPRESSOR UNIT COMPLETE FULL AUTOMATIC OPERATION 10800 L/M, 12 BAR, 45KW,	6	
	MOTOR/COMPRESSOR UNIT COMPLETE FULL AUTOMATIC OPERATION 4000 L/M, 12 BAR, 37KW,	4	
	MOTOR/COMPRESSOR UNIT COMPLETE FULL AUTOMATIC OPERATION 2300 L/M, 12 BAR, 21KW,	4	
	AUTOMATIC DUAL COMPRESSOR ASSEMBLIES 520 L/MIN, 8 BAR, 2 X 2.2KW	6	
	AUTOMATIC DUAL COMPRESSOR ASSEMBLIES 2120 L/MIN, 8 BAR, 2 X 11KW	4	
	AUTOMATIC DUAL COMPRESSOR ASSEMBLIES 4600 L/MIN, 12 BAR, 2 X 21KW	4	
	high PRESSURE AIR COMPRESSOR 40 BAR, 11KW	8	
<b>02-04-00572</b>	Central Laundry Machine		
	WASHING MACHINE NO. :81-111-55500		
	TYPE : TW A10 NR181		
	MEMBRAN PRESS MACHINE NO. 67.120		
	TYPE : 831.01		
	MANUFACTURE : ENGELHARDT & FORSTER		
	SADDAM MEDICAL CITY		
	WASHING LIQUID PUMP 5-653-213205.2	8	
	HIGH PRESSURE PUMP SA05/02 28587.4	8	
	MICROSWITCH WITH ROLLER ¾" 50HZ 9-468-1524656	40	
	FOOT MOUNTED MOTOR 7.5KW, 3000 RPM 32282.6	2	
	COUPLING HIGH PRESSURE PUMP MOTOR 29957.8	2	
	VOLUME PUM AKHA 6101 28593.2	4	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	FOOT MOUNTED MOTOR 7.5KW, 1500 RPM 32283.4	2	
	COUPLING VOLUME PUMP MOTOR 29956	2	
	GEAR MOTOR 0.75KW, 50HZ, 40 RPM 29955.2	2	
	GEAR MOTOR 0.75KW, 50HZ, 48 RPM 299636	2	
	RUBBER PROSESSOR 30492.3	12	
	PROGRAMME PROSESSOR FOR TRANS EF 2-014-2886073	2	
	3 PHASE AC MOTOR, 1.5KW, 1000 RPM 9-651-1556800	6	
	V-BELT 6-816-0039357	60	
	PIPE HIGH PRESSURE PUMP- VALVE 30726.4	4	
	SOLINOID VALVE WATER 0.5-10 ATU		
	R ½", 24VINW10 28600.5	4	
	SOLINOID VALVE WATER 0.5-16 ATU, R ½" 29763.6	4	
	MAGNETIC LIMIT SWITCH 35135.3	40	
	LIMIT SWITCH FOR CLUTCH SIGNAL		
	(ROLLER LEVER ZC2-SY11) 29914.9	8	
	LIMIT SWITCH (BELOW) AT 11-S-J 28490.1	8	
	SOLINOID VALVE 24V, 50HZ, NW12 29942	16	
	SCREWING WE8 R 1/8" 35276.5	20	
	SCREWING WE8 ¼" 35288.8	24	
	SCREWING TE8 R ¼" 35289.8	8	
	REFRIGERANT R-134A,IN CYLINDERS OF 60 OR 100 KG	10000	kg
	REFRIGERANT OIL TYP-K FOR 134A REFRIGERANT	800	lt
<b>02-04-00573</b>	DRYING MACHINE		
	MACHINE NO.: 28.962		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	TYPE : 253.15D , 1982		
	ENGLEHARDT & FORSTER WEST GERMANY 4		
	SADDAM MEDICAL CITY/		
	FLANGED MOTOR 26540.5	4	
	11KW, B5 V1, G160M, 1500 RPM		
	FLANGED MOTOR, 2.2KW, 220/380V 24347.7	2	
	TIME RELAY SCHLEICHER 10 SEC.	16	
	RELAY 220 VOLT 11 PIN	40	
	GEAR MOTOR 380V, 50HZ, 2.2KW 35014	2	
	MOTOR PROTECTIVE SWITCH PKZMO-6 35027.2	4	
	MOTOR PROTECTIVE SWITCH PKZMO-2.4 35235.3	8	
	TIME RELAY KZTH11, 10SEC 33217.1	20	
	TIME RELAY KZTH11, 30SEC 33179.3	20	
	TIME RELAY KZTH11, 100SEC 33180.1	20	
	TIME RELAY TESCH VS 30PL 125 22556.5	10	
	CONTACTOR DILOA-22 29788.7	30	
	CONTACTOR DILOO-52 23294.2	20	
	SWITCH AT-3-11-S/J/DR 29895	12	
	END SWITCH AT-11-S/I 28490.1	10	
<b>02-04-00574</b>	HIGH VOLTAGE SWITCH GEAR		
	MANUFACTURE : SIEMENS – GERMENY		
	SADDAM MEDICAL CITY		
	VACUUM CIRCUIT BREAKER 12KV, 25KA, 630A 3AF1741-4EH40-8BA2	12	
	VACUUM CIRCUIT BREAKER 12KV, 25KA, 630A 3AF1741-4EH40-6BA2	12	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	OPERATING MECHAN-EK MOTOR DRIVE		
	110V DC	24	
	TRIPPING RELAY SET 110V DC 7VH1604	40	
	THERM-DELAY OVERLOAD RELAY, 3-POLE 3UC3860-1C	12	
	ALARM RELAY 7PG2460-3EB0	40	
	GLOW LAMP 220, CLEAR BA 95 35X1701	200	
	INCAND-LAMP BA95 , 110-130V, 2.5W 35X1731	200	
<b>02-04-00575</b>	Equipment: nourishment station		
	Model: NIM – 984		
	Company / manufacturer: market forge / Mississauga Ontario CANADA		
	Quantity: 57		
	Site:saddam medical city		
	Standard ice maker 45-1858	40	
	water reservoir ten- 3178		
	Ice maker ten-4300	20	
	Motor ten-5262	40	
	Heavy demand ice maker 45-1952	40	
	Ice maker assembly ten-4291	20	
	Thermal state- ice bin level ten-6538	40	
	Indicator knob ten-4486	40	
	Control low pressure cut out ten-6540	20	
	Capacitor ice dispenser motor ten5954	40	
	Diffusion panel (upper) ten-4495	30	
	Diffusion panel (lower) ten-4496	30	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Ballast (upper) ten-5257	20	
	Ballast (lower) ten-4497	20	
	Microwave oven (optional unit) ten-5956	50	
	240 hot plate ten-5270	50	
	Compressor –condenser unit ten-6541	50	
	Evaporator ten-6539	50	
	Capillary tube ten-6537	30	
	Refrigeration temp. control ten-6542	20	
	Klaxon over load relay ten-6980	40	
	Deforest timer ten-6680	40	
	Start relay ten-6981	20	
	Thermal eye switch front ten-5275	40	
	7- position heat switch rear ten-5279	40	
	Adapter ten-6869	40	
<b>02-04-00576</b>	Equipment: nourishment station		
	Model: NIM 972		
	Quantity: 20		
	Company / manufacturer: market forge CANADA		
	saddam Medical city		
	Ice maker assembly 45-800	20	
	Gear motor and ice maker 10-6 559	10	
	Water reservoir 10-4 296	30	
	Pilot light assembly 45-5775	60	
	Control low pressure cut out 10-6 540	20	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Capacitor ice dispenser motor 10-5 959	20	
	Main Contactor relay 10-6 552	20	
	Position heat switch front 10-5-279	20	
	Thermal eye switch rear 10-5 275	20	
	Adapter 10-6 869	20	
	Compressor condenser unit 10-5 979	40	
	Evaporator 10-3 113	20	
	Capillary tube 10-5 977	20	
	Refrigeration temp control 10-5 524	20	
	Killeen over load relay 10-5 413	40	
	Start relay 10-5 919	40	
<b>02-04-00577</b>	Equipment: motors (380V 3PH 50 HZ squirrel cage induction motor ) splash proof,lp 55 class-f		
	Company / manufacturer: any European		
	Quantity: as below		
	SADDAM MEDICAL CITY		
	kW RPM		
	30 1480	18	
	22 1480	6	
	4 2900	6	
	5.5 2900	6	
	11 2900	10	
	7.5 1480	12	
	9 2900	8	
	55 1500	8	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	11 1480	12	
	7.5 2900	8	
	3.7 1480	16	
	5.5 1480	10	
	15 3000	6	
	37 1500	10	
	18.5 1500	10	
	15 1500	6	
	75 1480	4	
	90 1480	4	
	0.25 1500	50	
	0.55 1500	6	
	187 1480	10	
	2.2/1.1 2845/1445 two speed	30	
<b>02-04-00578</b>	Equipment: bearing for fans, motors and pumps motors		
	Company / manufacturer: SKF FAG SNR		
	Quantity: as below		
	Site: saddam medical city		
	Ball bearing 2306 KC3	40	
	Ball bearing 2307 KC 3	40	
	Ball bearing 2308 KC3	40	
	Ball bearing 2309 KC3	40	
	Ball bearing 2312 KC 3	40	
	Ball bearing 2313 KC3	30	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Ball bearing 2315 KC3	30	
	Ball bearing 6205	20	
	Ball bearing 6206	20	
	Ball bearing 6207	20	
	Ball bearing 7312 B	20	
	Ball bearing 2317 K	20	
	Ball bearing 2208	20	
	Ball bearing 6312ZZ	20	
	Ball bearing 2230 Z	10	
	Ball bearing 6309 Z	30	
	Ball bearing 6307 Z	10	
	Ball bearing 6206 ZZ	10	
	Ball bearing 6203ZZ	10	
	Ball bearing 2210 K	10	
	Ball bearing 1208 K	10	
	Ball bearing 6312 C3	20	
	Ball bearing 63 H	10	
	Ball bearing 6314 -ZRS	20	
	Ball bearing 22309Z	20	
	Ball bearing 2602 -ZR	10	
	Ball bearing 6302 ZZ	20	
	Bush H 306	40	
	Bush H 307	40	
	Bush H 308	40	



CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Bush H 309	40	
	Bush H 312	40	
	Bush H 313	30	
	Bush H 315	30	
	Bracket SN 607	20	
	Bracket SN 608	20	
	Bracket SN 613	20	
	Bracket SN 615	20	
	Bracket P 205	20	
	Bracket P 207	20	
	Bracket P 213	20	
	Bracket 209S	20	
	Bracket 310 B	20	
	Bracket 19M	20	
	Bracket 806	20	
	Spherical roller bearing with bracket GN 215 KBP B	20	
	Spherical roller bearing with bracket GN 207 KRPB	50	
<b>02-04-00579</b>	BED HEAD UNIT		
	MANUFACTURER / SQUARE – D COMPANY		
	SADDAM MEDICAL CITY		
	PATIENT LIGHT LENS, 30 W SWITCH A-43116-007-02	6000	
	BED BUMPER NIGHT LIGHT BULBS GE # 25T 10250V	6000	
	EXAM LIGHT BULB, 12V, 20W SUNNEX # 1220	3000	
	20 AMP, 2-POLE PRIMARY BREAKER QIL-220	100	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	20 AMP, 2-POLE SECONDARY BREAKER QO-220	100	
	DIMMER SWITCH 220V/ 50HZ ATMOS # LC62-220/50	40	
	CLOCK/ FOHOYS; EOYJ NSYYRTU MTC-32B	1000	
	FUSE FOR CLOCK OR LIM 3AGC, 1/4A, 250V 43199-004-07	1000	
	FUSE FOR EXAM LIGHT BUSS GLR-2	1000	
<b>02-04-00580</b>	Equipment : Generator Set 1000 KVA		
	manuFACTURER /DALE/ENGLAND		
	TYPE:MF1100/DOLM		
	PLANT NBR: 48575		
	SADDAM Medical city		
	Starter motor	4	
	Start contactor	4	
	Run solenoid	4	
	Temperature gage	4	
	Pressure gage	4	
	Speed Probe	4	
	Battery	8	
	Battery Box	2	
	Electric fuel pump, floor bracket	2	
	Hand fuel pump, wall bracket	2	
	Pump starter	2	
	Speed governor assembly	2	
	Electronic speed controller	2	
	Fuel filter	2	set

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Oil filter	2	set
	Under voltage detector	2	
	Over voltage detector	2	
	Battery charger UCH	2	
	Speed unit US	4	
	Control unit UCL	2	
	Start delay and mains return relay, TWO	2	
	Charge failure timer , TCF	2	
	Charge failure unit UCF	2	
	Earth fault relay	2	
	Ammeter	2	
	Voltmeter	2	
	Battery ammeter	2	
	Battery voltmeter	2	
	Frequency meter	4	
	Indicator lamps	20	
	Current relay	2	
	Hours run meter	2	
<b>02-04-00581</b>	V-BELTS FOR FANS		
	saddam Medical city		
	v-belt 92b	200	
	v-belt 96b	400	
	v-belt 120 b	400	
	v-belt 128 b	300	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	v-belt 144 b	300	
	v-belt 163b	100	
	v-belt 39b	100	
	v-belt 173b	100	
	v-belt 49b	100	
	v-belt 158b	100	
	v-belt 78b	100	
	v-belt 112b	100	
	v-belt 45b	100	
	v-belt 85b	100	
	v-belt 130b	100	
	v-belt 180c	100	
	v-belt 166c	100	
	v-belt 158c	100	
	v-belt 925*9.5	100	
	v-belt 1200*13	100	
	v-belt 1500*17	100	
	v-belt 1150*17	100	
	v-belt 1525*13	100	
	v-belt 1250*17	100	
	v-belt 1450*17	100	
	v-belt 1350*17	100	
	v-belt 2400*17	200	
	v-belt 1500spz	100	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	v-belt 1600spz	100	
	v-belt 900spz	100	
	v-belt 1600spa	100	
	v-belt 1700spa	100	
	v-belt 1800spa	100	
	v-belt 1200*9.5	100	
	v-belt 1800*17	100	
	v-belt 2430*17	100	
	v-belt 2280*17	100	
	v-belt 1600*17	100	
	v-belt 136b	100	
	v-belt 89b	100	
	725*9.5	100	
	725*9.5	60	
	1050*9.5	60	
	1090*9.5	60	
	1100*9.5	100	
	1125*9.5	40	
	1200*9.5	100	
	1250*9.5	60	
	1400*9.5	60	
	800*10	60	
	1900*10	60	
	1750*12.5	60	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	1800*12.5	60	
	1300*13	100	
	1350*13	100	
	1400*13	100	
	1450*13	100	
	1500*13	100	
	1600*13	60	
	1825*13	60	
	1040*17	60	
	1150*17	60	
	1250*17	60	
	1350*17	60	
	1400*17	100	
	1450*17	100	
	1500*17	100	
	1600*17	100	
	1750*17	60	
	1800*17	100	
	1900*17	60	
	1950*17	60	
	2070*17	60	
	2120*17	40	
	2210*17	40	
	2250*17	60	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	2280*17	20	
	2300*17	60	
	2360*17	60	
	2400*17	60	
	2775*17	40	
	63B	100	
	85B	100	
	89B	60	
	91B	60	
	96B	200	
	120B	200	
	128B	100	
	130B	100	
	136B	200	
	144B	100	
	163B	100	
	150C	100	
	158C	200	
	166C	100	
	180C	100	
	2350*22	60	
	2500*22	60	
	1000LA	60	
	1125*12.5LA	60	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
<b>02-04-00582</b>	Bearing for fans, motors and pumps motors		
	Company / manufacturer: SKF, FAG, and SNR.		
	Saddam Medical city		
	Ball bearing 2306 KC3	100	
	Ball bearing 2307 KC 3	100	
	Ball bearing 2308 KC3	100	
	Ball bearing 2309 KC3	100	
	Ball bearing 2312 KC 3	100	
	Ball bearing 2313 KC3	100	
	Ball bearing 2315 KC3	100	
	Ball bearing 6205	100	
	Ball bearing 6206	100	
	Ball bearing 6207	100	
	Ball bearing 7312 B	100	
	Ball bearing 2317 K	100	
	Ball bearing 2208	100	
	Ball bearing 6312ZZ	100	
	Ball bearing 2230 Z	40	
	Ball bearing 6309 Z	60	
	Ball bearing 6307 Z	60	
	Ball bearing 6206 ZZ	40	
	Ball bearing 6203ZZ	40	
	Ball bearing 2210 K	40	
	Ball bearing 1208 K	40	



CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Ball bearing 6312 C3	60	
	Ball bearing 63 H	40	
	Ball bearing 6314 -ZRS	60	
	Ball bearing 22309Z	40	
	Ball bearing 2602 -ZR	40	
	Ball bearing 6302 ZZ	60	
	Bush H 306	40	
	Bush H 307	40	
	Bush H 308	40	
	Bush H 309	40	
	Bush H 312	40	
	Bush H 313	30	
	Bush H 315	30	
	Bracket SN 607	40	
	Bracket SN 608	40	
	Bracket SN 613	40	
	Bracket SN 615	40	
	Bracket P 205	100	
	Bracket P 207	100	
	Bracket P 213	100	
	Bracket 209S	100	
	Bracket 310 B	100	
	Bracket 19M	100	
	Bracket 806	40	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Spherical roller bearing with bracket GN 215 KBP B	20	
	Spherical roller bearing with bracket GN 207 KRPB	50	
<b>02-04-00583</b>	EQPMENT: DIMMING LIGHTING		
	MODEL : ES 6090 SERIES		
	COMPANY / MANUFACTURER : ES 6090 SERIES		
	QUANTITY : 99		
	SADDAM MEDICAL CITY		
	DIMMER MODULE ES6259	140	
	DIMMER MODI;E ES6459	200	
	DOUBEL POLE 15 AMP, MCB	300	
	SINGLE POLE 15 AMP., MCB	300	
	PUSE 20 AMP.	300	
	FUSE 5 AMP	100	
	DOUBLE POLE ISOLATOR 100 AMP	50	
	TP & N ISOLATOR 120 AMP.	50	
	CLOCK	200	
<b>02-04-00584</b>	REAGENTS FOR WATER ANALYSES		
	SADDAM MEDICAL CITY		
	Iodine (I2) powder	10	kg
	Potassium iodide (KI) powder	10	kg
	Acetic acid ( CH3COOH)solution	20	litter
	Strach – powder	10	kg
	Potassium hydroxide- powder	10	kg
	Ammonium molybdate MONH4	10	kg

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Hydroqivion – powder	10	kg
	Sulphoric acid H2SO4- solution	20	litter
	Potassium carbonate powder- K2CO3	10	kg
	Methyl orange- solution	20	litter
	Methanol alcohol	20	litter
	Ethanol alcohol	20	litter
	Phenole phtaline	10	kg
	Sodiumthiosulfite	10	kg
	Ethylene diaminetetra actic acid	10	kg
	Super black powde	10	kg
	Ph test paper (5-8)	500	roll
	PH test paper (10-12)	500	roll
	PH test paper (1-11)	500	roll
	Digital ph-meter	10	
	digital conductivity-meter	10	
	chimical dosing pump,variable vollume ,variable speed complete with polyth.1000 lt tank,motor mixer control box,	20	
	Portable water chemical analyses kit: for,hardness,conductivity,ph,	10	
	Sulphite,phosphite,chlor,iron ,	50	ton,in 60KG
	With sufficient solutions and indicators for 1000 tests	5	ton,in 60KG
<b>02-04-00585</b>	Frion		
	R-12	100	ton, in 120KG
	R22	40	ton, in 120KG
	R-502	10	ton, in 120KG
<b>02-04-00586</b>	Germicidal lamp for operating theator AHU		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	1-Germicidal lamp (complete)	800	
	uitra violrt lamp T.U.V		
	220V 50HZ 0.36A 30W 83W/cm^2		
	2-ultra violet lamp only	1600	
	3-choke	200	
	4-tube holder	200	
	5-starter	200	
<b>02-04-00587</b>	Equipment:bearing for pumps , motors and fans		
	Model: Different		
	Company/manufacturer: European		
	Site:saddam Medical city/		
	Ball Bearing 6202 zz	80	
	Ball Bearing 6203zz	120	
	Ball Bearing 6204zz	80	
	Ball Bearing 6205zz	160	
	Ball Bearing 6206zz	240	
	Ball Bearing 6207zz	280	
	Ball Bearing 6208zz	400	
	Ball Bearing 6209zz	80	
	Ball Bearing 6212	300	
	Ball Bearing 6213	40	
	Roller Bearing NU213	40	
	Ball Berating 6215	40	
	Roller bearing NU215	40	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Ball Bearing 6218	40	
<b>02-04-00588</b>	equipment : generator		
	company name : cummins		
	type : 165/7		
	serial 80042457		
	kv/kw 750/600		
	volt 380/220		
	3 ph-50hz-1500rpm		
	switch board sace-bergamo		
	1600A	30	
	160A	50	
	250A	50	
<b>02-04-00589</b>	equipment : air handling units		
	type cim 60 DS		
	ercolemarelli-aeraulica		
	motor 5 kw	20	
	motor 4 kw	20	
	motor 3 kw	20	
	motor 1.5 kw	20	
	threeway valve	64	
	serbase and coil for coold water for 200m X78cm tipo-type cim 130 DS	4	for each
	serbase and coil for coold water for tipo-type CIM 80 DS 154X60cm	12	for each
	serbase and coil for coold water for type CIM 100 DS 146x70m	10	for each
	serbase and coil for coold water for type CIM 60 DS	16	for each

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	serbase and coil for coold water for type CIM 40 DS	4	for each
	serbase and coil for coold water for type CIM 40 DS (95x50)	6	for each
	serbase and coil for coold water for type CIM 30 DS	2	for each
	serbase and coil for coold water for type CIM 220 DS	6	for each
<b>02-04-00590</b>	Supply the following system for chiller of general hospital		
	1-transformer 1000KVA	44	
	2-L.T. circuit breaker with all its accessoris and must be coupled together with its panel , the rating of C.B should be	60	
	3-circuit beraker on the main board control with its panel	90	
	4-all the connction cable and terminal		
	5-all the system must be installer by the supplier with one year warranty and two year maintenance affeirs period of		
	6-spare part for 5 years		
	7-complete cataloq for all the system		
	8-trining for statl in factory for your information the chiller is starting current 1040A		
	runing current 693A		
<b>02-04-00591</b>	General required		
	compressor for window type air condetion 2ton 220V R22 1PH 50HZ	580	
	thermostat for window type air condetion	400	
	selector switch for window type air condetion	300	
	compressor for split 2ton 220V R22 1PH 50HZ	100	
	compressor for refrigerator 1/3HP 220V 50HZ 1PH R12	50	
	compressor for refrigerator 1/4HP 220V 50HZ 1PH R12	20	
	compressor for refrigerator 1/5HP 220V 50HZ 1PH R12	130	
	compressor for refrigerator 1/6HP 220V 50HZ 1PH R12	160	
	compressor for refrigerator 1/8HP 220V 50HZ 1PH R12	20	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	thermostat for refriegerator VCI	210	
	thermostat for frezzer VS5	130	
<b>02-04-00592</b>	COOLING TOWER MIST ELIMINATORS		
	MATERIAL:pvc		
	TYPE:3PASS ZIGZAG type 152.5 cmx80cmx20cm	2400	m <sup>2</sup>
<b>02-04-00593</b>	sterilizing water for theter room ultraviolet water purifiers		
	company name:maropieny-GAPAN-Ozonless		
	1-filter	40	
	2-solnoid valve	20	
	3-fuse holder	20	
	4-lamb holder	12	
<b>02-04-00594</b>	equipment :elevator		
	capacity :1450 kg		
	company name:HITACHIE - JAPAN		
	steel tape	272	m
	triangle finger	14	
	thyristor	6	
	diode	2	
	roller	16	
<b>02-04-00595</b>	equipment :elevator		
	capacity : 550 kg		
	company name:HITACHIE - JAPAN		
	finger + carbon brush	50	
	triangle finger	16	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	thyristor	6	
	diode	6	
<b>02-04-00596</b>	equipment :elevator		
	capacity : 750 kg		
	company name:HITACHIE - JAPAN		
	finger + carbon brush	50	
	triangle finger	20	
	diode	2	
<b>02-04-00597</b>	equipment : cooling tower		
	capacity : 1650 T.R		
	company name:HITACHIE - JAPAN		
	plastic seal	6	set
	ball bearing CUS 211	20	
	motor 5.5 kw	4	
<b>02-04-00598</b>	<b>A.H.U</b>		
	spesification of A.H.U		
	A.H.U. unit No.C8motor KW7.5total Q supply air <del>m<sup>3</sup>/hr14000Q fresh air m<sup>3</sup>/hr1950external static pressure</del>		
	A.H.U. unit No.C14motor KW7.5total Q supply air m <sup>3</sup> /hr11600Q fresh air m <sup>3</sup> /hr11600external static		
	A.H.U. unit No.C17motor KW11total Q supply air m <sup>3</sup> /hr20800Q fresh air m <sup>3</sup> /hr9250external static		
<b>02-04-00599</b>	<b>TIFA</b>		
	. Company Name : / USA		
	Subj., : Spare Parts for tifa fogging machine model 100E		
	Carburetter	10	
	Fule pumps	20	
	Formulation Pumps	20	
	Carburetter repair Kit	30	
	Ignition Electrode	30	
	Ground wire	30	



CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Nozzle with strainer	30	
	Spark plug	40	
	Fuel Valve	14	
	fog Valve	14	
	Partical size selector valve	10	
	Gas selonoid valve	14	
	Formulation selonoid valve	14	
	Complete set of Switches	30	
	Complete set of Hoses	30	
	Complete set of Belts	30	
	Start selenoid valve	20	
	Gas presure Gauge	30	
	Formulator presure Gauge	20	
	Pyrometer	20	
	Tachometer	30	
	Fire traps	30	
	Presure Switch	14	
	Themo couple	20	
	Complete set of Gas Kit	20	
	Gravity Tank	14	
	Magnito Complete	14	
	Mufflers Complete	10	
	Suction and return manifold line	10	
	30U-IV cells stionk.		
<b>02-04-00600</b>	<b>Spare parts for Tifa</b>		
	Armature magnito	100	
	Indicator tape for sterilization (Hogy ) , (12mm x 50m)	1400	rolls
	OSONIC ECO equipment (Australia ) 901048		
	Probe 3.5 Mz frequency	2	
	U/S set photo line SLI ( Germany ) PE 90962		
	Sector & liner 5.5 Mz	2	
<b>02-04-00601</b>	<b>Spare part for GMW high volume air samplers model 2000 H &amp; model 2000 as follows</b>		
	0.6 motor (180-240V) (50HZ)	20	
	brushes B-1	200	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	fiber glass filter paper (24.5x20.3 ) cm air sampler	80	box200 filter/bo
	motor housing 2007	10	
	Mounting plate motor cover (2005 (	10	
	Motor Cushion (2005)	40	
	Power card assembly (2011)	40	
<b>02-04-00602</b>	<b>Spare parts for CO analyzer type CO 11M (Group environment SA ee) As follows:</b>		
	membrane filters for inlet dust filter (AV- K00042 -A).	10	box(50 filter
	Fuses(220 v 3 x1 ATD / 1x0.5 ATD/-).	10	sets (10 fuse
	Fuses (110 v 2x2 ATD / 1x0.5 ATD /1x1ATD).	10	sets (10fuse
	Palladium for refilling internal zero filter (01-000g-A. (	10	120g
	Wisa air pump kit (VO2 - k - 113 - 909 - A)	10	
	Acrylic dust filters for aeration grids (F05 - 5003 -A).	10	(4 filter /set)
	IR Source with cable and connector ( MO3 - 0004-A)	10	
	Standard CO gas cylinder (50 ppm)	4	
<b>02-04-00603</b>	<b>Spare parts for SO2 analyzer (AF 21 M – LCD UV Fluorescent sulfur dioxide) group environment S A ee</b>	10	
	diaphragm filter holder.(SAV - K - G 00042 A).		box (50 filter
	acrylic dust filter for general fan (F05 - 5003-A).	10	sets (4 fuse
	refilling material for internal zero air filter (F0-0061-A).	10	120g
	air pump kit (V02 - K-113-909A).	10	
	Ultra time delay fuses for 220 volt Kit (DITD/1A-dia-5x20 mm SOL -TT 01-00A)	20	
	Ultra time delay fuses for 220 volt Kit (DITD/0.5A-dia-5x20 mm SOL -TT 00.50A).	20	
	Ultra time delay fuses for 110V Kit - 110 V pump direct D1 TD/2A - dia 5x20 mm S01 - TT02 .00A).	10	
	Ultra time delay fuses for 110V Kit - 110 V pump direct D1 TD/1A - dia 5x20 mm S01 - TT01 .00A)	10	
	Ultra time delay fuses for 110V Kit - 110 V pump direct D1 TD/0.5A - dia 5x20 mm S01 - TT00 .50A(	20	
	Ultra time delay fuses for 110V Kit - 220 V pump outo transformer ( D1 TD/2A - dia 5x20 mm S01 - TT02 .00A(	30	
	Ultra time delay fuses for 110V Kit - 220 V pump outo transformer( D1 TD/0.5A - dia 5x20 mm S01 - TT00 .50A)	20	
	Standard SO2 gas cylinder for calibration	4	
<b>02-04-00604</b>	<b>Calibration gas Cylinder for SO2 Ambient Analyzer Type 477 (Refer ee0)(below 1 PPM)</b>	2	
<b>02-04-00605</b>	<b>Rechargeable nickel-cadmium battery for noise level analyzer type 4426</b>	48	
	Sulfuric acid	40	<sup>1</sup>
	hydrochloric acid	40	<sup>1</sup>
	Nitric acid	40	<sup>1</sup>
<b>02-04-00606</b>	<b>accessories for rotork analysis model 400 - co analyzer (refer ee)</b>		
	A- manual for model 400 dual been infrard analyzer	2	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	B- calibration gas cylinder (50 ppm)	2	
<b>02-04-00607</b>	<b>Batteries (22.5 V ) long life type</b>	144	
<b>02-04-00608</b>	<b>Spare parts for kjeldahal instrument (gallen kamp comp.) as follows:</b>		
	Flaskes kjeldahal (800ml)	24	
	splash heads	24	
	Condensers	24	
	Delivery funnels	24	
	0.6 H.P motor for H.V.S ,220V ,50HZ model code G115750	16	
	Motor brushes, part No. GB1,packing size ; set of 2	24	set
<b>02-04-00609</b>	<b>Dry batteries</b>		
	from (Griffin international ) in England	24	
<b>02-04-00610</b>	<b>equipment:- deaerating plant</b>		
	company:- worthington - sim pson limited		
	site:- medical city-baghdad		
	serial no:-E.11.S		
	<b>description</b>		
	level controllertype12802-326MM CRSmanufactureremasoneilan	8	
	water input control valvetype100MM camflexmanufactureremasoneilan	8	
	water bleed control valvetype50 MM camflexmanufactureremasoneilan	8	
	steam control valvetype100MM camflexmanufactureremasoneilan	8	
	magnehc level switchestype2-S01/F83manufacturerbestobell mobrye	8	
	high level alarm belltype510manufacturerbestobell mobrye	8	
	low level alarm horntype514manufacturerbestobell mobrye	8	
	relief valvetype80MM 686 single springmanufacturerbirkett	8	
	vacuum breakertype50MM 737single springmanufacturerbirkett	8	
	water level guagetype20MM Tubular Glassmanufacturerropes- vulcan	8	
	dial thermometertype160 MM dial Modelcmanufacturerbritish rothgrm	8	
	pressuse gnagetype150 MM dial Fig.S01manufacturersydney smith dennis	8	
	nozzies	100	
<b>02-04-00611</b>	<b>equipment:- boiler number A/TTP/6448-49-50-51</b>		
	maunufachure:-cochran boilers LTD		
	oil atomiser SKV-60	16	
	FD Faw motor	16	
	burner motor	16	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	oil control unit-complete	16	
	secondary air cam assmbly - complete	16	
	air hose	64	
	UV cell and holder	32	
	oil hose	32	
	oil meter-complete	32	
	ignition gas shift	32	
	switch pack	64	
	modilahing valve	16	
	photo ceel amplifier	32	
	LF/HF micro switehs	32	
	door micro switeches	16	
	flame baffle 60-100	48	
	drive bellt	32	
	sequence cam hiner	16	
	fd fan impeller C.W	16	
	FD FAN impeller E.C.W	16	
	OIL HINGE	23	
	ignitor assembly - complete	23	
	gas hose	23	
	water guage column-completr	23	
	pump and first low water control -coplete	16	
	secanel lew water couhal complete	16	
	modiahing control valve	16	
	sequence control valve	16	
	stop valve complet	16	
	feed check valve-complete	8	
	pawallet slide blow dawn valve - complete	8	
	rean access door	16	
	rean observahian port complete	32	
	auto T.D.S system	8	
	sample cooler	8	
	auto blow down valve	16	
<b>02-04-00612</b>	<b>cooling tower fan gear</b>	20	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	specification		
	amrillo right angle fan drive		
	model : 1712		
	serial no:-141243		
	service rating : 241 H.P at :1750 R.P.M input		
	service factor :2		
	ratio:B:1 reducing		
	inlet shft diameter: 62 M.M		
	out let shaft diameter : 126 M.M		
<b>02-04-00613</b>	<b>cooling tower fan motor</b>	10	
	specification		
	reliance duty master A-C motor		
	frame : 449T		
	type		
	identification no: IMAF 02273-G2-XG		
	H.P : 200/50		
	insul. Class:f		
	R.P.M : 1490/745		
	AMB :50C		
	volts: 380 S.F:1 AMPS:283/106		
	duty:cont. code:K PH:3 CY:50		
	drive end bearing:90 B CO3x30x26(XTMTR)		
	opp. Drive end bearing :90 B CO3x30x26		
<b>02-04-00614</b>	<b>cooling tower fan</b>	20	
	specification		
	complete fan assembly		
	hudson tuf-lite adjustable pitch fans		
	seal disc : M-847		
	material :reinforced fiberglass epoxy resin		
	model : AP-T-328B-9-shaft DIAM.=5" bore		
	diameter : 32FT		
	no.of blades:9		
	HUB model:5809S		
	HUB serial no:35102		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	HUB material : steel		
	ST.pressure = 0.57 inch H2O		
	net V.pressure=0.10 inch H2O		
	fan driver out put H.P=186		
	fan R.P.M : 112		
	C.F.M AT HIGH speed:1100 000.-		
	fan blade no:T-30-BH-6369,6370,...FTC		
<b>02-04-00615</b>	<b>cooling tower drive shaft complete</b>	10	
	specification		
	complete drive shaft assembly with extra flexible elements		
	model:A5-5 And 47-40		
	full floating type with flexible		
	couplings at both ends		
	material : stainless steel		
	coupling : stainless steel plate type		
	rate H.P:210		
	shaft no :dana-AJ-40-SS		
	shaft O.D:107.5 M.M		
	FLANGE O.D :194M.M		
<b>02-04-00616</b>	<b>Equipment :-IGEBA</b>		
	MODEL :- TF35		
	company:-LOD FRANCE		
	spare part proposal to service about 52 units IGEBA TF 35 FOG genertors over aperios of about (2) years, taking		
	<b>DESCRIPTION</b>		
	fixing device part NO.10-00 000.03	4	
	heat deflector shieldpart NO.10-00 000.04	4	
	fog solution socketpart NO.10-00 000.07	20	
	solution funnelpart NO.10-00 000.22	20	
	gasoline funnelpart NO.10-00 000.23	20	
	carrying strappart NO.10-00 000.27	20	
	supportpart NO.10-00 100.00	4	
	supportpart NO.10-00200.00	4	
	double hollow screwpart NO.10-00 310.00	32	
	felt tubepart NO.10-00 500.04	80	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	bracketspart NO.10-00 601.01	40	
	protection coverpart NO.10-00 601.02	12	
	valve cplpart NO.10-00 700.00	20	
	diaphragmpart NO.10-00 700.02	200	
	gasketpart NO.10-00 700.03	120	
	gasket vitonpart NO.10-00 700.04	200	
	cup nutpart NO.10-00 700.07	40	
	connecting linkpart NO.10-00 820.00	20	
	protective guard part NO.10-00 900.00	12	
	solution tank cplpart NO.8--01 001.00	4	
	edge protecetionpart NO.10-01 000.01	20	
	tank cap cplpart NO.10-01 201.00	20	
	tank cup cplpart NO.10-02 200.00	20	
	gasketpart NO.10-02 200.02	40	
	profiled joint part NO.10-03 000.05	12	
	pump colpart NO.10-04 000.00	8	
	cappart NO.10-04 120.01	8	
	springpart NO.10-04 120.02	8	
	pump spindlepart NO.10-04 120.03	12	
	collarpart NO.10-04 120.04	20	
	handlepart NO.10-04 120.05	12	
	fog tubepart NO.10-05 000.01	12	
	gasketpart NO.10-05 000.03	32	
	resonatorpart NO.10-05 100.00	8	
	cooling jacketpart NO.10-05 210.00	8	
	spacer platepart NO.10-05 300.05	8	
	diaphragmpart NO.10-05 300.06	200	
	valve platepart NO.10-05 301.01	12	
	regulating needle cplpart NO.10-05 520.04	20	
	battery holderpart NO.10-06 000.01	12	
	starter buttonpart NO.10-06 000.04	12	
	grommetpart NO.10-05 000.05	40	
	spark plug soketpart NO.10-06 000.06	32	
	spark plug part NO.10-06 100.07	60	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	battery coverpart NO.10-06 100.01	12	
	contact springpart NO.10-06 100.03	12	
	contact plate with cablepart NO.10-06 200.00	12	
	cablepart NO.10-06 210.00	20	
	ignition coilpart NO.10-06 300.00	8	
	solution tap cplpart NO.10-07 101.00	20	
	gasker teflonpart NO.10-07 101.06	40	
	screw connectionpart NO.10-07 101.07	36	
	solution rising linpart NO.10-07 200.00	12	
	solution linepart NO.10-07 403.00	12	
	ventilating airlinepart NO.10-07 500.00	12	
	dosage nozzle (0.8)part NO.11-07 010.00	20	
	dosage nozzle (1.2)part NO.11-07 250.00	20	
	dosage nozzle (1.4)part NO.11-07 030.00	20	
	O-RINGpart NO.1.5 X 1 viton	40	
	O-RINGpart NO.3 X 1 viton	120	
	O-RINGpart NO.10 X 1 viton	32	
	O-RINGpart NO.5 X 1.5 viton	120	
	O-RINGpart NO.14X 1.5 viton	32	
	O-RINGpart NO.25X 1.5 viton	100	
	O-RINGpart NO.43 X 3 viton	40	
	tubepart NO.8-00 700.01	12	
	pressure pipepart NO.8-00 800.00	12	
	gasoline tank cplpart NO.8-02 000.00	2	
	gasketpart NO.8-05 000.02	52	
	atomizer nozzle cplpart NO.8-05 050.00	12	
	air intake valvepart NO.8-05 300.00	4	
	lnurled nutspart NO.8-06 400.02	12	
	silencerpart NO.8-05 410.00	12	
	mixing chamber cplpart NO.8-05 500.00	8	
	swirl vanepart NO.8-05 600.00	8	
	surge tank coverpart NO.8-05 700.01	4	
	gasketpart NO.8-05 700.02	10	
	screwed soketpart NO.8-05 700.04	12	



CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	surge tankpart NO.8-05 710.00	4	
	gasoline stop button cplpart NO.8-05 720.00	12	
	bushingpart NO.8-05 720.01	8	
	plungerpart NO.8-05 720.02	12	
	buttonpart NO.8-05 720.03	8	
	gasolin suction line cplpart NO.8-05 730.00	20	
	hollow screwpart NO.8-05 730.01	12	
	screw fittingpart NO.8-05 730.03	12	
	hose with filterpart NO.8-05 735.00	12	
	set of gaskets diaphragmpart NO.8-10 100.00	12	
	tool bag cplpart NO.8-10 200.00	8	
	tooth lock washerpart NO.DIN6797 5,3	40	
	wing screwpart NO.DIN316 M5X10	20	
	gasketpart NO.DIN7603A 10X13,5CU	320	
	gasketpart NO.DIN7603A 10X13,5VF	720	
	hollow screwpart NO.DIN7623A4-MS	20	
	tapping screwpart NO.DIN7981 B2,9X6,5	80	
	tapping screwpart NO.DIN77918 B4,8X9,5	80	
	fill head screwpart NO.DIN7985 M4X12 VA	200	
	fill head screwpart NO.DIN7985 M4X25 VA	120	
	fill head screwpart NO.DIN7985 M4X30	40	
	fill head screwpart NO.DIN7985 M5X6	40	
	fill head screwpart NO.DIN7985 M5X8	120	
	fill head screwpart NO.DIN7985 M5X12	40	
	hexagon cap nutpart NO.DIN1587 M4	40	
	hexagon nutpart NO.DIN934 M4 VA	120	
	hexagon nutpart NO.DIN934 M5	120	
	hexagon nutpart NO.DIN934 M6 V2A	80	
	set screwpart NO.DIN913 M6 X 18	40	
	sheet metal nutpart NO.BM 15 888	64	

**Spare parts to service 52 units TF 35**

	Starter button	12	PCS
	Contact plate with cable	12	PCS
	Solution Tap CPL.	10	PCS

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Gasket Teflon	30	PCS
	Screw Connection	36	PCS
	Solution Rising line	12	PCS
	Ventilating Line	12	PCS
	O-Ring	100	PCS
	O-Ring	32	PCS
	O-Ring	100	PCS
	O-Ring	32	PCS
	O-Ring	100	PCS
	Tube	12	PCS
	Pipe	12	PCS
	Gasket	52	PCS
	Sound Control	12	PCS
	Surge Tank Cover	4	PCS
	Gasket	10	PCS
	Screwed Socket	12	PCS
	Bushing	8	PCS
	Plunger	12	PCS
	Solution Socket	20	PCS
	Screw	32	PCS
	Felt Tube	50	PCS
	Valve CPL	20	PCS
	Diaphragm	200	PCS
	Gasket	120	PCS
	Gasket Viton	200	PCS
	Connecting Link	20	PCS
	Tube	12	PCS
	Resonator	8	PCS
	Cooling Gasket	8	PCS
	Button	8	PCS
	Gasoline Suction Line CPL	20	PCS
	Screw	12	PCS
	Screw Fitting	12	PCS
	Hose with Filter	12	PCS

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Gasket	100	PCS
	Gasket	100	PCS
	Screw	20	PCS
<b>02-04-00617</b>	Equipment :- IGEBA part NO.		
	MODEL :- HD 160part NO.		
	company:-LOD FRANCEpart NO.		
	spare part proposal 25 units IGEBA TF -F 160 HD( jambo) high performance fog genertors for period of abt . Two		
	DESCRIPTIONpart NO.PART NO.		
	tank cap cpl.part NO.11-01 200.00	10	
	gasketpart NO.11-01 200.02	50	
	decompression screw with pressure control valvepart NO.11-07 850.00	10	
	O-ringpart NO.10x3 VITON	50	
	through filter cplpart NO.50-07 601.00	10	
	fillterpart NO.50-07 601.03	50	
	gasketpart NO.50-07 601.02	50	
	gasketpart NO.DIN 7603 A 10x20 Cu.	200	
	solution tappart NO.11-07 101.01	10	
	gasketpart NO.DIN 7603 A 13,5x18	20	
	thread connectionpart NO.11-07 101.02	20	
	angle screw fittingpart NO.252 107	10	
	tupepart NO.11-38 000.02	50	
	spacerpart NO.252 928	100	
	gasketpart NO.253 926	100	
	label (liter scale)part NO.10-38 000.01	50	
	gasketpart NO.DIN 7603 A 10,5x13 VT	1000	
	air filterpart NO.11-12 000.01	50	
	screwpart NO.DIN 7985 M 5x8 V2A	100	
	screwpart NO.DIN 966 M 5x25	100	
	gasketpart NO.11-05 300.05	100	
	nutpart NO.DIN 934 M 5	100	
	outer diaphragmpart NO.11-05 300.03	100	
	inner diaphragmpart NO.11-05 300.04	100	
	gasketpart NO.11-05 000.03	50	
	screwpart NO.DIN 966 M 5x12 V2A	200	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	valve cplpart NO.10-00 700.00	100	
	gasketpart NO.10-00 700.04	200	
	gasketpart NO.10-00 700.03	200	
	cap nutpart NO.10-00 700.07	100	
	tank cap cplpart NO.10-02 200.00	50	
	gasketpart NO.10-02 200.02	50	
	hollow screwpart NO.10-14 500.00	20	
	gasoline tappart NO.11-02 301.00	20	
	gasoline tappart NO.22-02 101.00	20	
	gasoline dosage part NO.11-05 520.00	10	
	O-ringpart NO.3x1 VITON	100	
	nozzlepart NO.10-05 500.02	10	
	gasketpart NO.10-05 500.03	100	
	atomizer nozzlepart NO.11-05 000.06	20	
	threaded rodpart NO.10-05 500.04	20	
	gasketpart NO.11-05 510.03	50	
	swirl vanepart NO.10-05 602.02	10	
	O-ringpart NO.31x1,5 VITON	50	
	gasketpart NO.11-05 000.02	100	
	back valve col . With fittingspart NO.	20	
	hose 250mmpart NO.51-05- 402.01	50	
	hose 300mmpart NO.51-05- 402.02	50	
	compressorpart NO.22-06 200.01	100	

Spare parts to service 25 units TF160

Decompression screw with control valve	10	PCS
Throught Filter CPI	10	PCS
Filter	50	PCS
Gasket	50	PCS
Thread Connection	20	PCS
Tube	50	PCS
Spacer	100	PCS
Gasket	100	PCS
Gasket	100	PCS
Outer Diaphragm	100	PCS

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	Inner Diaphragm	100	PCS
	Valve CPL	100	PCS
	Gasket	100	PCS
	Gasket	100	PCS
	Nozzle	10	PCS
	Gasket	100	PCS
	Nozzle	20	PCS
	Hose 300MM	50	PCS
	Comprensor	100	PCS
	Switch	20	PCS
	Valve	10	PCS
	Plug for solution valve	30	PCS
	Spring	50	PCS
	Correction Gasket	10	PCS
	Gasket	100	PCS
	O-ring	50	PCS
	Fuse Box	50	PCS
	Switch Green	50	PCS
	Fuse Carrier	50	PCS
	Control Panel	20	PCS
	Gasket for plug	50	PCS
	Cap nut	100	PCS
	Threaded Rod	20	PCS

<b>02-04-00618</b>	spark plugpart NO.10-06 000.07	50	
	ignition coilpart NO.10-06 300.00	20	
	spark plug soketpart NO.11-06 000.02	50	
	spark plug cablepart NO.51-06 300.02	50	
	manometric switchpart NO.11-09 101.00	20	
	electronic controlpart NO.11-09 400.00	10	
	relaypart NO.22-09 000.01	50	
	nutpart NO.DIN 439 M 12X1	100	
	wing screwpart NO.DIN 316 M 5X10	100	
	fog tubepart NO.50-05 000.01	10	
	resonatorpart NO.50-05 100.00	10	

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	solution socketpart NO.14-00 100.00	30	
	ring linepart NO.51-07 300.00	50	
	gasketpart NO.DIN 7603 A 10,5X13CU	500	
	hollow screw with dosage nozzle (20)part NO.51-07 040.00	60	
	screw plugpart NO.51-07 000.01	60	
	solution linpart NO.50-07 200.00	10	
	solution valvepart NO.11-09 201.00	10	
<b>02-04-00619</b>	plug for solution valvepart NO.11-09 230.00	50	
	pressure springpart NO.11-09 200.03	50	
	core coith gasketpart NO.11-09 210.00	10	
	gasketpart NO.11-09 200.02	100	
	O-ringpart NO.25X1,5VITON	50	
	SPIRAL TAPEpart NO.SP 50/100 1G	50	
	CABLE CLIPpart NO.145MM 1G	200	
	fuse boxpart NO.22-09 110.40	50	
	connection cablepart NO.22-09 310.00	20	
	fuse,20Apart NO.52-06 200.04	200	
	fuse,4Apart NO.52-06 200.06	200	
	remonte controlpart NO.52-09 100.00	10	
	led with cable , yellowpart NO.22-09 110.30	50	
	LED with cable , GREENpart NO.11-09 500.00	50	
	switch , greenpart NO.11-09 000.01	50	
	switch , redpart NO.11-09 000.02	50	
	fuse carrierpart NO.52-06 200.03	50	
	alligator clips with cable and fusepart NO.22-09 160.00	50	
	aillgator clip,(+),(-),setpart NO.22-09 160.01/.02	100	
	printed circuit pordpart NO.22-09 111.50	20	
	solenoid valve (12V)part NO.22-02 201.00	10	
	diode 1 N 4007part NO.22-02 230.03	50	
	gasket for plugpart NO.11-09 230.01	50	
	<b>BURNE</b>	44	
	to supply complete burne for MP . Boiler installed		
	model : 3TR-q oil burne		
	kind of fuel:-No.2 fuel oil (ASTM)		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	fuel consumption:- 357 KG/h		
	forced draft fan		
	in flow:- 90m <sup>3</sup> /min (at 20c		
	electric motor :- 15KWx2P		
	oil pump		
	type of pump:- GL-13-5		
	capacity:-12/15 L/min (50/60)		
	electric motor :- 0.4KW x 4P		
	burner motor		
	electric motor :- 0.75KW x 2P		
	_ old boiler model :-MP boiler No.809		
	_ supply complete catlog for equipment		
	_ it must be installed instead on the boiler		
	_ traning for engineer in the factory		
	<b>Equipment :- AHU</b>		
	company name :- Hydronic (old model)		
	A-The Requist spare part for the following AHU Ins tallied in 6 hospitale		
	1-Fan + motor + housing complete + belt +pulley		
	to be installed instead of the old model .		
	2-give cooling coil complete to be installed instead of old one		
	3-give complete Recomonded spare part for the new fan complete .		
	B-give complete catalogues including dimension and		
	C-Waranty for one year from date of operation .		
	D-training for staff in the factory .		
	E-Confirm that the new fan and coil will be install with out changing the old AHU		
	Manufacturer :- Hydronic (solyvent)		
	all motor 50HZ		
	Tropic Insulation IP44 class F		
	AHUC1-STypeCC135MistralDB42Air(m3/h)capacity11.7 00total pressure131Cooling capacity155.84Power(KW)7.5StaterStar delta		
	AHU - EXTypeMistralDB42Air(m3/h)capacity10.66 0total pressure89Cooling capacityPower(KW)4StaterDirect		
	AHUC2-S TypeCCB64MistralDB31Air(m3/h)capacity5.2 00total pressure82Cooling capacity73.5 0Power(KW)2.2StaterDirect		
	AHUC3-SJTypeCCB170MistralDB50M2Air(m3/h)capacity14.3 00total pressure172Cooling capacity175Power(KW)15x2StaterStar delta		
	AHU - EXTypeMistralDB56M1Air(m3/h)capacity14.2 00total pressure60Cooling capacityPower(KW)5.5StaterDirect		

CODE	DESCRIPTION	QUANTITY	UNIT OF MEASURE
	AHUC3-SHTypeCCB170MistralDB50M2Air(m3/h)capacity15.53 0total pressure171Cooling capacity190.73Power(KW)15x2StaterStar delta		
	AHU - EX TypeMistralDB56M1Air(m3/h)capacity16.14 0total pressure59Cooling capacityPower(KW)5.5StaterDirect		
	AHUC3 - SallTypeCCB170MistralDB50M2Air(m3/h)capacity16.6 00total pressure183Cooling capacity204.4 0Power(KW)15x2StaterStar delta		
	AHU - EXTypeMistralDB56M1Air(m3/h)capacity16.6 00total pressure67Cooling capacityPower(KW)5.5StaterDirect		
	AHUC4-STypeCCB200MistralDB50M2Air(m3/h)capacity18.8 00total pressure194Cooling capacity270.98Power(KW)15x2StaterStar delta		
	AHU -EXTypeMistralDB50M1Air(m3/h)capacity18.16 0total pressure61Cooling capacityPower(KW)5.5StaterDirect		
	AHUC5-STypeCCB110MistralDB42Air(m3/h)capacity10.9 00total pressure146Cooling capacity152.35Power(KW)7.5StaterStar delta		
	AHU -EXTypeMistralDB42Air(m3/h)capacity10.48 0total pressure95Cooling capacityPower(KW)5.5StaterDirect		
	AHUC6-STypeCCB135MistralDB42Air(m3/h)capacity11.96 0total pressure136Cooling capacity161.5Power(KW)7.5StaterStar delta		
	AHU -EXTypeMistralDB42Air(m3/h)capacity11.06 0total pressure96Cooling capacityPower(KW)5.5StaterDirect		
	AHUC7-STypeCCB135MistralDB46Air(m3/h)capacity13.8 00total pressure123Cooling capacity88.97Power(KW)7.5StaterStar delta		
	AHU -EXTypeMistralDB42Air(m3/h)capacity11.54 0total pressure54Cooling capacityPower(KW)3StaterDirect		
<b>02-04-00620</b>	AHUC8-STypeCCB86MistralDB38Air(m3/h)capacity8.6 00total pressure120Cooling capacity52.92Power(KW)5.5StaterDirect		
	AHU -EX TypeMistralDB34Air(m3/h)capacity7.8 00total pressure47Cooling capacityPower(KW)2.2StaterDirect		
	AHUC9-STypeCCB86MistralDB38Air(m3/h)capacity8.8 00total pressure119Cooling capacity59.55Power(KW)5.5StaterDirect		
	AHU -EXTypeMistralDB34Air(m3/h)capacity7.59 0total pressure47Cooling capacityPower(KW)2.2StaterDirect		
	AHUC10-STypeCCB86MistralDB34Air(m3/h)capacity7. 000total pressure100Cooling capacity45.36Power(KW)3StaterDirect		
	AHU -EX TypeMistralDB34Air(m3/h)capacity5.6 00total pressure40Cooling capacityPower(KW)1.1StaterDirect		
	AHUC11-STypeCC110 MistralDB42Air(m3/h)capacity10.7 00total pressure120Cooling capacity68.4 00 fgihPower(KW)3StaterDirect		
	AHU -EXTypeMistralDB42Air(m3/h)capacity9.7 00total pressure55Cooling capacityPower(KW)3StaterDirect		
	AHUC12 Ja - STypeCC110MistralDB38Air(m3/h)capacity10.9 00total pressure114Cooling capacity60.285 fgihPower(KW)5.5StaterDirect		
<b>02-04-00621</b>	AHU -EX TypeMistralDB38Air(m3/h)capacity9.15 0total pressure47Cooling capacityPower(KW)2.2StaterDirect		
<b>02-04-00622</b>	AHUC12all -S TypeCC110MistralDB38Air(m3/h)capacity9.2 00total pressure108Cooling capacity58.56Power(KW)5.5StaterDirect		