

**Intervention by
Jeanne E. Head, RN., U.N. Representative
National Right to Life Educational Trust
At the
43rd Session of the Commission on Population and Development**

April 14, 2010

My name is Jeanne Head. I am UN Representative for National Right to Life Educational Trust and a Representative of the International Right to Life Federation.

We are dedicated to the protection of all innocent human life from conception to natural death. We see a woman's life as a continuum deserving compassionate protection and support beginning at her conception and proceeding throughout her entire life cycle.

As an Obstetric nurse who has spent my life caring for women having babies, I would like to make a plea to the delegations to put greater resources and emphasis on improving health care in the developing world, particularly maternal health care.

I was pleased to hear Dr. Carissa F. Etienne of WHO made a similar plea in her presentation.

At the 1994 Cairo Conference on Population and Development (ICPD), nations resolved to strive to effect significant reductions in maternal mortality by the year 2015--to reduce maternal mortality by one half of the 1990 levels by the year 2000 and a further one half by 2015. The 2000 Millennium Development Goals (MDGs) resolved to decrease maternal mortality by three quarters by 2015.

However the World Health Organization has told us, until yesterday, that there has not been a significant decrease in maternal mortality since Cairo. The world has failed to reach these goals because **the resources were directed toward decreasing the number of children women deliver, rather than making the delivery of their children safe** and has failed to properly direct resources to save women's lives.

Someone said that the definition of insanity is to keep doing the same thing and expect different results. We need to re-direct our resources.

I have grave concern about the false and dangerous claims that the way to reduce maternal mortality in the developing world is to legalize abortion. As an Obstetric Nurse who cared for women delivering their babies for over 44 years, I can assert without any equivocation that it is never necessary to directly attack and kill the unborn child to save the life or protect the health of the mother. In fact, in all those years which involved thousands of deliveries, there were six maternal deaths that I was aware of in the three hospitals in which I worked.

Jeanne E. Head, R.N.
National Right to Life Educational Trust Fund
April 13,2010

The WHO also tells us that 99% of maternal mortality occurs in the Developing World. We have known how to save women's lives in the developed world for at least 70 years. According to WHO, the dramatic decline in maternal mortality in the Developed World from 1940's to 1950's coincided with the development of obstetric techniques, the availability of antibiotics and improvement in the general health status of women (WHO, *Maternal Mortality: A Global Fact Book, 1991*)

The lack of modern medicine and quality health care, not the prohibition of abortion, results in high maternal mortality rates. Legalized abortion actually leads to more abortions—and in the developing world, where maternal health care is poor, legalization would increase the number of women who die or are harmed by abortion.

The U.S. Planned Parenthood's Alan Guttmacher Institute, in a report of June, 1994 stated: *"In most countries, it is common after abortion is legalized for abortion rates to rise sharply for several years, then stabilize, just as we have seen in the United States"*.

Dr. Donna Harrison, an Obstetrician-Gynecologist, who has experience as a volunteer in a Haitian development cooperative, has stated that making abortion legal in the developing countries would result in increased maternal deaths and injuries. Dr. Harrison states that separation events, either births or abortions, are more dangerous in the developing world than in the developed countries because of poor general health care of women—particularly lack of antibiotics, drugs to prevent hemorrhage and lack of clean facilities.

In the U.S. the most significant impact of legalization of abortion has been an increase in the number of abortions from approximately less than 100,000 per year to a high of over 1,600,000 per year. More than 52 million unborn children have been destroyed by abortion since the 1973 Supreme Court Decision legalizing abortion on demand throughout all nine months of pregnancy.

Nonetheless, even though US health standards are high, women are still dying from botched abortions and recent data show that the US maternal mortality has increased and is four times that of Ireland where abortion is not legal and which has the lowest maternal mortality rate in the world.

Legal abortion does not mean safe abortion. The evidence shows that a country's maternal mortality rate is determined to a much greater extent by the quality of medical care than by the legal status of abortion. Abortion complications are not a function of the legality of the procedure, but by the overall medical circumstances in which abortion is performed.

In its 2003 Report, *Unsafe Abortion* (Fifth edition), the World Health Organization states: *"In some countries, lack of resources and possibly skills may mean that even abortions that meet the legal and medical requirements of the country would not necessarily be considered sufficiently safe in high-resource settings"*. In other words, as they said in their 1998 Report, *"the legality or illegality of the services may not be the defining factor of their safety"*.

Comparison made between nations that have strong abortion restrictions, such as Ireland and Poland, and nations that permit abortion on demand, such as Russia and the United States,

Jeanne E. Head, R.N.
National Right to Life Educational Trust Fund
April 13,2010

demonstrates that **nations with strong abortion restrictions actually have lower maternal death rates than countries that permit abortion on demand.**

For example, in India abortion is broadly legal, but maternal deaths are common due to dangerous medical conditions. According to *Abortion Policies:A Global Review* by the UNPD, **“Despite the liberalization of the abortion law, unsafe abortions have contributed to the high rates of maternal mortality in India [570 maternal deaths per 100,000 live births in 1990].”**

Conversely, the maternal mortality rate in Paraguay is much lower, despite the prohibition of most abortions and the fact that “clandestine abortion is common.” The rate has actually been declining—“from 300 deaths per 100,000 live births in 1986 to the most recent 1995 government estimate of 190 deaths per 100,000 live births.”

The key, therefore, to reduction in maternal mortality rates from all causes, including abortion, is the improvement of maternal health care, **not the legalization of abortion.** In the developing world—where medical care, antibiotics, and even basic asepsis are scarce or absent—promoting abortion would **increase, not decrease** maternal mortality.

No abortion is ever completely safe, and, of course, abortion is never safe for the youngest member of the human family--the unborn child, who at the time of most abortions, which are performed at eight or ten weeks, already has a beating heart, brain waves, eyes, ears, fingers and toes.

Abortion is not good for women. With every abortion there is at least one dead and one wounded and sometimes two dead. Mothers still die and many are terribly wounded physically, emotionally or psychologically by abortion.

In addition to the vast pro-life network of crises pregnancy centers, we in the pro-life movement are involved throughout the world in compassionate counseling and care for the vast number of women damaged by abortion.

It is important to remember that abortion was rejected as a fundamental right or as a method of family planning by the ICPD. The Cairo Programme of Action specifically states that **“In no case should abortion be promoted as a method of family planning** (paras 8.25 & 7.24).”

There was no mandate in the Cairo’ document to promote changing the laws of the majority of countries that have laws that are protective or somewhat protective of unborn children. These laws cover 37 percent of the world’s population, or over two billion persons.

In addition, the Cairo (ICPD) governing chapeau (Chapter II, Principles) specifically recognized national sovereignty in this regard, “with full respect” for religious and ethical values and cultural backgrounds and para 1.15 clearly states that the ICPD “does not create any new international human rights...)

Women in many parts of the world need clean water, nutrition, and health care for themselves and their families—not the “right” to violently destroy their children before they are born.