



World Contraceptive Patterns 2013



www.unpopulation.org


Percentage of women using any method of contraception among those aged 15-49 who are married or in a union: most recent data available



Note: The boundaries on this map do not imply official endorsement or acceptance by the United Nations.

Source: Population Division of the Department of Economic and Social Affairs of the United Nations Secretariat (2013). *World Contraceptive Patterns 2013*. New York: United Nations.


Percentage of women using a modern method of contraception among those aged 15-49 who are married or in a union: most recent data available



Note: The boundaries on this map do not imply official endorsement or acceptance by the United Nations.

Source: Population Division of the Department of Economic and Social Affairs of the United Nations Secretariat (2013). *World Contraceptive Patterns 2013*. New York: United Nations.


Percentage of women with an unmet need for family planning (any method) among those aged 15-49 who are married or in a union: most recent data available




Note: The boundaries on this map do not imply official endorsement or acceptance by the United Nations.

Source: Population Division of the Department of Economic and Social Affairs of the United Nations Secretariat (2013). *World Contraceptive Patterns 2013*. New York: United Nations.

Number of women with an unmet need for family planning (any method or modern methods only) among those aged 15-49 who married or in a union, 2011



Change in availability of funding for family planning programmes per woman aged 15-49, married or in a union: 2000 to 2010*




Change in donor assistance for family planning programmes (percentage)

- Per woman donor assistance increased
- Per woman donor assistance declined (by less than 50 per cent)
- Per woman donor assistance declined (by 50 per cent or more)
- No data available or not applicable

* Note: Donor assistance in 2010 is adjusted for inflation using 2000 prices.
Source: Donor assistance data from UNFPA/NIDI Resource Flows Database (2012).
The boundaries on this map do not imply official endorsement or acceptance by the United Nations.


Percentage of women using specific contraceptive methods among those aged 15-49 who are married or in a union, by major area: 2011



Note: Traditional methods include rhythm, withdrawal and other traditional methods.


Source: Population Division of the Department of Economic and Social Affairs of the United Nations Secretariat (2013). *World Contraceptive Patterns 2013*. New York: United Nations.

Percentage share of specific methods in overall use among women aged 15-49 who are married or in a union, by major area: 2011




Note: Traditional methods include rhythm, withdrawal and other traditional methods.

Percentage of women using specific contraceptive methods among those aged 15-49 who are married or in a union, Africa and by sub-region, 2011




Note: Traditional methods include rhythm, withdrawal and other traditional methods.

Percentage of women using specific contraceptive methods among those aged 15-49 who are married or in a union, Asia and by sub-region, 2011




Note: Traditional methods include rhythm, withdrawal and other traditional methods.

Percentage of women using specific contraceptive methods among those aged 15-49 who are married or in a union, Europe and by sub-region, 2011




Note: Traditional methods include rhythm, withdrawal and other traditional methods.

Percentage of women using specific contraceptive methods among those aged 15-49 who are married or in a union, Latin America and the Caribbean and by sub-region, 2011



Note: Traditional methods include rhythm, withdrawal and other traditional methods.

Percentage of women using specific contraceptive methods among those aged 15-49 who are married or in a union, Oceania and by sub-region, 2011



Note: Traditional methods include rhythm, withdrawal and other traditional methods.