

United Nations  Nations Unies

POSTAL ADDRESS – ADRESSE POSTALE : UNITED NATIONS, N.Y. 10017

CABLE ADDRESS – ADRESSE TÉLÉGRAPHIQUE : UNATIONS NEWYORK

Le 30 décembre 2020

Madame,

Au nom du Comité du Conseil de sécurité créé par la résolution 1718 (2006), j'ai l'honneur de me référer à votre lettre datée du 23 décembre 2020, dans laquelle vous avez demandé au Comité de prolonger la dérogation accordée le 10 juin 2020, conformément au paragraphe 25 de la résolution 2397 (2017), pour permettre au Fonds des Nations Unies pour la population de mener des activités humanitaires en République populaire démocratique de Corée, notamment en autorisant l'achat de trousseaux d'articles de santé procréative d'urgence et de matériel médical essentiels nécessaires à la fourniture de services de santé sexuelle et procréative indispensables aux femmes en République populaire démocratique de Corée, comme le prévoit la Notice n° 7 d'aide à l'application.

Je vous informe qu'après avoir dûment examiné votre demande, le Comité a décidé de repousser au 30 décembre 2021 le délai accordé au titre de la dérogation pour permettre l'acheminement des articles visés, conformément au paragraphe 25 de la résolution 2397 (2017).

Le Comité tient à remercier le Fonds des Nations Unies pour la population de sa diligence.

Veillez agréer, Madame, les assurances de ma considération distinguée.

Le Président du Comité
du Conseil de sécurité créé
par la résolution 1718 (2006)
(Signé) Christoph Heusgen

M^{me} Natalia Kanem
Directrice exécutive
Fonds des Nations Unies pour la population

United Nations Nations Unies

HEADQUARTERS • SIEGE NEW YORK, NY 10017

TEL.: 1 (212) 963.1234 • FAX: 1 (212) 963.4879

Le 10 juin 2020

Madame,

Au nom du Comité du Conseil de sécurité créé par la résolution 1718 (2006), j'ai l'honneur de me référer à votre lettre datée du 29 mai 2020, dans laquelle vous avez présenté au Comité une demande de dérogation conformément au paragraphe 25 de la résolution 2397 (2017) afin de mener des activités humanitaires en République populaire démocratique de Corée, notamment d'autoriser l'achat de trousseaux d'articles de santé procréative d'urgence et de matériel médical essentiels nécessaires à la fourniture de services de santé sexuelle et procréative indispensables aux femmes en République populaire démocratique de Corée, comme le prévoit la Notice n° 7 d'aide à l'application.

Je vous informe qu'après l'avoir dûment examinée, le Comité a décidé, conformément au paragraphe 25 de la résolution 2397 (2017) du Conseil de sécurité, d'approuver la demande de dérogation présentée dans la lettre susmentionnée et d'autoriser le transfert, dans un délai de six mois, des articles et services visés dans ladite lettre. Les véhicules et leurs pièces de rechange devront être expédiés en un seul chargement ou par envoi groupé, afin de simplifier autant que possible leur transport et leur dédouanement.

Le Comité rappelle que les sanctions imposées à la République populaire démocratique de Corée par le Conseil dans ses résolutions n'ont pas pour objet de porter préjudice à la population civile. On trouve dans la note verbale que le Comité a adressée aux États Membres et dans son communiqué de presse SC/13113 daté du 8 décembre 2017 des précisions concernant l'aide humanitaire en République populaire démocratique de Corée. Il est également rappelé, dans la note verbale, que les États Membres doivent appliquer pleinement les mesures imposées par le Conseil, en gardant à l'esprit la nécessité d'expliquer clairement aux entités publiques et privées relevant de leur juridiction que l'application des sanctions ne doit pas entraver l'aide humanitaire.

Madame Natalia Kanem
Directrice exécutive
Fonds des Nations Unies pour la population

Le Comité demande également aux organisations qui fournissent une aide humanitaire en République populaire démocratique de Corée de respecter la durée de la dérogation qui leur est accordée et de se conformer pleinement aux lois, réglementations et autorisations nationales qui régissent les opérations financières et commerciales, le transport de marchandises et les activités de dédouanement sur le territoire des États Membres concernés.

Je vous informe que la présente lettre et son annexe seront publiées sur le site Web du Comité 1718 et rendues accessibles au public, notamment aux autorités nationales concernées qui interviennent dans le contrôle des transferts vers la République populaire démocratique de Corée faisant l'objet d'une dérogation, pour une durée de six mois.

Le Comité tient à remercier le FNUAP de sa diligence.

Le Président du Comité du Conseil
de sécurité créé par la résolution
1718 (2006)

(Signé) Christoph **Heusgen**

Pièce jointe:- Liste des biens et des services qu'il
est prévu de transférer en République
populaire démocratique de Corée

ANNEX 2 - Detailed list of items

1. ULTRASOUNDSCANNER- Ultrasound, scanner, mobile w/ printer and accessories

System integrates:

scanner 2 probes trolley & video-printer Compact & lightweight easy to operate
Alphanumeric keyboard with trackball & time gain control Piezoelectric probes electronically scanned:
convex & linear Imaging display modes: B dual BMB & M
Adjustable field-of-view 6 level zoom
Imaging technologies: dynamic frequency imaging multi-stage focusing aperture control Depth range
selection: convex sector image & linear image 3 steps
Image orientation: lateral & vertical inversion (in B mode) Freeze function with storage of approx 50
images
Self-test is performed each time the machine is switched on
System reports with audio-visual alert on: operational status & malfunctions

Measurements & Analysis:

Calibre control: trackball
B-mode image: distance area & circumference by ellipse & trace method volume ratio gestational age
foetal weight angle
Gestational table: user programmable
M-mode: velocity time interval depth heart rate LV function

Alphanumerics & graphics:

Text annotations & body markers
Automatic display: date & time focal point setting image orientation indicator image scrolled position
distance scale mark M-mode time mark gray scale for calibration
Automatic display adjustment control on/off for: gain setting near gain setting far gain setting frequency
probe puncture guide line
High resolution B/W monitor 10-inch/25cm (diagonal) provided with reflection filter Image gray-scale:
256 levels
Video output: 625 lines/frame
Two transducer ports leaves 2 probes permanently available electronic switch between probes Data
communication interface: RS232 BNC IEEE USB or equivalent
Power consumption system approx: 1000W Resolution approx: 400 dpi
Gray level gradations: 256 Image size approx: 90x70mm
Print time per image approx: 3 sec Automatic paper roll load
Audio-visual indication on loss of signal and paper empty Aspect ratio user selectable: 4:3 or 1:1
Data communication interface: BNC USB IEEE or equivalent
Sturdy & stable construction on 4 antistatic ball-bearing swivel castors 2 with breaks Side handle
facilitates positioning
Surface fits ultrasound scanner as well as folded-open keyboard Under surface shelf fits video printer
Side support provides for safe storage of 2 probes

Supplied with:

1 convex abdominal probe frequency range: 2.5/3.5/5.0MHz 1 convex transvaginal probe frequency
range: 4.5/6.5/8.0MHz 2 tubes of ultrasound gel approx 350ml
1 set of spare fuses
1 digital B/W video printer with data connecting cable to ultrasound scanner: Thermal printing head
1xPlastic protective dustcover 1 printer head cleaning sheet
1 set of 10 video printer paper rolls length approx 20m 1 matching trolley:
1xInstructions for assembly use & maintenance in English French & Spanish List of accessories/parts

2. TABLEOPERATING- Table, operating theatre, with accessories

General purpose operating table 4 areas 5 sections Stainless steel finished base on 4 castors
Central brake lowers the table onto 4 robust height adjustable feet
Solid reinforced base creates maximum stability with patient up to the limits of each position Base is fit with earth connection
Gear lever and crank mechanisms are all manually operated no gas springs Radiolucent table top with integrated standard size x-ray cassette channels All sections fit with a mattress detachable for easy cleaning
Mattresses have welded seams core and surface are joined Table adjustable to all essential positions
Height adjustable with foot-pedal via hydraulic lever system Factory filled with hydraulic oil
Three areas adjustable via manual crank: back pelvic and legs Backrest adjustable 0 to +90 degree Trendelenburg and reverse Trendelenburg: +/- 25 degree Lateral tilting both sides: +/- 20 degree
Leg area removable consists of 2 independent sections each adjustable to a combination of up/down and left/right
Head area removable and independently adjustable +20 to -90 degree Accessories on both sides clamp on standard stainless steel medical rail When elevated and fully extended all sections align to perfectly flat surface
Material:
High resistance to corrosion (tropical environment) Frame: Austenitic stainless steel 18/10
Table top: radiolucent epoxy resin
Sliders/fixtures rail for accessories: Austenitic stainless steel 18/10
Mattress: welded seams rubber highly tear resistant anti-static flame retardant disinfectant- and liquid proof washable
Caster frame/bracket: steel
Caster wheel: single wheel solid non-hooded (for easy maintenance) Dimensions:
Operating table all areas extended: 190-230x45-55x63-77 to 90-110cm (l x w x h) Height adjustment: 63-77 to 90-110cm (h)
Height adjustable feet footprint: 5.4-6.6cm (diameter) Mattress: 4.5-5.5cm (h)
Carrying capacity: 135-165kg Knockdown construction: no

Supplied with

1 x complete set of tools required for assembly 1 x complete set of tools required for assembly 4 x spare fixation clamps
1 x set fitting mattresses
1 x spray bottle of silicon (for mattress maintenance) Set of accessories each with fixation clamp:
1 x anesthesia screen arc
2 x lateral support height adjustable only
2 x shoulder support height and width adjustable 2 x leg support
2 x arm board with arm fixation strap vertical and horizontal adjustable 2 x padded knee support lithotomy crutch with fixation strap 1 x body strap List of accessories and parts
Detailed step-by-step instructions for assembly and safe use text-free pictorial based (i.e. line- drawings only)

3. SUCTIONPUMPFoot- Pump, suction, foot-operated, aspirator

To aspirate fluids secretions or other foreign materials from a patients airway by means of suction. Used typically during patient transport or for emergency situations
High performance suction pump for pharyngeal and tracheal suction Double piston provides rapid build-up of vacuum and generates stable flow Can be hand or foot-operated
See-saw movement of the pedal generates suction every time one side of the pedal is depressed. Pump chassis is complete with valve diaphragms manifold pipe bottom cover cylinder with draw link and valve diaphragm piston ring O-ring pedal with retaining springs
Unit surface is to be hard and corrosion resistant

Pump handle / pedal to be spring loaded to return to 'up' position after each stroke Supplied mounted on robust board with carrying handle

Material:

Parts made of transparent plastic: polycarbonate Seals O-rings and valve diaphragm: silicone rubber

Piston rings: Teflon

Foot pedal: aluminum Aspirating tube: silicone rubber Easily portable by hand

Pump can be disassembled entirely is easy to clean disinfect and sterilize. (All parts can be autoclaved at 121°C)

All parts are manufactured from high-strength durable material that does not require specific maintenance or storage conditions

Knock-down construction

Maximum free air flow: approximately 70 litres/min

Vacuum maximum: approx. 80kPa (-800 mbar / -600mmHg)

Airflow: approximately 30 - 40 L/min (at two pumping strokes per second) Capacity of collection container: 600-1000ml

Aspirating tube: 10mm (internal diameter) Length of suction tube 135cm

Supplied with angled connector and combination suction tip Operating temperature range: -20 °C to +50 °C

Approx. pump overall dimensions (without aspirating tube): 206 (L) x 96 (W) x 146 (H) mm

Supplied with:

Angled connector and combination suction tip

Instructions for assembly use and maintenance and list of accessories and spare parts with product reference code in 3 languages (English French and Spanish).

Accessories/Spare parts/Consumables: 10 x sets of spare filters

1 x spare suction bottle

2 x spare seals for each storage jar

List to be provided of other spare parts anticipated during one year's operation with costs Supplier to specify any accessories required for normal operation stating any extra cost.

4. Infusion pump, with accessories

Material: Tamper-resistant case made of impact resistant material. Tubing material free of phthalates (DEHP free)

Volume controlled portable infusion pump

Unit can be mounted on standard bed/wall rail or mobile pole/stand Suitable for all intravenous infusions of fluids

Continuous delivery linear peristaltic driven

Programmable user entry: infusion volume time or flow rate calculates automatically

Flow rate adjustable: 1 to 999 ml/h in steps of 1 ml/h. Accuracy approx: $\pm 5\%$ of volume delivered Free flow protection occlusion detection air-in-line detection

Open system compatible with all standard brands of giving sets

Bright display shows: start/stop volume limit flow rate and volume delivered

Reporting of low/high flow occlusion open door end-of-infusion and built-in battery status Audio visual alarm with silencing feature

Autonomy of built-in battery approx 8 hrs automatic recharge when connected to mains Auto-off when not in use

Robust design allow use in demanding environments

Power supply and/or internal re-chargeable battery: The supplier has to supply the right voltage plug and socket type that fit the country it is delivering the goods to. The country of destination would be stated in the UNFPA PO

Supplied with:

1 x Start-up set of 10 giving sets 1 x Spare battery pack

1 x Mounting bracket for fixation to standard bed/wall rail or mobile pole/stand 1 x Set of spare fuses

Battery pack fuses

Instruction for user: manual with instructions for assembly use and maintenance and list accessories and spare parts in 3 languages (English French and Spanish).

Accessories/Spare parts/Consumables: Battery pack fuses.

5. MICROCUVETTE_200- Capillary tubes for HemoCue Hb 301, P200

Disposable capillary tubes (microcuvettes) used with Photometer HemoCue Hb 301 or equivalent. Very fine plastic tube provided with anticoagulant designed to sample blood through capillarity. Used for determining haematocrit.

Materials: plastic microcuvette Capacity: 8-10µl

Disposable Anticoagulant: Heparin

Chemistry method: Determination of Hb and HbO₂ at a single isobestic point using whole blood.

Stability: Unopened to be stored at 10-40°C (50-104°F) until expiry date printed on container Short-term storage (6 weeks) -18-50°C (0.4-122°F).

stability once open: stable for three months.

6. KITMIDWIFERY- Midwifery kit, equipment

1. Apron protection plastic reusable||UOM: Each ||Qty: 2
2. Basin kidney stainless steel 825ml ||UOM: Each ||Qty: 2
3. Book exercise A4 ruled 100 pages ||UOM: Each ||Qty: 20
4. Bowl polypropylene 6L ||UOM: Each ||Qty: 2
5. Bowl stainless steel 4L ||UOM: Each ||Qty: 2
6. Bowl stainless steel 600 ml ||UOM: Each ||Qty: 2
7. Brush hand scrubbing plastic ||UOM: Each ||Qty: 2
8. Drawsheet plastic 90 x 180cm reusable||UOM: Each ||Qty: 2
9. Forceps artery Kocher 14cm straight ||UOM: Each ||Qty: 4
10. Forceps artery Kocher 14cm straight ||UOM: Each ||Qty: 2
11. Forceps dressing Cheron 25cm ||UOM: Each ||Qty: 2
12. Forceps tissue standard 145 mm straight ||UOM: Each ||Qty: 2
13. Jar forceps plastic 180mm w/o cover ||UOM: Each ||Qty: 2
14. Jar thermometer plastic 11cm w/o cover ||UOM: Each ||Qty: 2
15. Needle holder Mayo-Hegar 18cm straight||UOM: Each ||Qty: 2
16. Pen ballpoint blue ||UOM: Each ||Qty: 10
17. Probe surgical double-ended 14.5 cm ||UOM: Each ||Qty: 2
18. Scale infant spring-type 5kg x 25g||UOM: Each ||Qty: 1
19. Scalpel handle no. 4 13.5cm ||UOM: Each ||Qty: 2
20. Scissors Deaver 14cm curved sharp/blunt ||UOM: Pair ||Qty: 2
21. Scissors gynaecological 20cm curved blunt/blunt ||UOM: Pair ||Qty: 2
22. Scissors Mayo 14cm curved blunt/blunt ||UOM: Pair ||Qty: 2
23. Sling for use with infant scale ||UOM: Each ||Qty: 1
24. Sphygmomanometer aneroid adult ||UOM: Each ||Qty: 1
25. Stethoscope binaural complete ||UOM: Each ||Qty: 1
26. Stethoscope obstetrical Pinard monoaural ||UOM: Each ||Qty: 2
27. Tape-measure vinyl-coated 1.5 m/5 feet ||UOM: Each ||Qty: 2
28. Thermometer clinical digital 32°C-43°C||UOM: Each ||Qty: 10
29. Tourniquet latex rubber 75cm ||UOM: Each ||Qty: 2
30. Towel huck 430 x 500 mm ||UOM: Each ||Qty: 5
31. Tray dressing stainless steel 30 x 20 x 3cm ||UOM: Each ||Qty: 2
32. Tray instruments stainless steel 22.5 x 12.5 x 5cm with cover||UOM: Each ||Qty: 4

7. HEMOGLOBINOMETER - Haemoglobin photometer handheld w/accessories

Hand-held device easy transportation and set-up.

Provides direct absorbance reading of haemoglobin from inserted cuvette with whole blood. Measuring range approx: 0-26 g/dL.

Accuracy: Correlation with ICSH reference method (HiCN): 0.99 Wavelength: 506 nm (iso-bestic point) and 880 nm (turbidity compensation).

Display informs: haemoglobin reading reading errors systems errors battery status. Read-out in: g/dL.

Interfaces: RS 232 or USB to printer or computer.

Uses dedicated single-use micro-cuvette(closed system).

Cuvette allows collecting blood from patient's skin by capillary action.

Sample size in cuvette approx: 8 to 10 uL (capillary venous or arterial whole blood). Automatic zero setting between measurements.

Reading time approx: 15 sec.

Power supply: 110 to 220V 50 and 60 Hz via universal adaptor or 4 AA / R6 1.5 V batteries. Suitable for use in tropical countries with temperature up to 40 degree celsius.

Portable

Factory calibrated and built-in self test (when device is switched-on).

Supplied as set containing:

1x Hand-held haemoglobin measuring device. 1 x Set of 200 micro-cuvette.

1 x Box of 200 safety lancets (sterile single-use auto-disable incision 2.2mm) 1 x Set of 5 cleaners.

1 x Set of 4 AA / R6 1.5 V batteries (separately packed).

1 x CD user training and trouble shooting (English French Spanish). 1 x Storage and transportation box (hard-case).

8. STERILIZER39L - Sterilizer, steam, pressure-type, 39 litres

Steam sterilizer/autoclave for sterilizing medical materials such as dressings and surgical instruments under superheated steam.

Metal vessel with high-pressure seal suitable for sterilization under superheated steam.

Maximum pressure: 21 PSI / 1.5 bar.

Maximum temperature: 259°F / 126°C. Made of heavy cast aluminum.

Cover and bottom made of heavy cast aluminum. Aluminum alloy seamless inset container.

Metal to metal seal (no rubber gaskets).

Safety clamping locks: retaining bayonet clamp and (6) Bakelite wing nuts to prevent displacement of cover while sterilizer is under pressure.

Chamber equipped with:

Aluminum container: plain basket with handles. Aluminium inner container rack.

Scored water level mark inside chamber. Bakelite side handles.

Inner Chamber dimensions:

Chamber approximately: diameter 385mm x height 350mm.

Aluminum container approximately: diameter 355mm x height 330mm. Sterilization capacity approximately: 39 litres.

Removable cover equipped with: Bakelite handle.

Dial type geared steam gauge graduated in kg / cm² PSI and degrees

Fahrenheit and with colour-coding showing sterilizing zone (green) and caution zone (red). Control valve and flexible metal exhaust tube.

Excess pressure relief valve and over-pressure rubber plug.

Supplied with:

1 x spare over pressure rubber plug

Instructions for use and cleaning/maintenance and with diagrams for assembly/disassembly; in 3 languages (English French and Spanish).

Listing of parts accessories and spare parts.

9. ERH Kit 10 – Vacuum Extraction Kit

1. Vacuum extractor Bird manual complete set ||UOM: Each ||Qty: 1
2. Procedure for Use of Vacuum Extractor in Assisted Vaginal Delivery Wall chart adapted from WHO PATH 2010 ||UOM: Each ||Qty: 1

10. ERH Kit 11B Referral Level Kit B - Drugs & Disposable Equip.

1. Metronidazole 250mg tablet ||Qty: 1000
2. Amoxicillin trihydrate 500mg capsule ||Qty: 2000
3. Paracetamol 500mg tablet ||Qty: 2000
4. Quinine sulphate 300mg film-coated tablet ||Qty: 1000
5. Doxycycline 100mg tablets ||Qty: 400
6. Doxycycline 100mg tablets ||Qty: 1000
7. Tetracycline hydrochloride eye-ointment 1% in tube of 5g ||Qty: 30
8. Ampicillin sodium 1000mg (1g) powder for solution for injection in vial ||Qty: 400
9. Gentamicin sulphate 40mg base/ml injection 40mg base/ml in 2ml ampoule ||Qty: 1050
10. Water for injection sterile 10-ml ampoule ||Qty: 500
11. Metronidazole for intravenous infusion 5mg/ml 100-ml bag ||Qty: 200
12. Misoprostol 200 mg ||UOM: Tablet ||Qty: 120
13. Oxytocin 10 I.U. base/ml injection in 1ml ampoule. (Store between 2-8 °C) ||Qty: 200
14. Calcium gluconate 100mg base/ml injection in 10ml ampoule ||Qty: 30
15. Magnesium sulphate 500mg/ml injection in 10ml ampoule ||Qty: 100
16. Hydralazine hydrochloride 20mg/2ml powder for injection in 2ml ampoule ||Qty: 60
17. Quinine dihydrochloride 300 mg/ml solution for dilution for infusion in 2-ml ampoule ||Qty: 200
18. Lidocaine hydrochloride 1% (10mg/ml) injection in 20ml ampoule ||Qty: 120
19. Lidocaine hydrochloride 2% (20mg/ml) injection in 20ml ampoule ||Qty: 100
20. Lidocaine hydrochloride 5% (50mg/ml) injection in 2ml ampoule ||Qty: 100
21. Ketamine hydrochloride 50mg base/ml injection in 10ml vial ||Qty: 50
22. Sodium chloride 0.9% isotonic IV infusion in 1000ml bottle + Infusion-giving set sterile single use ||Qty: 300
23. Glucose solution for infusion 5% (iso-osmotic) 1-litre bottle + Infusion-giving set sterile single use ||Qty: 300
24. Dextran 70 6% in sodium chloride 0.9% in 500ml bottle + Infusion-giving set sterile single use ||Qty: 100
25. Sodium dichloroisocyanurate containing 1.67g of NaDCC tablet ||Qty: 400
26. Chlorhexidine gluconate solution 4.0% (detergent solution) in 500ml bottle ||Qty: 100
27. Chlorhexidine digluconate solution 5% in 1 litre bottle ||Qty: 30
28. Tube suction CH10 50 cm long conical tip sterile single use ||Qty: 60
29. Tube suction CH14 50 cm long conical tip sterile single use ||Qty: 60
30. Cannula IV short 20G sterile single use ||Qty: 500
31. Cannula IV short 18G sterile single use ||Qty: 100
32. Clamp umbilical 5.2cm sterile single use ||Qty: 200
33. Syringe luer 1ml sterile single use ||Qty: 400
34. Syringe luer 2ml sterile single use ||Qty: 1400
35. Syringe luer 5ml sterile single use ||Qty: 500
36. Syringe luer 10ml sterile single use ||Qty: 600
37. Needle luer 21G sterile single use ||Qty: 3000
38. Needle luer 23G sterile single use ||Qty: 100
39. Brush hand scrubbing plastic ||Qty: 10

40. Gloves surgical size 8 powder-free sterile single use pair ||Qty: 400
41. Gloves surgical size 7 powder-free sterile single use pair ||Qty: 400
42. Gloves gynaecological medium powder-free sterile single use pair ||Qty: 10
43. Gloves exam latex medium non-sterile single use ||Qty: 500
44. Suture synthetic absorbable DEC4 (1) needle 3/8 36mm triangular sterile single use ||Qty: 288
45. Suture absorbable DEC 3 (2/0) 1/2 circle 30mm round sterile single use ||Qty: 288
46. Suture non-absorbable monofilament DEC 3 (2/0) 3/8 circle triangular 30mm sterile single use ||Qty: 144
47. Catheter urethral Foley CH14 sterile single use ||Qty: 150
48. Bag urine collecting 2 litres ||Qty: 150
49. Drape surgical woven 100 x 150cm ||Qty: 6
50. Needle spinal 22G sterile single use ||Qty: 120
51. Gauze compress 10 x 10cm sterile single use ||Qty: 1000
52. Tape adhesive zinc oxide 2.5cm x 5m ||Qty: 50
53. Tape adhesive zinc oxide perforated 10cm x 5m ||Qty: 5
54. Blade scalpel sterile single use no. 22 ||Qty: 100
55. Safety box disposal of used syringes & needles 5L ||Qty: 25
56. Bag (envelope) plastic for drugs 10 x 15cm ||Qty: 1000
57. Glasses safety regular size disposable ||Qty: 2
58. Test pregnancy strip temperature stable ||Qty: 20
59. Managing complications in pregnancy and childbirth. A guide for midwives and doctors. Geneva WHO UNFPA UNICEF WB 2003 English ||Qty: 1
60. Managing complications in pregnancy and childbirth. A guide for midwives and doctors. Geneva WHO UNFPA UNICEF WB 2003 French ||Qty: 1
61. Managing Newborn problems. A guide for doctors nurses and midwives. Geneva WHO UNFPA UNICEF WB 2003 English ||Qty: 1
62. Managing Newborn problems. A guide for doctors nurses and midwives. Geneva WHO UNFPA UNICEF WB 2003 French ||Qty: 1

11.ERH Kit 12 – Blood transfusion kit

1. Test blood-group anti-A 10-ml bottle fl.dropper ||UOM: Bottle ||Qty: 1
2. Test blood-group anti-A+B 10-ml bottle fl.dropper ||UOM: Bottle ||Qty: 1
3. Test blood-group anti-B 10-ml bottle fl.dropper ||UOM: Bottle ||Qty: 1
4. Test Rhesus anti-D 10-ml bottle dropper ||UOM: Bottle ||Qty: 1
5. Test HIV 1+2 rapid ||UOM: Piece ||Qty: 100
6. Test Hepatitis B surface antigen (HBsAg) rapid ||UOM: Piece ||Qty: 100
7. Test Hepatitis C virus (HCV) rapid ||UOM: Piece ||Qty: 100
8. Test Syphilis rapid plasma regain (RPR) ||UOM: Piece ||Qty: 100
9. Haemoglobin photometer handheld w/accessories ||UOM: Each ||Qty: 1
10. Capillary tubes for HemoCue Hb 301 ||UOM: Each ||Qty: 200
11. Cuff for pression for bag 500/1000 ml ||UOM: Each ||Qty: 1
12. Battery dry cell AA alkaline 1.5 V for Photometer ||UOM: Each ||Qty: 8
13. Blood-bag + CPD (citrate-phosphate-dextrose) 250ml sterile ||UOM: Each ||Qty: 50
14. Blood-giving set ||UOM: Set ||Qty: 100
15. Gloves exam latex medium non-sterile single use ||UOM: Each ||Qty: 500
16. Tile porcelain with depressions for blood grouping ||UOM: Each ||Qty: 1
17. Chase Buffer ||UOM: Each ||Qty: 2