



HEADQUARTERS | SIEGE | NEW YORK, NY 10017

REFERENCE: S/AC.49/2023/OC.62

纽约

意大利常驻联合国代表

毛里齐奥·马萨里先生阁下

阁下，

谨代表安全理事会第 [1718\(2006\)](#)号决议所设委员会提及你 8 月 23 日的信，  
信中请求委员会进一步调整依据安全理事会第 [2397\(2017\)](#)号决议第 25 段于 2019  
年 7 月 25 日给予、并部分延长至 2023 年 8 月 15 日的豁免的期限，作为例外情  
况再延长 12 个月，以便完成向朝鲜向朝鲜民主主义人民共和国(朝鲜)运送和交付  
相关物项(即悬挂铧、犁及其备件)。该豁免允许 AGROTEC SPA 公司向朝鲜运送  
农业机械和设备。该公司根据与欧洲联盟委员会签订的合同，在题为“粮食：改  
善朝鲜粮食安全——供应部分(识别号欧援 139017)”的项目内向朝鲜出口上述机  
械和设备。

谨通知你，委员会在适当考虑所提供的信息后，决定依据安全理事会第  
[2397\(2017\)](#)号决议第 25 段，将豁免期限调整至 2024 年 8 月 29 日，以便向朝鲜运  
送相关物项。

委员会感谢意大利的尽责努力。

顺致最崇高的敬意。

安全理事会第 [1718\(2006\)](#)号决议  
所设委员会主席

帕斯卡莱·贝里斯维尔(签名)

2023 年 8 月 29 日



HEADQUARTERS | SIEGE | NEW YORK, NY 10017

纽约

意大利常驻联合国代表团  
临时代办  
马可·罗米提先生

亲爱的罗米提先生，

谨代表安全理事会第 1718(2006)号决议所设委员会提及你 2022 年 8 月 10 日的信，信中提到，由于 COVID-19 大流行导致朝鲜边境关闭，请求委员会进一步调整依照安全理事会第 2397(2017)号决议第 25 段于 2019 年 7 月 25 日给予、并部分延长至 2022 年 7 月 18 日的豁免的期限，特别准许 12 个月。该豁免允许 AGROTEC SPA 公司向朝鲜民主主义人民共和国(朝鲜)运送农业机械和设备。该公司根据与欧洲联盟委员会签订的合同，在题为“粮食：改善朝鲜粮食安全——供应部分(识别号欧援 139017)”的项目内向朝鲜出口上述机械和设备。

谨通知你，委员会在适当考虑所提供的信息后，决定依照安全理事会第 2397(2017)号决议第 25 段，将豁免期限调整至 2023 年 8 月 15 日，以便向朝鲜运送相关物项。

委员会感谢意大利的尽责努力。

安全理事会第 1718(2006)号决议  
所设委员会

主席

莫娜·尤尔(签名)

2022 年 8 月 15 日



HEADQUARTERS | SIEGE | NEW YORK, NY 10017

纽约

意大利常驻联合国代表

毛里齐奥·马萨里先生阁下

阁下，

谨代表安全理事会第 [1718\(2006\)](#)号决议所设委员会提及你 2022 年 4 月 14 日的信，你在信中请求委员会修正 2019 年 7 月 25 日依照第 [2397\(2017\)](#)号决议第 25 段给予意大利的豁免，该豁免允许 AGROTEC SPA 公司向朝鲜民主主义人民共和国(朝鲜)运送农业机械和设备。该公司根据与欧洲联盟委员会签订的合同，在题为“粮食：改善朝鲜粮食安全——供应部分(识别号欧援 139017)”的项目内向朝鲜出口上述机械和设备。此项豁免部分延长至 2022 年 7 月 18 日，以允许进口附件第 1.4 节所列物项(悬挂铧式犁和备件)。修正特别涉及更新的备件清单，其中反映了根据欧洲联盟的建议对先前核准的清单所作的略微修改，以便继续向朝鲜运送货物。

谨通知你，委员会在适当考虑所提供的信息后，决定依照安全理事会第 [2397\(2017\)](#)号决议第 25 段，核准修正豁免的请求，以便允许向朝鲜运送相关物项。

委员会感谢意大利的尽责努力。

顺致最崇高的敬意！

安全理事会第 [1718\(2006\)](#)号

决议所设委员会主席

莫娜·尤尔(签名)

2022 年 5 月 9 日

附件：

- 向朝鲜运送的物项和服务清单

Annex A to Addendum no.2 to CTR FOOD/2017/391-351

Item number	Q.ty	Specifications offered
1.4	16	Mounted mouldboard plough, 5 furrows For working with Item 1.1 (the manufacturer suggest for a tractor (80-90 Hp tractors) - Bicchi (Model: BP 12"X5)
<b>SPARE PARTS AND CONSUMABLES (for 2 years)</b>		
1.4.1	32	Complete set of Mouldboards
1.4.2	64	Complete set of landsides
1.4.3	400	Shear bolts
1.4.4	320	Bar points x 20 (CHISEL)
1.4.5	64	Transport/depth wheel bearing and seal set
1.4.6	50	Top and bottom link pins
1.4.7	22	Complete set of trashboards
1.4.8	16	Transport/depth wheel assembly
1.4.9	160	FURROW (plough shares)
1.4.10	10	MOULD BOARD SUPPORT
1.4.11	8	SCREWS, NUTS, WASHERS (completed for 1 plough)



HEADQUARTERS | SIEGE | NEW YORK, NY 10017

纽约

意大利常驻联合国代表

毛里齐奥·马萨里先生阁下

阁下，

谨代表安全理事会第 [1718\(2006\)](#)号决议所设委员会提及你 2022 年 1 月 13 日的信，信中请求委员会进一步调整依照安全理事会第 [2397\(2017\)](#)号决议第 25 段于 2019 年 7 月 25 日给予、并延长至 2022 年 1 月 9 日的豁免的期限。该豁免允许 AGROTEC SPA 公司向朝鲜民主主义人民共和国(朝鲜)运送农业机械和设备。该公司根据与欧洲联盟委员会签订的合同，在题为“粮食：改善朝鲜粮食安全——供应部分(识别号欧援 139017)”的项目内向朝鲜出口上述机械和设备。因朝鲜当局检查文件并要求在运往南浦之前提供更多信息，导致货运延迟。

谨通知你，委员会在适当考虑所提供的信息后，决定依照安全理事会第 [2397\(2017\)](#)号决议第 25 段，将豁免期限调整至 2022 年 7 月 18 日，以便向朝鲜运送相关物项。

委员会感谢意大利的尽责努力。

顺致最崇高的敬意。

安全理事会第 [1718\(2006\)](#)号决议  
所设委员会

主席

莫娜·尤尔(签名)

2022 年 1 月 18 日

# United Nations Nations Unies

POSTAL ADDRESS - ADRESSE POSTALE: UNITED NATIONS, N.Y. 10017  
CABLE ADDRESS - ADRESSE TELEGRAPHIQUE: UNATIONS NEWYORK

纽约

意大利常驻联合国副代表

斯特凡诺·斯特凡尼莱先生阁下

阁下，

谨代表安全理事会第 [1718\(2006\)](#)号决议所设委员会提及你 2021 年 7 月 2 日的信，信中请求委员会进一步调整 2019 年 7 月 25 日依据安全理事会第 [2397\(2017\)](#) 号决议第 25 段给予的豁免的期限，将豁免期限延至 2021 年 7 月 5 日。该豁免允许 AGROTEC SPA 公司向朝鲜民主主义人民共和国(朝鲜)运送农业机械和设备。该公司根据与欧洲联盟委员会签订的合同，在题为“粮食：改善朝鲜粮食安全——供应部分(识别号欧援 139017)”的项目内向朝鲜出口上述机械和设备。因大连-南浦航线暂时关闭，导致货运延迟。

谨通知你，委员会在适当考虑所提供的信息后，决定依据安全理事会第 [2397\(2017\)](#) 号决议第 25 段，将豁免期限调整至 2022 年 1 月 9 日，以便向朝鲜运送相关物项。

委员会感谢意大利的尽责努力。

顺致最崇高的敬意。

安全理事会第 [1718\(2006\)](#)号决议  
所设委员会

主席

莫娜·尤尔(签名)

2021 年 7 月 9 日

# United Nations Nations Unies

POSTAL ADDRESS - ADRESSE POSTALE: UNITED NATIONS, N.Y. 10017  
CABLE ADDRESS - ADRESSE TELEGRAPHIQUE: UNATIONS NEWYORK

纽约

意大利常驻联合国副代表

斯特凡诺·斯特凡尼莱先生阁下

阁下，

谨代表安全理事会第 [1718\(2006\)](#)号决议所设委员会提及你 2020 年 12 月 29 日的信，信中请求委员会进一步调整 2019 年 7 月 25 日依据安全理事会第 [2397\(2017\)](#)号决议第 25 段给予的豁免的期限。该豁免允许 AGROTEC SPA 公司向朝鲜民主主义人民共和国(朝鲜)运送农业机械和设备。该公司根据与欧洲联盟委员会签订的合同，在题为“粮食：改善朝鲜粮食安全——供应部分(识别号欧援 139017)”的项目内向朝鲜出口上述机械和设备。因大连-南浦航线暂时关闭，导致货运延迟。

谨通知你，委员会在适当考虑所提供的信息后，决定依据安全理事会第 [2397\(2017\)](#)号决议第 25 段，将豁免期限调整至 2021 年 7 月 5 日，以便向朝鲜运送上述物项。

委员会感谢意大利的尽责努力。

顺致最崇高的敬意。

安全理事会第 [1718\(2006\)](#)号决议  
所设委员会

主席

莫娜·尤尔(签名)

2021 年 1 月 7 日

# United Nations Nations Unies

POSTAL ADDRESS - ADRESSE POSTALE: UNITED NATIONS, N.Y. 10017

CABLE ADDRESS - ADRESSE TELEGRAPHIQUE: UNATIONS NEWYORK

纽约

意大利常驻联合国代表

玛丽亚·安杰拉·扎皮亚夫人阁下

阁下，

谨代表安全理事会第 [1718\(2006\)](#)号决议所设委员会提及你 2020 年 6 月 24 日的信，信中请求委员会进一步调整 2019 年 7 月 25 日依照安全理事会第 [2397\(2017\)](#) 号决议第 25 段给予的豁免的期限，该豁免允许 AGROTEC SPA 公司向朝鲜民主主义人民共和国(朝鲜)运送农业机械和设备，特别是允许进口附件第 1.4 节所列的物项。该公司根据与欧洲联盟委员会签订的合同，在题为“粮食：改善朝鲜粮食安全——供应部分(识别号欧援 139017)”的项目内向朝鲜出口上述机械和设备。

谨通知你，委员会在适当考虑所提供的信息后，决定依照安全理事会第 [2397\(2017\)](#)号决议第 25 段，将豁免期限调整至 2021 年 1 月 14 日，以便向朝鲜运送上述物项，有关细节见本信附件。

委员会感谢意大利的尽责努力。

顺致最崇高的敬意。

安全理事会第 [1718\(2006\)](#)号决议  
所设委员会

主席

克里斯托夫·霍伊斯根(签名)

2020 年 7 月 14 日

## 附件

1.4		Mounted mouldboard plough, 5 furrows For working with Item 1.1 (the manufacturer suggest for a tractor (80-90 Hp tractors) - Bicchi (Model: BP 12"X5)
1.4.1	64	Complete set of Mouldboards
1.4.2	64	Complete set of landsides
1.4.3	800	Shear bolts
1.4.4	320	Bar points x 20 (CHISEL)
1.4.5	64	Transport/depth wheel bearing and seal set
1.4.6	64	Top and bottom link pins
1.4.7	64	Complete set of trash boards
1.4.8	32	Transport/depth wheel assembly

# United Nations Nations Unies

HEADQUARTERS • SIEGE NEW YORK, NY 10017  
TEL.: 1 (212) 963.1234 • FAX: 1 (212) 963.4879

纽约

意大利常驻联合国代表

玛丽亚·安杰拉·扎皮亚夫人阁下

阁下，

谨代表安全理事会第 [1718\(2006\)](#)号决议所设委员会提及你 2019 年 11 月 19 日的信，信中请求委员会依照安全理事会第 [2397\(2017\)](#)号决议第 25 段，调整 2019 年 7 月 25 日给予的豁免的时限，特别是为了能够进口附件第 1.4 节所列物项。上述豁免准许 AGROTEC SPA 公司根据与欧洲联盟委员会签订的合同，在题为“粮食：改善朝鲜粮食安全——供应部分(识别号欧援 139017)”的项目内向朝鲜民主主义人民共和国(朝鲜)运送农业机械和设备。

谨通知你，委员会在适当考虑所提供的信息后，决定根据第 [2397\(2017\)](#)号决议第 25 段，将运送相关物项的时限调整至 2020 年 6 月 2 日，有关细节见我 2019 年 7 月 30 日的信的附件。

委员会感谢意大利的尽责努力。

顺致最崇高的敬意。

安全理事会第 [1718\(2006\)](#)号决议所设委员会

主席

克里斯托夫·霍伊斯根(签名)

2019 年 12 月 2 日

# United Nations Nations Unies

POSTAL ADDRESS - ADRESSE POSTALE: UNITED NATIONS, N.Y. 10017  
CABLE ADDRESS - ADRESSE TELEGRAPHIQUE: UNATIONS NEWYORK

编号: S/AC.49/2019/OC.XXX

纽约

意大利常驻联合国代表团

安全理事会第 [1718\(2006\)](#)号决议所设委员会主席向意大利常驻联合国代表团致意，并谨提及代表团 2018 年 10 月 29 日普通照会，其中请求委员会根据第 [2397\(2017\)](#)号决议第 25 段给予豁免，允许 AGROTEC SPA 公司向朝鲜民主主义人民共和国(朝鲜)运送农业机械和设备，该公司受欧洲联盟委员会之托，依照第 7 号执行援助通知，在题为“粮食：改善朝鲜粮食安全-供应部分(识别号欧援 139017)”的项目内向朝鲜出口上述机械和设备。

主席还谨通知意大利，经过适当考虑，委员会已决定根据安全理事会第 [2397\(2017\)](#)号决议第 25 段核准上述普通照会所提豁免请求，允许在未来六个月内运送意大利普通照会所列物项(见本普通照会的附件)。这些物项应集中一次运完或以综合方式运送，以提高运输和清关的效率。

委员会重申，安全理事会通过决议对朝鲜采取制裁措施无意让朝鲜人民承担负面影响，安全理事会向所有会员国发出的普通照会以及 2017 年 12 月 8 日的 SC/13113 号新闻稿已经就针对朝鲜的人道主义援助作了澄清。该普通照会还回顾每个会员国都必须充分执行安全理事会的相关措施，并铭记有必要向本国管辖的公共和私营部门实体澄清，在妥善执行联合国制裁的同时，不得使人道主义活动受到不应有的限制。

委员会还支持和核准意大利在不影响相关商业决定的情况下，只为购买附件所列获得委员会豁免的商品和服务而开展必要的商业和金融交易。

同时，委员会要求向朝鲜运送人道主义援助的相关组织遵守委员会核准的豁免时限，在受影响会员国管辖范围内开展金融和商业交易以及航运和清关活动时充分尊重和遵守相关的国家法律、条例和许可证要求。

主席还谨通知意大利，这份普通照会及其附件将在 1718 委员会网站上向公众发布，包括向参与审查豁免向朝鲜转让问题的相关国家当局发布，为期六个月。

委员会感谢意大利勤勤恳恳开展工作。

安全理事会第 [1718\(2006\)](#)号决议所设委员会主席借此机会再次向意大利常驻联合国代表团致以最崇高的敬意。

(签名)

2019 年 7 月 30 日

附件：向朝鲜转让的货物和服务清单

A	B	C
ITEM NUMBER	Q.ty	SPECIFICATIONS OFFERED (INCL BRAND/MODEL)
<b>EQUIPMENT</b>		
1.1	16	Tractor 55 kW (74.92 hp) 2WD - Chang Zhou Dongfeng Agricultural Machinery Group Co.,Ltd. (Model: DF750)
1.2	16	Tractor Trailer - Changzhou Doongfeng Agricultural Machinery Group LTD. (Model No: DF 7C-6)
1.3	16	Chisel Plough - Changzhou Dongfeng Agricultural Machinery Group LTD., (Model No: DF AETH-7)
1.4	16	Mounted mouldboard plough, 5 furrows For working with Item 1.1 (the manufacturer suggest for a tractor (80-90 Hp tractors) - Bicchi (Model: BP 12"X5)
1.5	20	Paddy Rice Thresher - Manufacturer: YAJIANG (Model: 5TG-180)
1.6	10	Multi-grain thresher - Shandong Yingsheng Machinery LTD. (Model: 5TG-180)
1.7	10	Small 2WD Tractor – Weitai (Model: TT250)
1.8	10	Two-Wheeled Trailer - Manufacturer: Changzhou Dongfeng Agricultural Machinery Group LTD., (Model No: DF 7C-3)
1.9	2	Workshop Furnace - Weifang Jiangnan Mechanical And Electrical Equipment Co., Ltd. (Model: KGPS-100KW 0.1T SCR furnace)
<b>Tools</b>		
1.10		<b>Workshop tools</b>
1.10.1	2	Engine oil pressure gauge set:0-35bar (0-510 psi) and adapting screw set for different sizes of oil pressure screws - Brand: Sipuruide Model: 3 gauges +12 screws.
1.10.2	2	Internal (bore) caliper set. Range 0-150 mm - Brand: LINKS
1.10.3	2	External caliper: 50-200mm - Brand: LINKS

<b>1.10.4</b>	<b>2</b>	Manual Vernier caliper: 0-300mm, providing inside, outside, depth and step readings - Brand: LINKS
<b>1.10.5</b>	<b>2</b>	Bore Gauge, dial type. Approximate measuring range 50-150 mm with set of anvils. Maximum measuring depth approximately 150 mm, Dial scale reading at least 0.01 mm graduations. (Example Mitutoyo 511-723) - Brand: Mitutoyo 511-723
<b>1.10.6</b>	<b>2</b>	Manual micrometer complete set: 0-100mm - Brand: Shengdeli Model: 0-25mm , 25-50 mm, 50-75mm, 75-100mm
<b>1.10.7</b>	<b>2</b>	Feeler gauge set, metric - Brand: Silverline
<b>1.10.8</b>	<b>2</b>	Ratchet, socket set 3/4" drive. Made from chrome vanadium steel and with metal storage box. 10 pcs 12pt sockets: 30, 32, 34, 36, 38, 41, 46, 50, 55, 60mm 5 pcs accessories: quick release ratchet, sliding T-bar, extension bars 4" 8", universal joint. - Brand : Shengdeli
<b>1.10.9</b>	<b>2</b>	Ratchet, Socket Set 1/2" drive, metric, made from chrome vanadium steel. With metal storage box: 17 pcs 6pt sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32, 34mm, 5 pcs 6pt deep sockets: 10, 13, 17, 19, 22mm, 5 pcs accessories: quick release ratchet, extension bar 10", universal joint, locking extension bar 5", 3-way adapter 3/8"F x 1/2"M - Brand : Shengdeli
<b>1.10.10</b>	<b>2</b>	Ring Spanner Set, made from chrome vanadium steel. Double-ended. With tool box: 10pcs: 6 x 7, 8 x 10, 10 x 12, 11 x 13, 12 x 14, 14 x 17, 17 x 19, 19 x 21, 21 x 23, 24 x 27, 30 x 32mm - Brand: Donggong
<b>1.10.11</b>	<b>2</b>	Thread Cutting Tap and Die set with tool box: Thread cutting set in metal box, what should include (Thread Tap: M3 ~ M20, 3 pcs each size, Die: M3 ~ M20, 3 pcs each size, 12 accessories) - Brand: Donggong
<b>1.10.12</b>	<b>2</b>	Angle grinder, 125 mm dia disc. 220V, single phase 1500 watt power. Fitted with side handle and rotating spark guard. Supplied with 50 metal grinding discs (minimum thickness 5 mm) and 50 metal cutting discs (minimum thickness 2.5 mm) - Brand: Bosch Mod 15-125 Model: CIEP Professional WU800S
<b>1.10.13</b>	<b>2</b>	Multimeter test unit: DC/AC, 10A, 600 ~ 700V, resistance range - Brand: YOULIDE Model: UT209A
<b>1.10.14</b>	<b>2</b>	Thermometer, infrared: Two-way digital thermometer to measure temperatures from a distance - Brand: XIMA Model: AR882
<b>1.11</b>		<b>Operator tool kits</b>
<b>1.11.1</b>	<b>40</b>	Set of double-ended ring spanners comprising: 8-10, 12-14, 13-15, 15-17, 17-19, 19-22, 22-24, 24-27, 32-36 mm - Brand: Donggong
<b>1.11.2</b>	<b>40</b>	Adjustable (slip joint) pliers, 30cm - Brand: Shengdeli
<b>1.11.3</b>	<b>40</b>	Combination pliers, 20 cm - Brand: Shengdeli
<b>1.11.4</b>	<b>40</b>	Set of flat head screw drivers - Brand: Shengdeli
<b>1.11.5</b>	<b>40</b>	Set of cross head screw drivers - Brand: Shengdeli

1.11.6	40	set of hexagon keys - Brand: Shengdeli
1.11.7	40	0.5 kg and 1 kg hammers - Brand: Shengdeli
1.12		Mechanics Tool kits
1.12.1	20	Set of double-ended ring spanners comprising: 8-10, 12-14, 13-15, 15-17, 17-19, 19-22, 22-24, 24-27, 32-36 mm - Brand: Donggong
1.12.2	20	Pliers longnose, 20 cm - Brand: Shengdeli
1.12.3	20	Side cutting pliers, adjustable (slip joint) pliers 30 cm
1.12.4	20	Adjustable wrenches 150 mm and 250 mm length - Brand: Taian
1.12.5	20	set of flat head screw drivers, set of cross head screw drivers - Brand Shengdeli Model: S8*200, S6*150, 5*75, 75*4, 6*38
1.12.6	20	Set of snap ring pliers - Brand: Shengdeli
1.12.7	20	Set of circlip pliers - Brand: Shengdeli
1.12.8	20	set of hexagon keys - Brand: Yingzhiyan
1.12.9	20	0.5 kg and 1 kg hammers - Brand: Shengdeli
1.12.10	20	Centre punch - Brand: Shengdeli
1.12.11	20	Steel rule 300mm - Brand: Shengdeli Model SD 608200
		<b>SPARE PARTS AND CONSUMABLES (for 2 Years)</b>
1.1		Tractor 55 kW (74.92 hp) 2WD - Chang Zhou Dongfeng Agricultural Machinery Group Co.,Ltd. (Model: DF750)
1.1.1	48	Air filter (Oil type)
1.1.2	160	Fuel filter
1.1.3	160	Fuel sediment filter and water agglomerator
1.1.4	160	Oil filter
1.1.5	54	Hydraulic system filters
1.1.6	16	Complete Piston set for engine (incl. rings and gudgeon pin)
1.1.7	32	Engine and auxiliary drives belt sets
1.1.8	16	Fuel injection pump assy
1.1.9	64	Brake discs
1.1.10	32	Main clutch plates
1.1.11	80	Fuse set
1.1.12	48	Spare key

1.1.13	32	Replacement light bulb
1.1.14	32	Engine gasket set
1.1.15	16	Hydraulic hoses
1.1.16	16	Hydraulic hoses
1.1.17	32	Complete set of inner tubes (front and rear tyres)
1.1.18	16	Inner tube repair kit
1.1.19	32	Spare tyres (front and rear tyres)
1.1.20	16	Spare top link
1.1.21	16	Lower links (pair)
1.1.22	16	Swinging draw bar
1.1.23	16	Battery (Maintenance free)
1.1.24	16	Upper water hose
1.1.25	16	Lower water hose
1.1.26	16	Mail release lever
1.1.27	16	Sub clutch plates
1.1.28	16	release bearing
1.1.29	16	Shaft, 1-2 speed gear shifting fork
1.1.30	16	Shaft, 3-4 speed gear shifting fork
1.1.31	16	Shaft, high-low speed gear shifting fork
1.1.32	16	H-L shift fork
1.1.33	16	Shifting fork
1.1.34	16	3-4shifting fork
1.1.35	16	3-4shifting fork head
1.1.36	16	Bush
1.1.37	16	Sub middle gear shaft
1.1.38	16	Input shaft
1.1.39	16	Hand throttle assy
1.1.40	16	Seal set
1.1.41	16	Stop control line
1.1.42	16	Half shaft gear shim I
1.1.43	16	Planet gear shim
1.1.44	16	Half shaft gear shim II

<b>1.1.45</b>	<b>16</b>	<b>Power switch</b>
<b>1.1.46</b>	<b>16</b>	<b>Brake switch</b>
<b>1.1.47</b>	<b>16</b>	<b>Combination switch</b>
<b>1.1.48</b>	<b>16</b>	<b>Trailer socket</b>
<b>1.1.49</b>	<b>16</b>	<b>Horn</b>
<b>1.1.50</b>	<b>16</b>	<b>Pre-heating starting switch</b>
<b>1.1.51</b>	<b>16</b>	<b>Gear pump</b>
<b>1.1.52</b>	<b>16</b>	<b>Inlet valve</b>
<b>1.1.53</b>	<b>16</b>	<b>Exhaust valve</b>
<b>1.1.54</b>	<b>16</b>	<b>Cylinder liner</b>
<b>1.1.55</b>	<b>16</b>	<b>Sealing ring,cylinder liner</b>
<b>1.1.56</b>	<b>16</b>	<b>Shell, connecting rod</b>
<b>1.1.57</b>	<b>16</b>	<b>Connecting rod assy</b>
<b>1.1.58</b>	<b>80</b>	<b>Bttom shell,main bearing</b>
<b>1.1.59</b>	<b>80</b>	<b>Top shell,main bering</b>
<b>1.1.60</b>	<b>80</b>	<b>Thrust shell(top),main bearing</b>
<b>1.1.61</b>	<b>80</b>	<b>Thrust shell(bottom),main bearing</b>
<b>1.1.62</b>	<b>122</b>	<b>Oil sealing</b>
<b>1.1.63</b>	<b>122</b>	<b>Oil sealing</b>
<b>1.1.64</b>	<b>14</b>	<b>Fuel injecto assy</b>
<b>1.1.65</b>	<b>16</b>	<b>Water pump assy</b>
<b>1.1.66</b>	<b>16</b>	<b>Oil pump</b>
<b>1.1.67</b>	<b>22</b>	<b>Cooling fan saay</b>
<b>1.1.68</b>	<b>14</b>	<b>Starter</b>
<b>1.1.69</b>	<b>16</b>	<b>Alternator</b>
<b>1.1.70</b>	<b>60</b>	<b>Plunger assy</b>
<b>1.1.71</b>	<b>60</b>	<b>Oil deilvery valve</b>
<b>1.1.72</b>	<b>10</b>	<b>Left brake disc</b>
<b>1.1.73</b>	<b>10</b>	<b>Right brake disc</b>
<b>1.1.74</b>	<b>16</b>	<b>brake piece</b>
<b>1.1.75</b>	<b>64</b>	<b>baffle</b>
<b>1.1.76</b>	<b>10</b>	<b>handle brake system</b>

1.1.77	64	pressure disc return spring
1.1.77	16	pressure disc
1.1.78	60	Rear Tyres
1.1.79	9360	Lubricating oil for tractors
1.1.80	Kg 1300	Anti-freeze for tractors
1.2		Tractor Trailer - Changzhou Doongfeng Agricultural Machinery Group LTD. (Model No: DF 7C-6)
1.2.1	32	Inner tubes for front and rear tyres
1.2.2	32	Axle bearing sets (all wheels)
1.2.3	32	Air hose for replacing brake lines (15m per set)
1.2.4	32	leaf springs front and rear complete set
1.2.5	32	Spare Tyres: sets front and rear
1.2.6	32	Brake shoe sets
1.2.7	32	Rear light
1.2.8	16	Air tap
1.2.9	16	Brake line
1.2.10	16	Air connector
1.2.11	16	Hand brake handle
1.3		Chisel Plough - Changzhou Dongfeng Agricultural Machinery Group LTD., (Model No: DF AETH-7)
1.3.1	128	Chisel points x 8 sets
1.3.2	80	Chisel point fixing pins or bolts
1.3.3	48	Wide chisel points with wings
1.3.4	16	Bearing and seal set for rear crumbler roll or depth control wheels.
1.4		Mounted mouldboard plough, 5 furrows For working with Item 1.1 (the manufacturer suggest for a tractor (80-90 Hp tractors) - Bicchi (Model: BP 12"X5)
1.4.1	64	Complete set of Mouldboards
1.4.2	64	Complete set of landsides
1.4.3	800	Shear bolts
1.4.4	320	Bar points x 20 (CHISEL)
1.4.5	64	Transport/depth wheel bearing and seal set

1.4.6	64	Top and bottom link pins
1.4.7	64	Complete set of trash boards
1.4.8	32	Transport/depth wheel assembly
1.5	Paddy Rice Thresher - Manufacturer: YAJIANG (Model: 5TG-180)	
1.5.1	60	Complete set of drive belts set
1.5.2	60	Upper & lower gripping belts
1.5.3	20	Belt pulley set for feeding1
1.5.4	40	Belt guidance roller set
1.5.5	40	Drum bearings (complete set)
1.5.6	40	Drum repair set
1.5.7	40	Screens set
1.5.8	40	Complete set of grain lift belt and chutes
1.5.9	40	Comprehensive engine maintenance and repair sets x 2
1.5.10	200	Complete sets of fuel filters
1.5.11	100	Air filter set
1.5.12	100	Oil filter set
1.5.13	20	Complete one set of bearing
1.5.14	100	Main clutch (throw-out)bearing
1.5.15	200	Bow teeth for upper and lower drum
1.5.16	20	Bevel gear for grain lift in main gear box 1 (z = 9)
1.5.17	20	Lubricating oil pump
1.5.18	300	Lubricating oil
1.5.19	60	Oversize engine crankshaft and main bearing sets
1.5.20	200	Grease cartridge (to suit supplied grease gun)
1.5.21	40	Tyres and inner tubes complete sets
1.5.22	300	Antifreeze (for water cooled engines)
1.5.23	20	Battery, dry charged
1.5.24	30	Upper steel notched plate
1.5.25	36	Nether steel notched piate
1.5.26	18	Front steel notched plate
1.5.27	2000	Steel paddy tooth with cap
1.5.28	30	Hearing housing 309

1.5.29	30	Hearing housing 307
1.5.30	40	80 section chain
1.5.31	40	34 section chain
1.5.32	60	Big blower chip
1.5.33	20	Small Blower chip
1.5.34	20	Clutch assembly
1.5.35	40	Clutch plate
1.5.36	10	Umbrella type gear
1.5.37	20	Hearing 309
1.5.38	20	Hearing 1205
1.5.39	30	Hearing 205
1.5.40	10	Hearing 307
1.5.41	20	Release hearing
1.5.42	10	Round hole filter plate for mail roller
1.5.43	10	Round hole filter plate for front roller
1.5.44	10	Vibrant filter plate
1.5.45	10	Main wheel
1.5.46	10	Front wheel
1.5.47	10	Rubber tyre and inner tube
1.5.48	10	Roller for supporting filter
1.5.49	10	Wheel for gear box belt
1.5.50	20	Wheel for pressing grass for diesel engine:
1.5.51	20	Injector pump
1.5.52	20	Injector sets
1.5.53	10	Injector plungers set
1.5.54	10	Engine oil pump with gasket
1.6		Multi-grain thresher - Shandong Yingsheng Machinery LTD. (Model: 5TG-180)
1.6.1	30	Complete set of drive belts
1.6.2	30	Belt pulley set for the threshers different components
1.6.3	20	Rotor bearings (complete set)
1.6.4	20	Rotor repair set

1.6.5	20	<b>Blower bearing set</b>
1.6.6	20	<b>Blower driver chain</b>
1.6.7	20	<b>Grain hoist belt and chutes (complete)</b>
1.6.8	20	<b>Screens set (including spares) for wheat, maize and soya.</b>
1.6.9	100	<b>Grease cartridge (to suit supplied grease gun)</b>
1.6.10	10	<b>Comprehensive engine maintenance and repair sets</b>
1.6.11	10	<b>Oversized bearing set for crankshaft and main bearings</b>
1.6.12	10	<b>Battery, dry charged</b>
1.6.13	100	<b>Complete sets of Fuel filters</b>
1.6.14	100	<b>Oil filter set</b>
1.6.15	10	<b>Injector pump</b>
1.6.16	20	<b>Injector sets</b>
1.6.17	20	<b>Injector plungers set</b>
1.6.18	100	<b>Lubricating oil</b>
1.6.19	10	<b>Engine oil pump with gasket</b>
1.6.20	150	<b>Anti-freeze (for water cooled engines)</b>
1.6.21	10	<b>Spindle housing</b>
1.6.22	10	<b>Clutch plate</b>
1.6.23	10	<b>Fan base</b>
1.6.24	10	<b>Universal joint cross (big)</b>
<b>1.7</b>		<b>Small 2WD Tractor – Weitai (Model: TT250)</b>
1.7.1	30	<b>Air filter set</b>
1.7.2	100	<b>Fuel filter set</b>
1.7.3	100	<b>Oil filter</b>
1.7.4	40	<b>Hydraulic system filters</b>
1.7.5	30	<b>Piston set (incl. ring and gudgeon pin)</b>
1.7.6	20	<b>Oversize crankshaft and main bearings</b>
1.7.7	20	<b>Engine (and transmission) belt</b>
1.7.8	10	<b>Fuel injection pump</b>
1.7.9	20	<b>Injection nozzle</b>
1.7.10	20	<b>Injection plunger</b>
1.7.11	50	<b>Fuse set</b>

1.7.12	30	Spare key
1.7.13	24	Replacement light bulb sets
1.7.14	20	Engine gasket set
1.7.15	8	Hydraulic hose set
1.7.16	20	Complete set of inner tubes
1.7.17	10	Inner tube repair kit
1.7.18	20	Spare tyres (front and rear)
1.7.19	10	Battery (dry-charged)
1.7.20	10	High pressure hydraulic oil pump
1.7.21	10	Fuel pump with 7 m hose
1.7.22	500	Anti-freeze
1.7.23	10	Grease Pump with flexible hose and short tube (nipple adapter, round to square)
1.7.24	10	PTO shaft
1.7.25	25	Clutch plate
1.7.26	12	Clutch assembly
1.7.27	10	Break shoe
1.7.28	20	Break disk
1.7.29	10	Break drum
1.7.30	6	Break pump
1.8		Two-Wheeled Trailer - Manufacturer: Changzhou Dongfeng Agricultural Machinery Group LTD., (Model No: DF 7C-3)
1.8.1	20	Spare wheel
1.8.2	60	Spare tires:
1.8.3	70	Inner tubes:
1.8.4	60	Wheel bearings:
1.8.5	30	Leaf spring sets
1.8.6	60	Brake shoes
1.8.7	20	Spring
1.8.8	10	Brake drum
1.8.9	50	Wheel stud and nut
1.8.10	10	Air brake cylinder
1.8.11	10	Air brake cylinder repair kit (seals)

<b>1.8.12</b>	<b>10</b>	<b>Flexible brake hose</b>
<b>1.9</b>		<b>Workshop Furnace - Weifang Jiangnan Mechanical And Electrical Equipment Co., Ltd. (Model: KGPS-100KW 0.1T SCR furnace)</b>
1.9.1	10	Drops Full length apron
1.9.2	20	Face shield with helmet
1.9.3	10	Gauntlet gloves, medium size
1.9.4	12	SCR KP1600
1.9.5	12	SCR KP1600
1.9.6	18	Pulse board
1.9.7	4	Main control board
1.9.8	60	Insulation mats
1.9.9	8	Button
1.9.10	14	Thermocouple
1.9.11	4	Furnace charging
1.9.12	4	Water cooling cable
1.9.13	4	Electrothermal capacitance
1.9.14	14	Reactor coil
1.9.15	8	Asbestos ring
1.9.16	60	Stainless steel Water clip
1.9.17	4	Power knob
1.9.18	20	Silicon controlled KK500A 1800V
1.9.20	2	Water sleeve
1.9.21	2	Furnace burden (1 ton)
1.9.22	1	Water cooling fan
1.9.23	1	Water pump
1.9.24	2	Capacitor
1.9.25	2	Cable tube (20m/pkg)
1.9.26	2	Power trasformer
1.9.27	2	Intermediate frequency transformer
1.9.28	4	Current transformer 5
1.9.29	2	Pressure gauge 0-0.4 MP
1.9.30	100	Inlet pipe 12 dia (meters)

1.9.31	1	<b>Manual or hydraulic cable crimper with die for 95mm 2 copper cable</b>
1.9.32	10	<b>Asbestos cloth (1m)</b>
1.9.33	2	<b>Glass water 15 kg</b>
1.9.34	350	<b>Cleaning agent, bag (1 kg)</b>
1.9.35	2	<b>Plastic pipe sealing tool</b>
1.9.36	30	<b>Copper line noses for 95 mm 2 cable</b>
1.9.37	20	<b>Copper cable 95 mm 2, metres</b>
1.9.38	2	<b>Tool kit (doesn't include Hydraulic plier)</b>
1.9.39	2	<b>Transformer to Power cabinet isolation switch</b>
1.1		<b>Workshop tools</b>
		<b>not needed</b>
1.11		<b>Operator tool kits</b>
		<b>not needed</b>
1.12		<b>Mechanics Tool kits</b>
		<b>not needed</b>